

Chapter 11

TONGUE (ICD-10: C01-C02)

The total number, relative proportion and rank of cancer of tongue in males and females for the years 2004 to 2006 is given in Table 11.1(a). Cancer of the tongue was among the five leading sites in all registries in males.

Table 11.1(b) gives the number and relative proportion of tongue cancer according to sub-site. Bangalore(57.4%) in males and Dibrugarh(63.5%) had a higher proportion of base tongue cancer, whereas Thiruvananthapuram(16.3%) had relatively lower proportion.

Figure 11.1 gives the trends in actual number of tongue cancers from 1984 to 2006. A decrease in numbers is seen in Dibrugarh while a slight increase in numbers is seen in Bangalore.

Table 11.2 and Figure 11.2 show the distribution of tongue cancers by five year age group. The predominant form of diagnosis of tongue cancer was through microscopic examination (Table 11.3).

Table 11.4 gives the distribution of tongue cancer according to the clinical extent of disease. The regional spread of the disease varied from 50.4% in Mumbai to 89.9% in Dibrugarh.

Table 11.5 gives the relative proportion of tongue cancer according to the broad groups of treatment.

Tables 11.6, 11.7 and 11.8 give the picture of the different types of treatment given to these patients.

Table 11.1(a): Number(#), Relative Proportion(%) and Rank(R) of cancers of the Tongue (2004-2006)

Registry	Males				Females			
	Total	#	%	R	Total	#	%	R
Mumbai*	19399	1347	6.9	3	15313	374	2.4	>10
Bangalore	10293	585	5.7	4	11842	165	1.4	>10
Chennai	12523	868	6.9	5	13589	220	1.6	>10
Thi'puram	12563	865	6.9	3	11394	347	3	7
Dibrugarh	1782	96	5.4	4	1063	27	2.5	9


Table 11.1(b): Number(#) and Relative Proportion(%) of Tongue Cancer patients according to sub-site (2004-2006)

Sub-Site	Mumbai*		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
MALES										
Base of Tongue	385	28.6	336	57.4	293	33.8	141	16.3	61	63.5
Rest of Tongue	677	50.3	83	14.2	536	61.8	215	24.9	25	26.0
NOS [#]	285	21.2	166	28.4	39	4.5	509	58.8	10	10.4
Total Tongue	1347	100.0	585	100.0	868	100.0	865	100.0	96	100.0
FEMALES										
Base of Tongue	40	10.7	39	23.6	25	11.4	3	0.9	19	70.4
Rest of Tongue	245	65.5	46	27.9	192	87.3	97	28.0	5	18.5
NOS [#]	89	23.8	80	48.5	3	1.4	247	71.2	3	11.1
Total Tongue	374	100.0	165	100.0	220	100.0	347	100.0	27	100.0

*Only 2004-05 data; #NOS = Not Otherwise Specified

Fig. 11.1: Trends in Actual Numbers - Tongue Cancer

Males



Females




Fig 11.2(a) : Five Year Age Group Distribution - Tongue Cancer - Males (2004-2006)




Fig 11.2(b) : Five Year Age Group Distribution - Tongue Cancer - Females (2004-2006)




Table 11.2(a): Number(#) and Relative Proportion(%) of tongue cancers according to five year age group (2004-2006)**Males**

Age Group	Mumbai *		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
0-4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
5-9	1	0.1	0	0.0	0	0.0	0	0.0	0	0.0
10-14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
15-19	1	0.1	0	0.0	1	0.1	0	0.0	0	0.0
20-24	17	1.3	2	0.3	1	0.1	2	0.2	0	0.0
25-29	38	2.8	8	1.4	15	1.7	6	0.7	3	3.1
30-34	72	5.3	13	2.2	32	3.7	14	1.6	2	2.1
35-39	131	9.7	23	3.9	48	5.5	42	4.9	7	7.3
40-44	147	10.9	48	8.2	69	7.9	53	6.1	6	6.3
45-49	181	13.4	77	13.2	90	10.4	118	13.6	10	10.4
50-54	197	14.6	77	13.2	126	14.5	139	16.1	17	17.7
55-59	183	13.6	95	16.2	132	15.2	115	13.3	10	10.4
60-64	165	12.2	94	16.1	127	14.6	138	16.0	17	17.7
65-69	119	8.8	61	10.4	106	12.2	106	12.3	12	12.5
70-74	57	4.2	58	9.9	67	7.7	66	7.6	5	5.2
75+	38	2.8	29	5.0	54	6.2	66	7.6	7	7.3
ANS	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Ages	1347	100.0	585	100.0	868	100.0	865	100.0	96	100.0
Mean		51.3		56.2		55.7		56.9		55.5
SD		12.5		11.7		12.3		11.5		12.40

Table 11.2(b): Number(#) and Relative Proportion(%) of tongue cancers according to five year age group (2004-2006)**Females**

Age Group	Mumbai *		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
0-4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
5-9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
10-14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
15-19	0	0.0	0	0.0	0	0.0	1	0.3	0	0.0
20-24	8	2.1	1	0.6	3	1.4	3	0.9	0	0.0
25-29	9	2.4	1	0.6	4	1.8	5	1.4	1	3.7
30-34	16	4.3	3	1.8	6	2.7	3	0.9	1	3.7
35-39	21	5.6	9	5.5	14	6.4	15	4.3	1	3.7
40-44	36	9.6	16	9.7	31	14.1	20	5.8	1	3.7
45-49	47	12.6	29	17.6	23	10.5	31	8.9	2	7.4
50-54	64	17.1	21	12.7	29	13.2	52	15.0	5	18.5
55-59	53	14.2	24	14.5	36	16.4	50	14.4	1	3.7
60-64	44	11.8	25	15.2	26	11.8	49	14.1	3	11.1
65-69	46	12.3	18	10.9	22	10.0	53	15.3	6	22.2
70-74	15	4.0	10	6.1	13	5.9	39	11.2	4	14.8
75+	15	4.0	8	4.8	13	5.9	26	7.5	2	7.4
ANS	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Ages	374	100.0	165	100.0	220	100.0	347	100.0	27	100.0
Mean		12.6		54.9		53.8		57.9		58.4
SD		53.0		11.4		12.6		12.2		13.3

* Only 2004-05 data

Table 11.3 : Number(#) and Relative Proportion(%) of tongue cancers based on different Methods of Diagnosis (2004-2006)

Registry	Microscopic		Clinical		All imaging techniques		Others		Total	
	#	%	#	%	#	%	#	%	#	%
Males										
Mumbai*	1282	95.2	2	0.1	0	0.0	63	4.7	1347	100.0
Bangalore	563	96.2	12	2.1	2	0.3	8	1.4	585	100.0
Chennai	672	78.0	190	22.0	0	0.0	0	0.0	862	100.0
Thi'puram	835	96.1	29	3.3	1	0.1	4	0.5	869	100.0
Dibrugarh	96	98.0	0	0.0	2	2.0	0	0.0	98	100.0
Females										
Mumbai*	358	95.7	0	0.0	1	0.3	15	4.0	374	100.0
Bangalore	159	96.4	6	3.6	0	0.0	0	0.0	165	100.0
Chennai	178	80.9	42	19.1	0	0.0	0	0.0	220	100.0
Thi'puram	341	98.3	6	1.7	0	0.0	0	0.0	347	100.0
Dibrugarh	27	100.0	0	0.0	0	0.0	0	0.0	27	100.0

Table 11.4 : Number(#) and Relative Proportion(%) of tongue cancer patients according to the Clinical Extent of Disease (Excludes Patients Previously Treated) (2004-2006)

Registry	Localised (L)		Regional (R)		L + R		Distant		Others		All Stages	
	#	%	#	%	#	%	#	%	#	%	#	%
Males												
Mumbai*	195	17.3	566	50.4	761	67.7	22	2.0	341	30.3	1124	100.0
Bangalore	30	5.5	473	86.0	503	91.5	47	8.5	0	0.0	550	100.0
Chennai	149	19.8	598	79.4	747	99.2	6	0.8	0	0.0	753	100.0
Thi'puram	128	16.6	637	82.6	765	99.2	6	0.4	0	0.0	771	100.0
Dibrugarh	3	3.0	89	89.9	92	92.9	6	3.2	1	1.0	99	100.0
Females												
Mumbai*	83	26.5	127	40.6	210	67.1	9	2.9	94	30.0	313	100.0
Bangalore	24	8.2	114	38.9	138	47.1	17	5.8	0	0.0	155	100.0
Chennai	61	16.1	129	33.9	190	50.0	0	0.0	0	0.0	190	100.0
Thi'puram	74	11.9	237	38.1	311	50.0	0	0.0	0	0.0	311	100.0
Dibrugarh	1	1.9	25	47.2	26	49.1	0	0.0	1	1.9	27	100.0

* Only 2004-05 data

Table 11.5: Number(#) and Relative Proportion(%) of Tongue cancer patients according to Broad Groups of Treatment(Tmt) (2004-2006)

	Mumbai		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
MALES										
Prior Tmt. Only	152	11.3	24	4.1	110	12.7	42	4.9	0	0.0
Prior Tmt.+ at RI	71	5.3	10	1.7	5	0.6	52	6.0	2	2.1
Tmt. Only at RI	511	37.9	303	51.8	290	33.4	658	76.1	94	97.9
No Treatment	613	45.5	248	42.4	463	53.3	113	13.1	0	0.0
Total Patients	1347	100.0	585	100.0	868	100.0	865	100.0	96	100.0
FEMALES										
Prior Tmt. Only	39	10.4	7	4.2	23	10.5	15	4.3	0	0.0
Prior Tmt. at RI	22	5.9	1	0.6	7	3.2	21	6.1	0	0.0
Tmt. Only at RI	140	37.4	80	48.5	99	45.0	276	79.5	26	96.3
No Treatment	173	46.3	77	46.7	91	41.4	35	10.1	1	3.7
Total Patients	374	100.0	165	100.0	220	100.0	347	100.0	27	100.0

* Only 2004-05 data

Table 11.6: Number(#) and Relative Proportion(%) of Tongue Cancer patients according to Type of Treatment given(Patients treated only at Reporting Institution) (2004-2006)**Males**

Type of Treatment	Mumbai*		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
Total Patients	511	100.0	303	100.0	290	100.0	657	100.0	94	100.0
Specific Treatments										
Surgery (S)	114	22.3	32	10.6	6	2.1	154	23.4	1	1.1
Radiotherpay (R)	102	20.0	180	59.4	128	44.1	118	18.0	89	94.7
Chemotherapy (C)	17	3.3	14	4.6	3	1.0	45	6.8	3	3.2
S+R	173	33.9	27	8.9	67	23.1	128	19.5	0	0.0
S+C	2	0.4	1	0.3	0	0.0	14	2.1	0	0.0
R+C	79	15.5	44	14.5	70	24.1	102	15.5	1	1.1
S+R+C	24	4.7	4	1.3	16	5.5	93	14.2	0	0.0
Others	0	0.0	1	0.3	0	0.0	3	0.5	0	0.0
Modality of Therapy[#]										
Single	233	45.6	226	74.6	137	47.2	317	48.2	93	98.9
Combination	278	54.4	76	25.1	153	52.8	337	51.3	1	1.1
Type of Any Treatment										
Any Surgery	313	61.3	64	21.1	89	30.7	389	59.2	1	1.1
Any R	378	74.0	255	84.2	281	96.9	441	67.1	90	95.7
Any C	122	23.9	63	20.8	89	30.7	254	38.7	4	4.3

Females

Type of Treatment	Mumbai*		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
Total Patients	140	100.0	80	100.0	99	100.0	276	100.0	26	100.0
Specific Treatments										
Surgery (S)	52	37.1	24	30.0	2	2.0	82	29.7	0	0.0
Radiotherpay (R)	16	11.4	30	37.5	48	48.5	35	12.7	24	92.3
Chemotherapy (C)	4	2.9	6	7.5	0	0.0	18	6.5	1	3.8
S+R	59	42.1	13	16.3	19	19.2	68	24.6	1	3.8
S+C	0	0.0	1	1.3	1	1.0	6	2.2	0	0.0
R+C	6	4.3	3	3.8	18	18.2	25	9.1	0	0.0
S+R+C	3	2.1	3	3.8	11	11.1	42	15.2	0	0.0
Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Modality of Therapy[#]										
Single	72	51.4	60	75.0	50	50.5	135	48.9	25	96.2
Combination	68	48.6	20	25.0	49	49.5	141	51.1	1	3.8
Type of Any Treatment										
Any Surgery	114	81.4	41	51.3	33	33.3	198	71.7	1	3.8
Any R	84	60.0	49	61.3	96	97.0	170	61.6	25	96.2
Any C	13	9.3	13	16.3	30	30.3	91	33.0	1	3.8

*Only 2004-05 data; #=Excludes specific treatment classified as 'Others'

Table 11.7 (a): Number(#) & Relative proportion (%) of types of treatment according to Clinical Extent of Disease - Tongue Males (2004-2006)

Clinical Extent	Mumbai*		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
Localised										
Surgery (S)	67	43.2	6	27.3	3	2.3	64	56.6	1	33.3
Radiotherapy (R)	12	7.7	6	27.3	51	39.2	22	19.5	2	66.7
Chemotherapy (C)	0	0.0	0	0.0	0	0.0	1	0.9	0	0.0
S+R	74	47.7	3	13.6	50	38.5	17	15.0	0	0.0
S+C	0	0.0	0	0.0	0	0.0	3	2.7	0	0.0
R+C	2	1.3	2	9.1	22	16.9	2	1.8	0	0.0
S+R+C	0	0.0	5	22.7	4	3.1	4	3.5	0	0.0
Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Treatments	155	100.0	22	100.0	130	100.0	113	100.0	3	100.0
Regional										
Surgery (S)	40	12.1	25	9.4	3	1.9	90	16.6	0	0.0
Radiotherapy (R)	84	25.5	157	59.2	77	48.1	95	17.5	85	95.5
Chemotherapy (C)	15	4.5	14	5.3	3	1.9	44	8.1	3	3.4
S+R	94	28.5	22	8.3	17	10.6	111	20.5	0	0.0
S+C	2	0.6	1	0.4	0	0.0	11	2.0	0	0.0
R+C	76	23.0	41	15.5	48	30.0	99	18.3	1	1.1
S+R+C	19	5.8	4	1.5	12	7.5	89	16.4	0	0.0
Others	0	0.0	1	0.4	0	0.0	3	0.6	0	0.0
All Treatments	330	100.0	265	100.0	160	100.0	542	100.0	89	100.0
Distant										
Surgery (S)	0	0.0	1	5.0	0	0.0	0	0.0	0	0.0
Radiotherapy (R)	4	50.0	16	80.0	0	0.0	1	33.3	1	100.0
Chemotherapy (C)	2	25.0	0	0.0	0	0.0	0	0.0	0	0.0
S+R	1	12.5	2	10.0	0	0.0	0	0.0	0	0.0
S+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
R+C	1	12.5	1	5.0	0	0.0	1	33.3	0	0.0
S+R+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Others	0	0.0	0	0.0	0	0.0	1	33.3	0	0.0
All Treatments	8	100.0	20	100.0	0	0.0	3	100.0	1	100.0
Others										
Surgery (S)	3	33.3	0	0.0	0	0.0	0	0.0	0	0.0
Radiotherapy (R)	2	22.2	1	100.0	0	0.0	0	0.0	1	100.0
Chemotherapy (C)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
S+R	4	44.4	0	0.0	0	0.0	0	0.0	0	0.0
S+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
R+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
S+R+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Treatments	9	100.0	1	100.0	0	0.0	0	0.0	1	100.0

* Only 2004-05 data

Table 11.7(b): Number(#) & Relative proportion (%) of types of treatment according to Clinical Extent of Disease -Tongue Females (2004-2006)

Clinical Extent	Mumbai*		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
Localised										
Surgery (S)	38	55.9	8	57.1	2	3.8	33	51.6	0	0.0
Radiotherapy (R)	5	7.4	3	21.4	29	55.8	10	15.6	1	100.0
Chemotherapy (C)	1	1.5	0	0.0	0	0.0	0	0.0	0	0.0
S+R	23	33.8	3	21.4	17	32.7	16	25.0	0	0.0
S+C	0	0.0	0	0.0	0	0.0	1	1.6	0	0.0
R+C	0	0.0	0	0.0	1	1.9	1	1.6	0	0.0
S+R+C	1	1.5	0	0.0	3	5.8	3	4.7	0	0.0
Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Treatments	68	100.0	14	100.0	52	100.0	64	100.0	1	100.0
Regional										
Surgery (S)	11	16.2	14	22.6	0	0.0	49	23.0	0	0.0
Radiotherapy (R)	11	16.2	27	43.5	19	44.2	25	11.7	22	91.7
Chemotherapy (C)	2	2.9	4	6.5	0	0.0	18	8.5	1	4.2
S+R	36	52.9	10	16.1	2	4.7	52	24.4	1	4.2
S+C	0	0.0	1	1.6	0	0.0	5	2.3	0	0.0
R+C	6	8.8	3	4.8	14	32.6	25	11.7	0	0.0
S+R+C	2	2.9	3	4.8	8	18.6	39	18.3	0	0.0
Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Treatments	68	100.0	62	100.0	43	100.0	213	100.0	24	100.0
Distant										
Surgery (S)	0	0.0	2	50.0	0	0.0	0	0.0	0	0.0
Radiotherapy (R)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Chemotherapy (C)	1	100.0	2	50.0	0	0.0	0	0.0	0	0.0
S+R	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
S+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
R+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
S+R+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Treatments	1	100.0	4	100.0	0	100.0	0	100.0	0	100.0
Others										
Surgery (S)	3	100.0	0	0.0	0	0.0	0	0.0	0	0.0
Radiotherapy (R)	0	0.0	0	0.0	0	0.0	0	0.0	1	100.0
Chemotherapy (C)	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
S+R	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
S+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
R+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
S+R+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Treatments	3	100.0	0	100.0	0	100.0	0	100.0	1	100.0

* Only 2004-05 data

Table 11.8(a): Number(#) & proportion (%) of any specific treatment relative to all treated patients according to Clinical Extent of Disease - Tongue - Males (2004-2006)

	Any Surgery		Any Radiotherapy		Any Chemotherapy		Any Others		Total
	#	%	#	%	#	%	#	%	Patients
LOCALISED									
Mumbai*	146	59.3	93	37.8	7	2.8	0	0.0	246
Bangalore	9	40.9	11	50.0	2	9.1	0	0.0	22
Chennai	57	27.1	127	60.5	26	12.4	0	0.0	210
Thi'puram	88	61.5	45	31.5	10	7.0	0	0.0	143
Dibrugarh	1	33.3	2	66.7	0	0.0	0	0.0	3
REGIONAL									
Mumbai*	155	28.7	273	50.6	112	20.7	0	0.0	540
Bangalore	53	15.7	225	66.6	60	17.8	0	0.0	338
Chennai	32	12.9	154	61.8	63	25.3	0	0.0	249
Thi'puram	302	32.1	395	41.9	243	25.8	2	0.2	942
Dibrugarh	0	0.0	86	95.6	4	4.4	0	0.0	90
DISTANT									
Mumbai*	1	10.0	6	60.0	3	30.0	0	0.0	10
Bangalore	3	13.0	19	82.6	1	4.3	0	0.0	23
Chennai	0	0.0	0	0.0	0	0.0	0	0.0	0
Thi'puram	0	0.0	2	50.0	1	25.0	1	25.0	4
Dibrugarh	0	0.0	1	100.0	0	0.0	0	0.0	1
OTHERS									
Mumbai*	11	64.7	6	35.3	0	0.0	0	0.0	17
Bangalore	0	0.0	1	100.0	0	0.0	0	0.0	1
Chennai	0	0.0	0	0.0	0	0.0	0	0.0	0
Thi'puram	0	0.0	0	0.0	0	0.0	0	0.0	0
Dibrugarh	0	0.0	1	100.0	0	0.0	0	0.0	1

* Only 2004-05 data

Table 11.8(b): Number(#) & proportion (%) of any specific treatment relative to all treated patients according to Clinical Extent of Disease - Tongue - Females (2004-2006)

	Any Surgery		Any Radiotherapy		Any Chemotherapy		Any Others		Total
	#	%	#	%	#	%	#	%	Patients
LOCALISED									
Mumbai*	62	66.7	29	31.2	2	2.2	0	0.0	93
Bangalore	11	64.7	6	35.3	0	0.0	0	0.0	17
Chennai	23	27.4	53	63.1	8	9.5	0	0.0	84
Thi'puram	53	61.6	29	33.7	4	4.7	0	0.0	86
Dibrugarh	0	0.0	1	100.0	0	0.0	0	0.0	1
REGIONAL									
Mumbai*	49	43.0	55	48.2	10	8.8	0	0.0	114
Bangalore	28	34.1	43	52.4	11	13.4	0	0.0	82
Chennai	10	13.3	43	57.3	22	29.3	0	0.0	75
Thi'puram	145	38.9	141	37.8	87	23.3	0	0.0	373
Dibrugarh	1	4.0	23	92.0	1	4.0	0	0.0	25
DISTANT									
Mumbai*	0	0.0	0	0.0	1	100.0	0	0.0	1
Bangalore	2	50.0	0	0.0	2	50.0	0	0.0	4
Chennai	0	0.0	0	0.0	0	0.0	0	0.0	0
Thi'puram	0	0.0	0	0.0	0	0.0	0	0.0	0
Dibrugarh	0	0.0	0	0.0	0	0.0	0	0.0	0
OTHERS									
Mumbai*	3	100.0	0	0.0	0	0.0	0	0.0	3
Bangalore	0	0.0	0	0.0	0	0.0	0	0.0	0
Chennai	0	0.0	0	0.0	0	0.0	0	0.0	0
Thi'puram	0	0.0	0	0.0	0	0.0	0	0.0	0
Dibrugarh	0	0.0	1	100.0	0	0.0	0	0.0	1

* Only 2004-05 data