

Chapter 13

LUNG (ICD-10: C33-C34)

Cancer of the lung in males was the leading site of cancer in Thiruvananthapuram accounting for 14.2% of all cancers in males (Table 13.1).

Figure 13.1 gives the trends in actual numbers of lung cancers from 1984 to 2006. A rising trend was observed in registries of Mumbai and Chennai.

Table 13.2 and Figure 13.2 give the five year age distribution of lung cancers. In males, the mean age varied from 57.9 in Mumbai to 62.8 in Dibrugarh. Among Females, the mean age varied from 52.9 in Bangalore to 56.6 in Dibrugarh.

Table 13.3 gives the number and relative proportion according to the different methods of diagnosis. In the registries of Mumbai, Bangalore, Thi'puram and Dibrugarh the percentage of microscopic confirmation was more than 80% except in Chennai (66.5%) where it was relatively lower among males. Among females a similar picture was seen in Mumbai, Bangalore and Thi'puram while the proportion was lower in Chennai and Dibrugarh.

The number and relative proportion of lung cancers according to the clinical extent of disease is given in Table 13.4. In the registries of Mumbai and Thiruvananthapuram a relatively higher percentage of distant cases were found.

Table 13.5 gives the number and relative proportion according to the broad groups of treatment. The percentage of cases treated only at RI varied from 13.7% in Chennai to 67.0% in Thi'puram.

Tables 13.6 to 13.8 give the number and relative proportion according to different types of treatment.


Table 13.1: Number(#), Relative Proportion(%) and Rank(R) of cancers of the Lung (2004-2006)

Registry	Males				Females			
	Total	#	%	R	Total	#	%	R
Mumbai*	19399	1526	7.8	2	15313	443	2.8	8
Bangalore	10293	719	7.0	3	11842	171	1.4	>10
Chennai	12523	983	7.8	3	13589	248	1.8	>10
Thi'puram	12563	1787	14.2	1	11394	261	2.2	>10
Dibrugarh	1782	59	3.3	8	1063	14	1.3	>10

* Only 2004-05 data

Fig. 13.1: Trends in Actual Numbers - Lung Cancer (2004-2006)

Males



Females




Table 13.2 : Number(#) and Relative Proportion(%) of Lung cancers according to five year age group (2004-2006)**Males**

Age Group	Mumbai *		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
0-4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
5-9	0	0.0	0	0.0	0	0.0	1	0.1	0	0.0
10-14	1	0.1	0	0.0	0	0.0	1	0.1	0	0.0
15-19	2	0.1	0	0.0	0	0.0	0	0.0	0	0.0
20-24	5	0.3	2	0.3	1	0.1	3	0.2	0	0.0
25-29	10	0.7	5	0.7	3	0.3	4	0.2	1	1.7
30-34	20	1.3	10	1.4	7	0.7	12	0.7	0	0.0
35-39	59	3.9	19	2.6	32	3.3	31	1.7	2	3.4
40-44	65	4.3	39	5.4	60	6.1	80	4.5	1	1.7
45-49	162	10.6	72	10.0	92	9.4	154	8.6	3	5.1
50-54	254	16.6	104	14.5	154	15.7	250	14.0	3	5.1
55-59	247	16.2	112	15.6	150	15.3	301	16.8	7	11.9
60-64	226	14.8	112	15.6	179	18.2	310	17.3	11	18.6
65-69	250	16.4	111	15.4	152	15.5	304	17.0	16	27.1
70-74	145	9.5	71	9.9	101	10.3	196	11.0	9	15.3
75+	80	5.2	62	8.6	52	5.3	140	7.8	6	10.2
ANS	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Ages	1526	100.0	719	100.0	983	100.0	1787	100.0	59	100.0
Mean		57.9		58.8		58.5		59.9		62.8
SD		11.2		11.3		10.5		10.4		10.6


Females

Age Group	Mumbai *		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
0-4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
5-9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
10-14	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
15-19	3	0.7	1	0.6	1	0.4	0	0.0	0	0.0
20-24	1	0.2	2	1.2	1	0.4	4	1.5	0	0.0
25-29	2	0.5	5	2.9	6	2.4	1	0.4	0	0.0
30-34	14	3.2	8	4.7	3	1.2	8	3.1	1	7.1
35-39	25	5.6	12	7.0	12	4.8	8	3.1	0	0.0
40-44	57	12.9	16	9.4	18	7.3	20	7.7	0	0.0
45-49	50	11.3	26	15.2	39	15.7	42	16.1	1	7.1
50-54	68	15.3	15	8.8	33	13.3	37	14.2	3	21.4
55-59	71	16.0	29	17.0	45	18.1	39	14.9	2	14.3
60-64	66	14.9	18	10.5	40	16.1	31	11.9	5	35.7
65-69	48	10.8	24	14.0	21	8.5	41	15.7	2	14.3
70-74	25	5.6	10	5.8	23	9.3	16	6.1	0	0.0
75+	13	2.9	5	2.9	6	2.4	14	5.4	0	0.0
ANS	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Ages	443	100.0	171	100.0	248	100.0	261	100.0	14	100.0
Mean		54.3		52.9		54.9		55.7		56.6
SD		11.5		13.1		11.6		11.9		9.0

* Only 2004-05 data

Fig 13.2 : Five Year Age Group Distribution - Lung Cancer - (2004-2006)

Males



Females




Table 13.3(a) : Number(#) and Relative Proportion(%) of Lung cancers based on different Methods of Diagnosis (2004-2006) - Males

Registry	Microscopic		Clinical		All imaging techniques		Others		Total	
	#	%	#	%	#	%	#	%	#	%
Mumbai*	1433	93.9	3	0.2	5	0.3	85	5.6	1526	100.0
Bangalore	650	90.4	30	4.2	28	3.9	11	1.5	719	100.0
Chennai	654	66.5	14	1.4	310	31.5	5	0.5	983	100.0
Thi'puram	1474	82.5	10	0.6	300	16.8	3	0.2	1787	100.0
Dibrugarh	56	94.9	0	0.0	3	5.1	0	0.0	59	100.0

Table 13.3(b) : Number(#) and Relative Proportion(%) of Lung cancers based on different Methods of Diagnosis (2004-2006) - Females

Registry	Microscopic		Clinical		All imaging techniques		Others		Total	
	#	%	#	%	#	%	#	%	#	%
Mumbai*	425	95.9	0	0.0	1	0.2	17	3.8	443	100.0
Bangalore	156	91.2	5	2.9	8	4.7	2	1.2	171	100.0
Chennai	180	72.6	3	1.2	65	26.2	0	0.0	248	100.0
Thi'puram	230	88.1	1	0.4	29	11.1	1	0.4	261	100.0
Dibrugarh	11	78.6	0	0.0	3	21.4	0	0.0	14	100.0

Table 13.4(a): Number(#) and Relative Proportion(%) of lung cancer patients according to the Clinical Extent of Disease (Excludes Patients Previously Treated) (2004-2006) - Males

Registry	Localised (L)		Regional (R)		L + R		Distant		Others		All Stages	
	#	%	#	%	#	%	#	%	#	%	#	%
Mumbai*	70	6.9	305	30.0	375	36.9	633	62.3	8	0.8	1016	100.0
Bangalore	36	5.2	376	54.0	412	59.2	281	40.4	3	0.4	696	100.0
Chennai	0	0.0	656	0.0	656	73.1	241	26.9	0	0.0	897	100.0
Thi'puram	104	6.2	621	37.3	725	43.5	942	56.5	0	0.0	1667	100.0
Dibrugarh	0	0.0	14	0.0	14	24.1	12	20.7	32	55.2	58	100.0

* Only 2004-05 data

Table 13.4(b): Number(#) and Relative Proportion(%) of Lung cancer patients according to the Clinical Extent of Disease (Excludes Patients Previously Treated) (2004-2006) - Females

Registry	Localised (L)		Regional (R)		L + R		Distant		Others		All Stages	
	#	%	#	%	#	%	#	%	#	%	#	%
Mumbai*	30	10.0	41	13.6	71	23.6	226	75.1	4	1.3	301	100.0
Bangalore	9	5.6	82	50.6	91	56.2	70	43.2	1	0.6	162	100.0
Chennai	0	0.0	157	72.4	157	72.4	60	27.6	0	0.0	217	100.0
Thi'puram	9	3.7	84	34.6	93	0.0	150	61.7	0	0.0	243	100.0
Dibrugarh	0	0.0	1	7.1	1	7.1	5	35.7	8	57.1	14	100.0

Table 13.5(a): Number(#) and Relative Proportion(%) of Lung cancer patients according to Broad Groups of Treatment(Tmt) (2004-2006) - Males

Treatment Group	Mumbai*		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
Prior Tmt. Only	57	3.7	12	1.7	84	8.5	59	3.3	0	0.0
Prior Tmt. at RI	47	3.1	5	0.7	2	0.2	61	3.4	1	1.7
Tmt. Only at RI	565	37.0	272	37.8	135	13.7	1197	67.0	38	64.4
No Treatment	857	56.2	430	59.8	762	77.5	470	26.3	20	33.9
Total Patients	1526	100.0	719	100.0	983	100.0	1787	100.0	59	100.0

Table 13.5(b): Number(#) and Relative Proportion(%) of Lung cancer patients according to Broad Groups of Treatment(Tmt) (2004-2006) - Females

Treatment Group	Mumbai*		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
Prior Tmt. Only	16	3.6	5	2.9	29	11.7	7	2.7	0	0.0
Prior Tmt. at RI	11	2.5	2	1.2	2	0.8	11	4.2	0	0.0
Tmt. Only at RI	159	35.9	55	32.2	41	16.5	174	66.7	12	85.7
No Treatment	257	58.0	109	63.7	176	71.0	69	26.4	2	14.3
Total Patients	443	100.0	171	100.0	248	100.0	261	100.0	14	100.0

* Only 2004-05 data

Table 13.6(a): Number(#) and Relative Proportion(%) of Lung Cancer patients according to Type of Treatment given(Patients treated only at Reporting Institution) (2004-2006) - Males

Type of Treatment	Mumbai*		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
Total Patients	565	100.0	272	100.0	135	100.0	1197	100.0	38	100.0
Specific Treatments										
Surgery (S)	22	3.9	12	4.4	9	6.7	10	0.8	1	2.6
Radiotherpay (R)	92	16.3	86	31.6	17	12.6	621	51.9	20	52.6
Chemotherapy (C)	284	50.3	128	47.1	80	59.3	221	18.5	16	42.1
S+R	4	0.7	1	0.4	2	1.5	4	0.3	0	0.0
S+C	28	5.0	3	1.1	2	1.5	8	0.7	0	0.0
R+C	133	23.5	39	14.3	24	17.8	293	24.5	1	2.6
S+R+C	2	0.4	3	1.1	1	0.7	6	0.5	0	0.0
Others	0	0.0	0	0.0	0	0.0	34	2.8	0	0.0
Modality of Therapy *										
Single	398	70.4	226	83.1	106	78.5	852	71.2	37	97.4
Combination	167	29.6	46	16.9	29	21.5	311	26.0	1	2.6
Type of Any Treatment										
Any Surgery	56	9.9	19	7.0	14	10.4	28	2.3	1	2.6
Any R	231	40.9	129	47.4	44	32.6	924	77.2	21	55.3
Any C	447	79.1	173	63.6	107	79.3	528	44.1	17	44.7

Table 13.6(b): Number(#) and Relative Proportion(%) of Lung Cancer patients according to Type of Treatment given(Patients treated only at Reporting Institution) (2004-2006) - Females

Type of Treatment	Mumbai*		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
Total Patients	159	100.0	55	100.0	41	100.0	174	100.0	12	100.0
Specific Treatments										
Surgery (S)	8	5.0	1	1.8	2	4.9	1	0.6	0	0.0
Radiotherpay (R)	19	11.9	13	23.6	3	7.3	63	36.2	7	58.3
Chemotherapy (C)	98	61.6	27	49.1	24	58.5	70	40.2	4	33.3
S+R	0	0.0	1	1.8	0	0.0	0	0.0	0	0.0
S+C	9	5.7	1	1.8	0	0.0	3	1.7	0	0.0
R+C	23	14.5	12	21.8	12	29.3	32	18.4	1	8.3
S+R+C	2	1.3	0	0.0	0	0.0	1	0.6	0	0.0
Others	0	0.0	0	0.0	0	0.0	4	2.3	0	0.0
Modality of Therapy										
Single	125	78.6	41	74.5	29	70.7	134	77.0	11	91.7
Combination	34	21.4	14	25.5	12	29.3	36	20.7	1	8.3
Type of Any Treatment										
Any Surgery	19	11.9	3	5.5	2	4.9	5	2.9	0	0.0
Any R	44	27.7	26	47.3	15	36.6	96	55.2	8	66.7
Any C	132	83.0	40	72.7	36	87.8	106	60.9	5	41.7

* Only 2004-05 data

Table 13.7(a): Number(#) & Relative proportion (%) of types of treatment according to Clinical Extent of Disease -Lung - Males (2004-2006)

Clinical Extent	Mumbai*		Bangalore		Chennai		Thi'puram		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
Localised										
Surgery (S)	15	30.6	1	8.3	0	0.0	4	6.3	0	0.0
Radiotherapy (R)	1	2.0	2	16.7	0	0.0	28	43.8	0	0.0
Chemotherapy (C)	10	20.4	7	58.3	0	0.0	6	9.4	0	0.0
S+R	1	2.0	0	0.0	0	0.0	0	0.0	0	0.0
S+C	14	28.6	1	8.3	0	0.0	4	6.3	0	0.0
R+C	7	14.3	1	8.3	0	0.0	22	34.4	0	0.0
S+R+C	1	2.0	0	0.0	0	0.0	0	0.0	0	0.0
Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Treatments	49	100.0	12	100.0	0	0.0	64	100.0	0	0.0
Regional										
Surgery (S)	3	1.8	8	4.9	8	7.8	6	1.4	0	0.0
Radiotherapy (R)	19	11.2	43	26.5	14	13.7	198	45.1	7	53.8
Chemotherapy (C)	81	47.9	80	49.4	61	59.8	86	19.6	5	38.5
S+R	3	1.8	0	0.0	2	2.0	3	0.7	0	0.0
S+C	11	6.5	2	1.2	2	2.0	4	0.9	0	0.0
R+C	51	30.2	27	16.7	14	13.7	127	28.9	1	7.7
S+R+C	1	0.6	2	1.2	1	1.0	5	1.1	0	0.0
Others	0	0.0	0	0.0	0	0.0	10	2.3	0	0.0
All Treatments	169	100.0	162	100.0	102	100.0	439	100.0	13	100.0
Distant										
Surgery (S)	3	0.9	3	3.1	1	3.0	0	0.0	1	14.3
Radiotherapy (R)	72	20.9	41	42.7	3	9.1	395	56.9	3	42.9
Chemotherapy (C)	191	55.5	40	41.7	19	57.6	129	18.6	3	42.9
S+R	0	0.0	1	1.0	0	0.0	1	0.1	0	0.0
S+C	3	0.9	0	0.0	0	0.0	0	0.0	0	0.0
R+C	75	21.8	10	10.4	10	30.3	144	20.7	0	0.0
S+R+C	0	0.0	1	1.0	0	0.0	1	0.1	0	0.0
Others	0	0.0	0	0.0	0	0.0	24	3.5	0	0.0
All Treatments	344	100.0	96	100.0	33	100.0	694	100.0	7	100.0
Others										
Surgery (S)	2	50.0	0	0.0	0	0.0	0	0.0	0	0.0
Radiotherapy (R)	0	0.0	0	0.0	0	0.0	0	0.0	10	55.6
Chemotherapy (C)	2	50.0	1	50.0	0	0.0	0	0.0	8	44.4
S+R	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
S+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
R+C	0	0.0	1	50.0	0	0.0	0	0.0	0	0.0
S+R+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Treatments	4	100.0	2	100.0	0	0.0	0	0.0	18	100.0

* Only 2004-05 data

Table 13.7(b): Number(#) & Relative proportion (%) of types of treatment according to Clinical Extent of Disease -Lung - Females (2004-2006)

Clinical Extent	Mumbai*		Bangalore		Chennai		Thi'pura		Dibrugarh	
	#	%	#	%	#	%	#	%	#	%
Localised										
Surgery (S)	6	33.3	0	0.0	0	0.0	1	16.7	0	0.0
Radiotherapy (R)	0	0.0	1	25.0	0	0.0	1	16.7	0	0.0
Chemotherapy (C)	4	22.2	2	50.0	0	0.0	1	16.7	0	0.0
S+R	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
S+C	5	27.8	0	0.0	0	0.0	1	16.7	0	0.0
R+C	3	16.7	1	25.0	0	0.0	2	33.3	0	0.0
S+R+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Treatments	18	100.0	4	100.0	0	0.0	6	100.0	0	0.0
Regional										
Surgery (S)	0	0.0	1	3.0	2	6.7	0	0.0	0	0.0
Radiotherapy (R)	4	13.3	5	15.2	0	0.0	9	16.4	0	0.0
Chemotherapy (C)	18	60.0	18	54.5	21	70.0	33	60.0	0	0.0
S+R	0	0.0	1	3.0	0	0.0	0	0.0	0	0.0
S+C	3	10.0	1	3.0	0	0.0	1	1.8	0	0.0
R+C	5	16.7	6	18.2	7	23.3	9	16.4	0	0.0
S+R+C	0	0.0	1	3.0	0	0.0	1	1.8	0	0.0
Others	0	0.0	0	0.0	0	0.0	2	3.6	0	0.0
All Treatments	30	100.0	33	100.0	30	100.0	55	100.0	0	0.0
Distant										
Surgery (S)	2	1.9	0	0.0	0	0.0	0	0.0	0	0.0
Radiotherapy (R)	14	13.1	7	38.9	3	27.3	53	46.9	3	60.0
Chemotherapy (C)	74	69.2	6	33.3	3	27.3	36	31.9	1	20.0
S+R	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
S+C	1	0.9	0	0.0	0	0.0	1	0.9	0	0.0
R+C	15	14.0	5	27.8	5	45.5	21	18.6	1	20.0
S+R+C	1	0.9	0	0.0	0	0.0	0	0.0	0	0.0
Others	0	0.0	0	0.0	0	0.0	2	1.8	0	0.0
All Treatments	107	100.0	18	100.0	11	100.0	113	100.0	5	100.0
Others										
Surgery (S)	1	25.0	0	0.0	0	0.0	0	0.0	0	0.0
Radiotherapy (R)	1	25.0	0	0.0	0	0.0	0	0.0	4	57.1
Chemotherapy (C)	2	50.0	1	100.0	0	0.0	0	0.0	3	42.9
S+R	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
S+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
R+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
S+R+C	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Others	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
All Treatments	4	100.0	1	100.0	0	0.0	0	0.0	7	100.0

* Only 2004-05 data

Table 13.8(a): Number(#) & proportion (%) of any specific treatment relative to all treated patients according to Clinical Extent of Disease - Lung - Males (2004-2006)

	Any Surgery		Any Radiotherapy		Any Chemotherapy		Any Others		Total Patients
	#	%	#	%	#	%	#	%	
LOCALISED									
Mumbai*	31	42.5	10	13.7	32	43.8	0	0.0	73
Bangalore	2	14.3	3	21.4	9	64.3	0	0.0	14
Chennai	0	0.0	0	0.0	0	0.0	0	0.0	0
Thi'puram	8	8.9	50	55.6	32	35.6	0	0.0	90
Dibrugarh	0	0.0	0	0.0	0	0.0	0	0.0	0
REGIONAL									
Mumbai*	18	7.6	74	31.4	144	61.0	0	0.0	236
Bangalore	12	6.2	72	36.9	111	56.9	0	0.0	195
Chennai	13	10.7	31	25.4	78	63.9	0	0.0	122
Thi'puram	18	3.1	333	57.1	222	38.1	10	1.7	583
Dibrugarh	0	0.0	8	57.1	6	42.9	0	0.0	14
DISTANT									
Mumbai*	6	1.4	147	34.8	269	63.7	0	0.0	422
Bangalore	5	4.6	53	48.6	51	46.8	0	0.0	109
Chennai	1	2.3	13	30.2	29	67.4	0	0.0	43
Thi'puram	2	0.2	541	64.3	274	32.6	24	2.9	841
Dibrugarh	1	14.3	3	42.9	3	42.9	0	0.0	7
OTHERS									
Mumbai*	1	33.3	0	0.0	2	66.7	0	0.0	3
Bangalore	0	0.0	1	33.3	2	66.7	0	0.0	3
Chennai	0	0.0	0	0.0	0	0.0	0	0.0	0
Thi'puram	0	0.0	0	0.0	0	0.0	0	0.0	0
Dibrugarh	0	0.0	10	55.6	8	44.4	0	0.0	18

* Only 2004-05 data

Table 13.8(b): Number(#) & proportion (%) of any specific treatment relative to all treated patients according to Clinical Extent of Disease - Lung - Females (2004-2006)

	Any Surgery		Any Radiotherapy		Any Chemotherapy		Any Others		Total
	#	%	#	%	#	%	#	%	Patients
LOCALISED									
Mumbai*	11	42.3	3	11.5	12	46.2	0	0.0	26
Bangalore	0	0.0	2	40.0	3	60.0	0	0.0	5
Chennai	0	0.0	0	0.0	0	0.0	0	0.0	0
Thi'puram	2	22.2	3	33.3	4	44.4	0	0.0	9
Dibrugarh	0	0.0	0	0.0	0	0.0	0	0.0	0
REGIONAL									
Mumbai*	4	9.8	10	24.4	27	65.9	0	0.0	41
Bangalore	3	7.5	12	30.0	25	62.5	0	0.0	40
Chennai	2	5.4	7	18.9	28	75.7	0	0.0	37
Thi'puram	2	3.0	19	28.4	44	65.7	2	3.0	67
Dibrugarh	0	0.0	0	0.0	0	0.0	0	0.0	0
DISTANT									
Mumbai*	4	3.2	30	24	91	72.8	0	0	125
Bangalore	0	0.0	12	52.2	11	47.8	0	0.0	23
Chennai	0	0.0	8	50.0	8	50.0	0	0.0	16
Thi'puram	1	0.7	74	54.8	58	43.0	2	1.5	135
Dibrugarh	0	0.0	4	66.7	2	33.3	0	0.0	6
OTHERS									
Mumbai*	0	0.0	1	33.3	2	66.7	0	0.0	3
Bangalore	0	0.0	0	0.0	1	100.0	0	0.0	1
Chennai	0	0.0	0	0.0	0	0.0	0	0.0	0
Thi'puram	0	0.0	0	0.0	0	0.0	0	0.0	0
Dibrugarh	0	0.0	4	57.1	3	42.9	0	0.0	7

* Only 2004-05 data