

**INDIVIDUAL REGISTRIES**  
**WRITE-UP WITH TABLE OF SOURCE OF REGISTRATION**

			<u>Page Nos.</u>
Bangalore	–	BLR	92-110
Barshi	–	BRS	111-145
Bhopal	–	BHP	146-164
Chennai	–	CHN	165-183
Delhi	–	DEL	184-202
Mumbai	–	MUM	203-221
Cachar District	–	SIT	222-240
Dibrugarh District	–	DIB	241-259
Kamrup Urban District	–	KUD	260-278
Manipur State	–	MR	279-329
Mizoram State	–	MZ	330-380
Sikkim State	–	SK	381-399
Ahmedabad	–	AHM	400-435
Aurangabad	–	AUR	436-453
Kolkata	–	KOL	454-472
Kollam	–	KOM	473-490
Nagpur	–	NAG	491-508
Pune	–	PUN	509-528
Thiruvananthapuram	–	TVD	529-544

# POPULATION BASED CANCER REGISTRY, BANGALORE

## Kidwai Memorial Institute of Oncology, Bangalore

**Dr M. Vijayakumar**, Principal Investigator & Director  
**Dr K. Ramachandra Reddy**, Co-Principal Investigator & Head

The Population Based Cancer Registry at Kidwai Memorial Institute of Oncology (KMIO) was established during June 1981 with the main objective of assessing the magnitude and type of cancers in Bangalore and to provide a framework for controlling the impact of cancer in the community apart from carrying out research investigations on cancer aetiology through epidemiological studies. This registry was included under the network project of the National Cancer Registry Programme (NCRP) of Indian Council of Medical Research (ICMR) and the actual registration of cancer cases commenced from 1<sup>st</sup> January 1982.

Bangalore today has evolved as a most favoured Health-Tourism destination in India and is a home of International Standard R & D centres, Educational Institutes like Indian Institute of Management, Indian Institute of Science, National Law School and Multi Speciality Hospitals with state-of-art technology. The city is now ideal showcase of the medical boom in the Indian sub-continent. In a few years from now, Bangalore will truly be called the Garden of Health. The registry covers Bangalore Urban Agglomerate which consists of Bruhat Bengaluru Mahanagara Palike (BBMP) divided into 198 wards and 38 death registration units. Bangalore Mahanagara Palike has an area of 741 sq. kms with an estimated population of 7.0 million in 2007 and 7.2 million in 2008. The registry staff visit various sources of registration namely, all Government Hospitals, Private Hospitals, Nursing Homes, Diagnostic Labs besides Base Institution (KMIO) and Death Registration Units in the defined area and actively pursue and collect information on cancer cases and interview the patients wherever possible. At KMIO each and every patient registered will be interviewed at their first visit to the hospital to collect socio-demographic details in the first stage. Later, the case records of these patients are scrutinized to extract information on clinical items such as method of diagnosis, stage of the disease, site of cancer, treatment details, etc. The inclusion criteria for registration of cases is that patients who have lived in the defined area for a minimum period of one year at the time of first diagnosis of cancer. Only invasive cancers are reported. Benign tumours and in-situ cancers are not included for analysis.


During the period 2006 & 2007, a total number of 12624 incident cases have been registered with 5645 males and 6979 females. The male/female ratio of incident cases being 0.81:1. The annual crude incidence rate (CIR) and age adjusted incidence rate (AAR) (world standard population) were 78.2 and 113.4 among males and 106.3 and 139.1 among females respectively per 100,000 persons. Cancer of the lung is the predominant site of cancer among males followed by cancers of stomach, prostate, oesophagus and non-hodgkin's lymphoma. Among females cancer of breast is the commonest site of cancer followed by cancers of cervix, ovary, mouth and oesophagus.

**Staff of Population Based Cancer Registry, Bangalore**

<b>Mr Krishna Reddy K.V.</b>	:	Junior Biostatistician
<b>Mr Gopalakrishnappa B.R.</b>	:	Field Supervisor
<b>Mr Srirama Reddy N.M.</b>	:	Asst. Social Scientist
<b>Mr Rajanna</b>	:	Asst. Social Scientist
<b>Mr Venugopal T.C.</b>	:	Asst. Social Scientist
<b>Mr Srinivasa</b>	:	Asst. Social Scientist
<b>Mr Dayananda C.S.</b>	:	Asst. Social Scientist
<b>Mr Manjunath P.</b>	:	Asst. Social Scientist
<b>Mrs Shoba H.N.</b>	:	Second Division Clerk
<b>Mr Kanthu K.</b>	:	Attender

NCRP, Bangalore

**Figure BLR-1**  
**Population Pyramid showing Age Distribution: 2006-2007**  
**Bangalore Urban Agglomeration**



**TABLE BLR-1**  
**Population by Five Year Age Group and Gender: 2006-2007**  
*Number and Relative Proportion (%)*  
**Bangalore**

Age Group	Males		Females	
	Number	%	Number	%
0-4	533803	7.4	494115	7.5
5-9	562458	7.8	537200	8.2
10-14	629424	8.7	588797	9.0
15-19	686347	9.5	645616	9.8
20-24	886381	12.3	777733	11.8
25-29	834182	11.6	773386	11.8
30-34	651859	9.0	552005	8.4
35-39	592178	8.2	558686	8.5
40-44	462202	6.4	388639	5.9
45-49	418232	5.8	364128	5.5
50-54	318519	4.4	267078	4.1
55-59	197478	2.7	176179	2.7
60-64	168467	2.3	155153	2.4
65-69	109779	1.5	114884	1.7
70-74	81595	1.1	80586	1.2
75+	86156	1.2	92040	1.4
<b>Total</b>	<b>7219061</b>	<b>100.0</b>	<b>6566224</b>	<b>100.0</b>

**TABLE BLR-2**  
**Main Sources of Registration of Incident Cases of Cancer: 2006-2007**  
**Bangalore**

<b>Name of the Institution</b>	<b>Number</b>	<b>%</b>
Kidwai Memorial Institute of Oncology	3595	28.5
Bangalore Institute of Oncology	2252	17.8
M.S. Ramaiah Medical College	946	7.5
Manipal Hospital	893	7.1
Curie Institute of Oncology	744	5.9
Karunashraya AUSP Centre	722	5.7
St. John's Medical College & Hospital	561	4.4
D.C.O.	283	2.2
St. Marthas Hospital	229	1.8
St. Philomenas Hospital	203	1.6
Bhagwan Mahaveer Jain Hospital	196	1.6
Agadi Hospital & Research Centre	155	1.2
Mallya Hospital	155	1.2
Bangalore Baptist Hospital	143	1.1
Sagar Hospital	93	0.7
Mallige Medical Centre (KMRRC)	85	0.7
Kempegowda Inst. of Medical Sciences	85	0.7
NIMHANS	71	0.6
Unknown	606	4.8
Other	607	4.8
<b>Total</b>	<b>12624</b>	<b>100.0</b>

1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2006-2007.
2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**TABLE BLR-3 (a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):  
2006-2007 – Males**

%= Relative Proportion of Cancers of All Sites.

**Bangalore**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	3	0.05
C01-C02	Tongue	-	-	-	-	1	7	8	13	15	17	46	40	33	22	11	15	-	228	4.04
C03-C06	Mouth	-	1	-	-	1	3	5	13	11	20	20	32	25	18	12	14	1	176	3.12
C07-C08	Salivary Gland	-	-	-	-	-	1	1	-	1	2	3	6	3	-	3	1	-	21	0.37
C09	Tonsil	-	-	-	-	-	-	2	2	1	8	7	7	5	9	7	5	-	53	0.94
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	2	4	7	5	15	8	6	8	-	55	0.97
C11	Nasopharynx	-	-	-	3	1	-	-	2	1	1	1	1	1	2	2	1	-	16	0.28
C12-C13	Hypopharynx	-	-	-	-	2	-	-	8	11	26	34	39	42	35	27	26	-	250	4.43
C14	Pharynx Unspecified	-	-	-	-	-	-	1	2	5	5	8	5	8	8	6	10	-	58	1.03
C15	Oesophagus	-	-	-	-	1	-	3	5	18	17	54	49	52	64	59	46	1	369	6.54
C16	Stomach	-	-	-	-	2	3	14	9	27	37	43	53	68	74	64	60	-	454	8.04
C17	Small Intestine	-	-	-	-	-	-	1	-	-	3	2	4	4	5	2	1	-	22	0.39
C18	Colon	-	-	-	1	2	5	6	10	9	12	30	32	33	27	21	31	-	219	3.88
C19-C20	Rectum	-	-	-	1	6	4	6	10	10	23	14	31	26	22	25	29	1	208	3.68
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	4	2	2	4	3	3	2	-	20	0.35
C22	Liver	-	-	1	-	3	1	3	5	7	9	14	18	33	45	25	41	-	205	3.63
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	3	6	9	8	7	15	6	3	8	-	65	1.15
C25	Pancreas	-	-	-	-	-	-	-	3	4	7	20	7	16	18	8	8	-	91	1.61
C30-C31	Nose, Sinuses etc.	-	1	1	-	-	2	3	3	1	5	5	2	7	1	3	3	-	37	0.66
C32	Larynx	1	-	-	-	-	-	1	3	8	7	19	35	24	32	20	19	-	169	2.99
C33-C34	Lung etc.	-	-	-	-	1	1	3	5	16	35	59	57	88	80	76	72	-	493	8.73
C37-C38	Other Thoracic Organs	-	-	-	-	1	2	1	2	2	2	4	2	-	5	5	2	-	28	0.50
C40-C41	Bone	-	4	4	14	3	3	2	4	4	6	3	4	3	5	4	2	-	65	1.15
C43	Melanoma of Skin	-	-	-	-	-	1	-	-	-	1	-	1	-	3	-	-	-	6	0.11
C44	Other Skin	-	-	-	1	3	3	-	4	3	10	10	5	8	12	1	11	-	71	1.26
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	1	1	5	-	6	8	4	3	4	3	4	10	5	5	7	-	66	1.17
C50	Breast	-	-	-	-	-	-	4	3	6	11	4	11	8	7	3	4	-	61	1.08
C60	Penis	-	-	-	-	-	1	3	5	9	7	5	8	7	11	5	6	-	67	1.19
C61	Prostate	-	-	-	-	-	-	-	1	2	3	9	25	34	72	89	137	1	373	6.61
C62	Testis	2	-	1	3	5	10	7	7	6	2	2	1	1	-	2	2	-	51	0.90
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.02
C64	Kidney etc.	3	-	-	-	-	-	-	1	8	10	7	9	14	13	10	11	-	86	1.52
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	0.04
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.02
C67	Bladder	-	-	-	-	-	2	2	2	1	4	16	21	15	22	29	42	-	156	2.76
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.02
C69	Eye	5	2	-	-	-	-	2	1	-	1	-	-	1	-	-	2	-	14	0.25
C70-C72	Brain, Nervous System	4	9	7	5	12	8	21	18	21	22	29	30	14	10	15	15	-	240	4.25
C73	Thyroid	-	-	1	1	4	2	6	7	10	5	6	7	10	9	2	3	-	73	1.29
C74	Adrenal Gland	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	5	0.09
C81	Hodgkins Disease	-	6	7	8	12	3	11	3	7	6	8	6	2	1	-	5	-	85	1.51
C82-C85, C96	NHL	-	9	-	5	3	15	15	16	27	15	28	35	39	25	24	44	-	300	5.31
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	1	2	2	-	1	5	10	7	9	18	16	-	71	1.26
C91	Lymphoid Leuk.	10	14	14	7	5	2	5	2	3	2	2	4	2	7	7	4	1	91	1.61
C92-C94	Myeloid Leukaemia	2	4	1	4	13	9	11	17	13	11	10	7	8	8	8	9	-	135	2.39
C95	Leukaemia Uns	5	5	4	2	1	3	1	-	2	2	2	1	2	3	3	7	1	44	0.78
O&U *	Other and Uns	1	2	3	4	5	3	6	5	17	32	38	31	66	45	38	44	-	340	6.02
	<b>All Sites</b>	<b>35</b>	<b>59</b>	<b>45</b>	<b>64</b>	<b>87</b>	<b>101</b>	<b>164</b>	<b>200</b>	<b>298</b>	<b>408</b>	<b>588</b>	<b>655</b>	<b>754</b>	<b>752</b>	<b>653</b>	<b>776</b>	<b>6</b>	<b>5645</b>	<b>100.0</b>

\* O&U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE BLR-3 (b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):  
2006-2007 – Females**

%= Relative Proportion of Cancers of All Sites.

**Bangalore**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	1	-	-	2	1	-	-	2	1	-	-	7	0.10
C01-C02	Tongue	-	-	-	-	1	1	-	4	1	7	7	11	6	8	5	6	-	57	0.82
C03-C06	Mouth	-	-	-	-	1	-	4	13	16	30	41	47	43	41	25	41	-	302	4.33
C07-C08	Salivary Gland	-	-	-	1	1	2	1	3	3	2	3	1	1	1	1	2	-	22	0.32
C09	Tonsil	-	-	-	-	-	-	1	1	-	3	2	1	2	-	2	-	-	12	0.17
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	5	0.07
C11	Nasopharynx	-	-	-	-	1	2	-	-	1	1	1	2	-	1	-	2	-	11	0.16
C12-C13	Hypopharynx	-	-	-	-	-	1	5	6	3	5	6	10	11	4	2	7	-	60	0.86
C14	Pharynx Unspecified	-	-	-	-	-	-	1	1	3	2	1	5	3	5	1	1	-	23	0.33
C15	Oesophagus	-	-	-	-	1	1	8	8	15	23	35	49	36	39	39	44	-	298	4.27
C16	Stomach	-	-	1	-	-	2	16	17	15	25	41	40	28	35	25	29	-	274	3.93
C17	Small Intestine	-	-	-	-	-	1	-	1	1	1	4	2	1	-	2	2	-	15	0.21
C18	Colon	-	-	1	-	-	5	8	8	16	12	21	26	29	15	21	28	-	190	2.72
C19-C20	Rectum	-	-	-	-	3	4	6	14	13	12	26	22	13	22	16	21	-	172	2.46
C21	Anus & Anal Canal	-	-	-	-	-	-	1	-	-	1	-	4	1	1	-	2	-	10	0.14
C22	Liver	-	-	-	-	1	1	1	4	1	4	15	7	9	11	9	12	-	75	1.07
C23-C24	Gallbladder etc.	-	-	-	-	2	1	2	-	4	7	5	10	13	7	8	8	-	67	0.96
C25	Pancreas	-	-	-	-	-	1	1	3	3	6	8	9	7	9	4	11	-	62	0.89
C30-C31	Nose, Sinuses etc.	-	-	1	1	1	-	1	-	6	-	1	2	3	1	1	1	-	19	0.27
C32	Larynx	-	-	-	-	-	-	-	-	1	2	5	3	4	1	3	2	-	21	0.30
C33-C34	Lung etc.	-	-	-	-	-	4	5	7	10	16	22	27	30	22	22	16	-	181	2.59
C37-C38	Other Thoracic Organs	1	-	-	-	-	-	-	1	2	2	2	6	1	3	4	2	-	24	0.34
C40-C41	Bone	-	3	4	3	2	3	-	-	2	3	2	9	-	1	3	5	-	40	0.57
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	-	6	0.09
C44	Other Skin	-	-	-	-	-	2	1	2	2	10	5	3	11	4	9	10	-	59	0.85
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.01
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	2	3	2	3	2	1	3	3	3	6	3	8	2	1	3	3	-	48	0.69
C50	Breast	-	-	-	1	7	37	62	166	217	279	293	250	229	139	97	96	1	1874	26.85
C51	Vulva	-	-	-	-	-	-	-	-	-	2	3	7	3	8	6	3	-	32	0.46
C52	Vagina	1	-	-	-	-	-	1	2	5	4	5	4	7	4	4	4	-	41	0.59
C53	Cervix Uteri	-	-	-	-	1	14	23	68	131	186	136	135	135	97	70	71	-	1067	15.29
C54	Corpus Uteri	-	-	-	-	3	1	3	10	15	22	37	46	61	33	21	13	-	265	3.80
C55	Uterus Unspecified	-	-	-	-	-	2	-	3	7	9	6	6	5	5	2	6	-	51	0.73
C56	Ovary etc.	1	1	2	7	9	21	9	18	28	59	59	50	50	33	27	26	1	401	5.75
C57	Other Female Genital	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	0.03
C58	Placenta	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.01
C64	Kidney etc.	5	-	-	-	-	-	-	2	1	2	7	14	5	5	7	5	-	53	0.76
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.01
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.01
C67	Bladder	1	-	-	-	-	1	1	1	4	1	6	6	7	3	7	6	-	44	0.63
C68	Uns. Urinary Organs	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.01
C69	Eye	3	-	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	7	0.10
C70-C72	Brain, Nervous System	2	10	3	4	10	9	7	12	10	18	14	11	14	17	5	3	-	149	2.13
C73	Thyroid	-	-	1	1	13	22	28	21	16	21	27	28	15	9	10	11	1	224	3.21
C74	Adrenal Gland	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	0.06
C81	Hodgkins Disease	-	2	2	2	2	1	3	3	3	1	1	3	2	1	1	1	-	28	0.40
C82-85,C96	NHL	2	1	1	4	5	7	7	14	10	14	21	23	18	15	10	16	-	168	2.41
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	1	-	1	1	3	2	11	16	10	11	4	7	-	67	0.96
C91	Lymphoid Leuk.	14	5	4	3	-	1	2	1	-	2	2	4	4	1	2	4	-	49	0.70
C92-C94	Myeloid Leukaemia	2	2	1	3	7	8	7	9	9	6	12	10	10	10	4	3	-	103	1.48
C95	Leukaemia Uns	3	2	2	-	2	1	4	2	3	4	2	4	-	2	2	1	-	34	0.49
O&U *	Other and Uns	1	1	-	3	4	6	8	8	7	20	37	23	34	35	24	40	-	251	3.60
	<b>All Sites</b>	<b>40</b>	<b>30</b>	<b>27</b>	<b>38</b>	<b>81</b>	<b>163</b>	<b>232</b>	<b>437</b>	<b>591</b>	<b>834</b>	<b>940</b>	<b>947</b>	<b>866</b>	<b>666</b>	<b>511</b>	<b>573</b>	<b>3</b>	<b>6979</b>	<b>100.0</b>

\* O&U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)



**TABLE: BLR-4(a):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and**  
**Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2006-2007 - Males**  
**Bangalore**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	0.3	-	-	0.9	-	1.2	-	0.07	0.04	0.1
C01-C02	-	-	-	-	0.1	0.8	1.2	2.2	3.2	4.1	14.4	20.3	19.6	20.0	13.5	17.4	3.2	4.25	0.29	9.3
C03-C06	-	0.2	-	-	0.1	0.4	0.8	2.2	2.4	4.8	6.3	16.2	14.8	16.4	14.7	16.2	2.4	3.33	0.26	6.8
C07-C08	-	-	-	-	-	0.1	0.2	-	0.2	0.5	0.9	3.0	1.8	-	3.7	1.2	0.3	0.40	0.09	0.9
C09	-	-	-	-	-	-	0.3	0.3	0.2	1.9	2.2	3.5	3.0	8.2	8.6	5.8	0.7	1.07	0.15	1.7
C10	-	-	-	-	-	-	-	-	0.4	1.0	2.2	2.5	8.9	7.3	7.4	9.3	0.8	1.20	0.17	2.1
C11	-	-	-	0.4	0.1	-	-	0.3	0.2	0.2	0.3	0.5	0.6	1.8	2.5	1.2	0.2	0.28	0.08	0.3
C12-C13	-	-	-	-	0.2	-	-	1.4	2.4	6.2	10.7	19.7	24.9	31.9	33.1	30.2	3.5	5.16	0.34	9.4
C14	-	-	-	-	-	-	0.2	0.3	1.1	1.2	2.5	2.5	4.7	7.3	7.4	11.6	0.8	1.18	0.16	1.9
C15	-	-	-	-	0.1	-	0.5	0.8	3.9	4.1	17.0	24.8	30.9	58.3	72.3	53.4	5.1	7.90	0.42	11.6
C16	-	-	-	-	0.2	0.4	2.1	1.5	5.8	8.8	13.5	26.8	40.4	67.4	78.4	69.6	6.3	9.50	0.46	14.0
C17	-	-	-	-	-	-	0.2	-	-	0.7	0.6	2.0	2.4	4.6	2.5	1.2	0.3	0.47	0.10	0.8
C18	-	-	-	0.1	0.2	0.6	0.9	1.7	1.9	2.9	9.4	16.2	19.6	24.6	25.7	36.0	3.0	4.40	0.31	7.4
C19-C20	-	-	-	0.1	0.7	0.5	0.9	1.7	2.2	5.5	4.4	15.7	15.4	20.0	30.6	33.7	2.9	4.07	0.29	6.5
C21	-	-	-	-	-	-	-	-	-	1.0	0.6	1.0	2.4	2.7	3.7	2.3	0.3	0.43	0.10	0.7
C22	-	-	0.2	-	0.3	0.1	0.5	0.8	1.5	2.2	4.4	9.1	19.6	41.0	30.6	47.6	2.8	4.51	0.32	5.3
C23-C24	-	-	-	-	-	-	-	0.5	1.3	2.2	2.5	3.5	8.9	5.5	3.7	9.3	0.9	1.28	0.16	2.8
C25	-	-	-	-	-	-	-	0.5	0.9	1.7	6.3	3.5	9.5	16.4	9.8	9.3	1.3	1.89	0.20	3.3
C30-C31	-	0.2	0.2	-	-	0.2	0.5	0.5	0.2	1.2	1.6	1.0	4.2	0.9	3.7	3.5	0.5	0.65	0.11	1.3
C32	0.2	-	-	-	-	-	0.2	0.5	1.7	1.7	6.0	17.7	14.2	29.1	24.5	22.1	2.3	3.65	0.29	5.8
C33-C34	-	-	-	-	0.1	0.1	0.5	0.8	3.5	8.4	18.5	28.9	52.2	72.9	93.1	83.6	6.8	10.70	0.49	15.9
C37-C38	-	-	-	-	0.1	0.2	0.2	0.3	0.4	0.5	1.3	1.0	-	4.6	6.1	2.3	0.4	0.52	0.10	0.6
C40-C41	-	0.7	0.6	2.0	0.3	0.4	0.3	0.7	0.9	1.4	0.9	2.0	1.8	4.6	4.9	2.3	0.9	1.05	0.14	1.2
C43	-	-	-	-	-	0.1	-	-	-	0.2	-	0.5	-	2.7	-	-	0.1	0.13	0.05	0.1
C44	-	-	-	0.1	0.3	0.4	-	0.7	0.6	2.4	3.1	2.5	4.7	10.9	1.2	12.8	1.0	1.35	0.17	2.2
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	0.2	0.2	0.7	-	0.7	1.2	0.7	0.6	1.0	0.9	2.0	5.9	4.6	6.1	8.1	0.9	1.15	0.15	1.6
C50	-	-	-	-	-	-	0.6	0.5	1.3	2.6	1.3	5.6	4.7	6.4	3.7	4.6	0.8	1.14	0.15	2.4
C60	-	-	-	-	-	0.1	0.5	0.8	1.9	1.7	1.6	4.1	4.2	10.0	6.1	7.0	0.9	1.27	0.16	2.2
C61	-	-	-	-	-	-	-	0.2	0.4	0.7	2.8	12.7	20.2	65.6	109.1	159.0	5.2	8.86	0.46	4.9
C62	0.4	-	0.2	0.4	0.6	1.2	1.1	1.2	1.3	0.5	0.6	0.5	0.6	-	2.5	2.3	0.7	0.65	0.10	0.8
C63	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	0.02	0.02	0.1
C64	0.6	-	-	-	-	-	-	0.2	1.7	2.4	2.2	4.6	8.3	11.8	12.3	12.8	1.2	1.81	0.20	2.8
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2	1.2	-	0.05	0.03	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2	-	-	0.02	0.02	-
C67	-	-	-	-	-	0.2	0.3	0.3	0.2	1.0	5.0	10.6	8.9	20.0	35.5	48.7	2.2	3.45	0.28	3.6
C68	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	0.02	0.02	0.1
C69	0.9	0.4	-	-	-	-	0.3	0.2	-	0.2	-	-	0.6	-	-	2.3	0.2	0.26	0.07	0.2
C70-C72	0.7	1.6	1.1	0.7	1.4	1.0	3.2	3.0	4.5	5.3	9.1	15.2	8.3	9.1	18.4	17.4	3.3	3.95	0.27	7.0
C73	-	-	0.2	0.1	0.5	0.2	0.9	1.2	2.2	1.2	1.9	3.5	5.9	8.2	2.5	3.5	1.0	1.25	0.16	2.4
C74	0.4	0.2	-	-	-	-	-	-	0.2	-	-	-	-	-	-	1.2	0.1	0.10	0.05	-
C81	-	1.1	1.1	1.2	1.4	0.4	1.7	0.5	1.5	1.4	2.5	3.0	1.2	0.9	-	5.8	1.2	1.20	0.14	1.6
C82-85,C96	-	1.6	-	0.7	0.3	1.8	2.3	2.7	5.8	3.6	8.8	17.7	23.1	22.8	29.4	51.1	4.2	5.63	0.34	9.0
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	0.1	0.3	0.3	-	0.2	1.6	5.1	4.2	8.2	22.1	18.6	1.0	1.57	0.19	1.6
C91	1.9	2.5	2.2	1.0	0.6	0.2	0.8	0.3	0.6	0.5	0.6	2.0	1.2	6.4	8.6	4.6	1.3	1.58	0.17	0.8
C92-C94	0.4	0.7	0.2	0.6	1.5	1.1	1.7	2.9	2.8	2.6	3.1	3.5	4.7	7.3	9.8	10.4	1.9	2.10	0.19	3.2
C95	0.9	0.9	0.6	0.3	0.1	0.4	0.2	-	0.4	0.5	0.6	0.5	1.2	2.7	3.7	8.1	0.6	0.80	0.13	0.5
O&U *	0.2	0.4	0.5	0.6	0.6	0.4	0.9	0.8	3.7	7.7	11.9	15.7	39.2	41.0	46.6	51.1	4.7	6.99	0.39	11.4
All	6.6	10.5	7.1	9.3	9.8	12.1	25.2	33.8	64.5	97.6	184.6	331.7	447.6	685.0	800.3	900.7	78.2	113.4	1.56	168.2

**TABLE: BLR-4(b):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and**  
**Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2006-2007 - Females**  
**Bangalore**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	0.2	-	-	0.5	0.4	-	-	1.7	1.2	-	0.1	0.14	0.05	0.2
C01-C02	-	-	-	-	0.1	0.1	-	0.7	0.3	1.9	2.6	6.2	3.9	7.0	6.2	6.5	0.9	1.19	0.16	2.3
C03-C06	-	-	-	-	0.1	-	0.7	2.3	4.1	8.2	15.4	26.7	27.7	35.7	31.0	44.5	4.6	6.46	0.38	12.3
C07-C08	-	-	-	0.2	0.1	0.3	0.2	0.5	0.8	0.5	1.1	0.6	0.6	0.9	1.2	2.2	0.3	0.37	0.08	0.7
C09	-	-	-	-	-	-	0.2	0.2	-	0.8	0.7	0.6	1.3	-	2.5	-	0.2	0.23	0.07	0.6
C10	-	-	-	-	-	-	-	-	-	-	-	0.6	0.6	0.9	1.2	1.1	0.1	0.12	0.05	0.2
C11	-	-	-	-	0.1	0.3	-	-	0.3	0.3	0.4	1.1	-	0.9	-	2.2	0.2	0.20	0.06	0.3
C12-C13	-	-	-	-	-	0.1	0.9	1.1	0.8	1.4	2.2	5.7	7.1	3.5	2.5	7.6	0.9	1.19	0.16	2.6
C14	-	-	-	-	-	-	0.2	0.2	0.8	0.5	0.4	2.8	1.9	4.4	1.2	1.1	0.4	0.49	0.10	1.0
C15	-	-	-	-	0.1	0.1	1.4	1.4	3.9	6.3	13.1	27.8	23.2	33.9	48.4	47.8	4.5	6.44	0.38	10.9
C16	-	-	0.2	-	-	0.3	2.9	3.0	3.9	6.9	15.4	22.7	18.0	30.5	31.0	31.5	4.2	5.60	0.35	10.4
C17	-	-	-	-	-	0.1	-	0.2	0.3	0.3	1.5	1.1	0.6	-	2.5	2.2	0.2	0.29	0.08	0.6
C18	-	-	0.2	-	-	0.6	1.4	1.4	4.1	3.3	7.9	14.8	18.7	13.1	26.1	30.4	2.9	3.94	0.29	7.3
C19-C20	-	-	-	-	0.4	0.5	1.1	2.5	3.3	3.3	9.7	12.5	8.4	19.1	19.9	22.8	2.6	3.44	0.27	6.0
C21	-	-	-	-	-	-	0.2	-	-	0.3	-	2.3	0.6	0.9	-	2.2	0.2	0.21	0.07	0.4
C22	-	-	-	-	0.1	0.1	0.2	0.7	0.3	1.1	5.6	4.0	5.8	9.6	11.2	13.0	1.1	1.60	0.19	2.6
C23-C24	-	-	-	-	0.3	0.1	0.4	-	1.0	1.9	1.9	5.7	8.4	6.1	9.9	8.7	1.0	1.44	0.18	2.7
C25	-	-	-	-	-	0.1	0.2	0.5	0.8	1.6	3.0	5.1	4.5	7.8	5.0	12.0	0.9	1.31	0.17	2.3
C30-C31	-	-	0.2	0.2	0.1	-	0.2	-	1.5	-	0.4	1.1	1.9	0.9	1.2	1.1	0.3	0.36	0.09	0.8
C32	-	-	-	-	-	-	-	-	0.3	0.5	1.9	1.7	2.6	0.9	3.7	2.2	0.3	0.46	0.10	1.0
C33-C34	-	-	-	-	-	0.5	0.9	1.3	2.6	4.4	8.2	15.3	19.3	19.1	27.3	17.4	2.8	3.86	0.29	7.4
C37-C38	0.2	-	-	-	-	-	-	0.2	0.5	0.5	0.7	3.4	0.6	2.6	5.0	2.2	0.4	0.52	0.11	0.9
C40-C41	-	0.6	0.7	0.5	0.3	0.4	-	-	0.5	0.8	0.7	5.1	-	0.9	3.7	5.4	0.6	0.74	0.12	1.0
C43	-	-	-	-	-	-	-	-	-	-	0.7	0.6	0.6	0.9	-	1.1	0.1	0.13	0.06	0.3
C44	-	-	-	-	-	0.3	0.2	0.4	0.5	2.7	1.9	1.7	7.1	3.5	11.2	10.9	0.9	1.24	0.17	2.1
C45	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	-	0.02	0.02	0.1
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.4	0.6	0.3	0.5	0.3	0.1	0.5	0.5	0.8	1.6	1.1	4.5	1.3	0.9	3.7	3.3	0.7	0.87	0.13	1.5
C50	-	-	-	0.2	0.9	4.8	11.2	29.7	55.8	76.6	109.7	141.9	147.6	121.0	120.4	104.3	28.5	36.06	0.86	86.4
C51	-	-	-	-	-	-	-	-	-	0.5	1.1	4.0	1.9	7.0	7.4	3.3	0.5	0.75	0.13	1.0
C52	0.2	-	-	-	-	-	0.2	0.4	1.3	1.1	1.9	2.3	4.5	3.5	5.0	4.3	0.6	0.86	0.14	1.7
C53	-	-	-	-	0.1	1.8	4.2	12.2	33.7	51.1	50.9	76.6	87.0	84.4	86.9	77.1	16.2	21.13	0.67	48.1
C54	-	-	-	-	0.4	0.1	0.5	1.8	3.9	6.0	13.9	26.1	39.3	28.7	26.1	14.1	4.0	5.75	0.36	12.9
C55	-	-	-	-	-	0.3	-	0.5	1.8	2.5	2.2	3.4	3.2	4.4	2.5	6.5	0.8	1.00	0.14	2.1
C56	0.2	0.2	0.3	1.1	1.2	2.7	1.6	3.2	7.2	16.2	22.1	28.4	32.2	28.7	33.5	28.2	6.1	7.80	0.40	16.5
C57	-	-	-	-	-	-	-	-	0.3	-	0.4	-	-	-	-	-	-	0.03	0.02	0.1
C58	-	-	-	-	0.1	-	-	-	-	-	-	-	-	-	-	-	-	0.01	0.01	-
C64	1.0	-	-	-	-	-	-	0.4	0.3	0.5	2.6	7.9	3.2	4.4	8.7	5.4	0.8	1.18	0.16	2.1
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	0.03	0.03	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	0.03	0.03	0.1
C67	0.2	-	-	-	-	0.1	0.2	0.2	1.0	0.3	2.2	3.4	4.5	2.6	8.7	6.5	0.7	0.95	0.15	1.7
C68	-	-	-	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01	0.01	-
C69	0.6	-	0.2	0.2	-	-	-	-	-	-	0.4	-	-	-	1.2	-	0.1	0.15	0.06	0.1
C70-C72	0.4	1.9	0.5	0.6	1.3	1.2	1.3	2.1	2.6	4.9	5.2	6.2	9.0	14.8	6.2	3.3	2.3	2.69	0.23	4.7
C73	-	-	0.2	0.2	1.7	2.8	5.1	3.8	4.1	5.8	10.1	15.9	9.7	7.8	12.4	12.0	3.4	3.76	0.27	7.6
C74	0.4	-	0.2	-	-	-	-	-	-	-	-	-	-	0.9	-	-	0.1	0.09	0.05	-
C81	-	0.4	0.3	0.3	0.3	0.1	0.5	0.5	0.8	0.3	0.4	1.7	1.3	0.9	1.2	1.1	0.4	0.47	0.09	0.8
C82-85,C96	0.4	0.2	0.2	0.6	0.6	0.9	1.3	2.5	2.6	3.8	7.9	13.1	11.6	13.1	12.4	17.4	2.6	3.24	0.26	6.2
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	0.1	-	0.2	0.2	0.8	0.5	4.1	9.1	6.4	9.6	5.0	7.6	1.0	1.48	0.18	3.0
C91	2.8	0.9	0.7	0.5	-	0.1	0.4	0.2	-	0.5	0.7	2.3	2.6	0.9	2.5	4.3	0.7	1.01	0.15	0.9
C92-C94	0.4	0.4	0.2	0.5	0.9	1.0	1.3	1.6	2.3	1.6	4.5	5.7	6.4	8.7	5.0	3.3	1.6	1.84	0.19	3.4
C95	0.6	0.4	0.3	-	0.3	0.1	0.7	0.4	0.8	1.1	0.7	2.3	-	1.7	2.5	1.1	0.5	0.60	0.11	0.8
O&U *	0.2	0.2	-	0.5	0.5	0.8	1.4	1.4	1.8	5.5	13.9	13.1	21.9	30.5	29.8	43.5	3.8	5.27	0.34	8.4
All	8.1	5.6	4.6	5.9	10.4	21.1	42.0	78.2	152.1	229.0	352.0	537.5	558.2	579.7	634.1	622.6	106.3	139.1	1.71	287.0

**TABLE: BLR-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2006-2007 - Males  
Bangalore**

ICD-10	Site	Clinical		Microscopic		X-Ray / Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C01-C02	Tongue	8	3.5	204	89.5	10	4.4	6	2.6	-	-	-	-	228	100.0
C03-C06	Mouth	7	4.0	158	89.8	1	0.6	10	5.7	-	-	-	-	176	100.0
C07-C08	Salivary Gland	1	4.8	20	95.2	-	-	-	-	-	-	-	-	21	100.0
C09	Tonsil	2	3.8	45	84.9	4	7.5	2	3.8	-	-	-	-	53	100.0
C10	Oth. Oropharynx	-	-	50	90.9	2	3.6	3	5.5	-	-	-	-	55	100.0
C11	Nasopharynx	-	-	15	93.8	-	-	1	6.3	-	-	-	-	16	100.0
C12-C13	Hypopharynx	5	2.0	224	89.6	10	4.0	11	4.4	-	-	-	-	250	100.0
C14	Pharynx Unspecified	2	3.4	33	56.9	-	-	23	39.7	-	-	-	-	58	100.0
C15	Oesophagus	15	4.1	320	86.7	3	0.8	31	8.4	-	-	-	-	369	100.0
C16	Stomach	15	3.3	385	84.8	2	0.4	50	11.0	2	0.4	-	-	454	100.0
C17	Small Intestine	-	-	19	86.4	1	4.5	2	9.1	-	-	-	-	22	100.0
C18	Colon	6	2.7	196	89.5	1	0.5	16	7.3	-	-	-	-	219	100.0
C19-C20	Rectum	10	4.8	184	88.5	2	1.0	12	5.8	-	-	-	-	208	100.0
C21	Anus & Anal Canal	-	-	20	100.0	-	-	-	-	-	-	-	-	20	100.0
C22	Liver	8	3.9	145	70.7	5	2.4	47	22.9	-	-	-	-	205	100.0
C23-C24	Gallbladder etc.	-	-	58	89.2	2	3.1	4	6.2	-	-	1	1.5	65	100.0
C25	Pancreas	13	14.3	56	61.5	5	5.5	16	17.6	1	1.1	-	-	91	100.0
C30-C31	Nose, Sinuses etc.	2	5.4	34	91.9	-	-	-	-	-	-	1	2.7	37	100.0
C32	Larynx	5	3.0	150	88.8	5	3.0	9	5.3	-	-	-	-	169	100.0
C33-C34	Lung etc.	36	7.3	376	76.3	21	4.3	60	12.2	-	-	-	-	493	100.0
C37-C38	Other Thoracic Organs	2	7.1	25	89.3	-	-	1	3.6	-	-	-	-	28	100.0
C40-C41	Bone	1	1.5	58	89.2	2	3.1	4	6.2	-	-	-	-	65	100.0
C43	Melanoma of Skin	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C44	Other Skin	1	1.4	65	91.5	2	2.8	3	4.2	-	-	-	-	71	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	1.5	62	93.9	-	-	3	4.5	-	-	-	-	66	100.0
C50	Breast	1	1.6	57	93.4	1	1.6	2	3.3	-	-	-	-	61	100.0
C60	Penis	3	4.5	62	92.5	-	-	2	3.0	-	-	-	-	67	100.0
C61	Prostate	12	3.2	333	89.3	2	0.5	23	6.2	3	0.8	-	-	373	100.0
C62	Testis	1	2.0	50	98.0	-	-	-	-	-	-	-	-	51	100.0
C63	Other Male Genital	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	1	1.2	79	91.9	-	-	6	7.0	-	-	-	-	86	100.0
C65	Renal Pelvis	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C66	Ureter	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	8	5.1	136	87.2	-	-	12	7.7	-	-	-	-	156	100.0
C68	Uns.Urinary Organs	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	-	-	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C70-C72	Brain, Nervous System	1	0.4	226	94.2	-	-	12	5.0	1	0.4	-	-	240	100.0
C73	Thyroid	-	-	69	94.5	1	1.4	3	4.1	-	-	-	-	73	100.0
C74	Adrenal Gland	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C81	Hodgkins Disease	-	-	83	97.6	-	-	2	2.4	-	-	-	-	85	100.0
C82-85,C96	NHL	1	0.3	277	92.3	1	0.3	21	7.0	-	-	-	-	300	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	68	95.8	-	-	3	4.2	-	-	-	-	71	100.0
C91	Lymphoid Leuk.	-	-	88	96.7	2	2.2	1	1.1	-	-	-	-	91	100.0
C92-C94	Myeloid Leukaemia	-	-	126	93.3	-	-	9	6.7	-	-	-	-	135	100.0
C95	Leukaemia Uns	-	-	36	81.8	1	2.3	7	15.9	-	-	-	-	44	100.0
O&U *	Other and Uns	24	7.1	243	71.5	7	2.1	66	19.4	-	-	-	-	340	100.0
	<b>All Sites</b>	<b>192</b>	<b>3.4</b>	<b>4868</b>	<b>86.2</b>	<b>93</b>	<b>1.6</b>	<b>483</b>	<b>8.6</b>	<b>7.0</b>	<b>0.1</b>	<b>2</b>	<b>-</b>	<b>5645</b>	<b>100.0</b>

**TABLE: BLR-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2006-2007 - Females**  
**Bangalore**

ICD-10 -	Site	Clinical		Microscopic		X-Ray / Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	6	85.7	-	-	1	14.3	-	-	-	-	7	100.0
C01-C02	Tongue	3	5.3	52	91.2	1	1.8	-	-	-	-	1	1.8	57	100.0
C03-C06	Mouth	2	0.7	289	95.7	3	1.0	8	2.6	-	-	-	-	302	100.0
C07-C08	Salivary Gland	-	-	22	100.0	-	-	-	-	-	-	-	-	22	100.0
C09	Tonsil	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C10	Oth. Oropharynx	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C11	Nasopharynx	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C12-C13	Hypopharynx	6	10.0	52	86.7	2	3.3	-	-	-	-	-	-	60	100.0
C14	Pharynx Unspecified	-	-	16	69.6	1	4.3	6	26.1	-	-	-	-	23	100.0
C15	Oesophagus	8	2.7	255	85.6	4	1.3	31	10.4	-	-	-	-	298	100.0
C16	Stomach	4	1.5	230	83.9	6	2.2	32	11.7	1	0.4	1	0.4	274	100.0
C17	Small Intestine	-	-	12	80.0	1	6.7	2	13.3	-	-	-	-	15	100.0
C18	Colon	5	2.6	169	88.9	1	0.5	15	7.9	-	-	-	-	190	100.0
C19-C20	Rectum	5	2.9	163	94.8	1	0.6	3	1.7	-	-	-	-	172	100.0
C21	Anus & Anal Canal	-	-	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C22	Liver	7	9.3	45	60.0	3	4.0	20	26.7	-	-	-	-	75	100.0
C23-C24	Gallbladder etc.	2	3.0	61	91.0	-	-	4	6.0	-	-	-	-	67	100.0
C25	Pancreas	2	3.2	48	77.4	3	4.8	9	14.5	-	-	-	-	62	100.0
C30-C31	Nose, Sinuses etc.	-	-	19	100.0	-	-	-	-	-	-	-	-	19	100.0
C32	Larynx	-	-	20	95.2	-	-	1	4.8	-	-	-	-	21	100.0
C33-C34	Lung etc.	9	5.0	142	78.5	5	2.8	25	13.8	-	-	-	-	181	100.0
C37-C38	Other Thoracic Organs	-	-	24	100.0	-	-	-	-	-	-	-	-	24	100.0
C40-C41	Bone	-	-	37	92.5	-	-	3	7.5	-	-	-	-	40	100.0
C43	Melanoma of Skin	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C44	Other Skin	-	-	56	94.9	2	3.4	1	1.7	-	-	-	-	59	100.0
C45	Mesothelioma	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	2.1	46	95.8	-	-	1	2.1	-	-	-	-	48	100.0
C50	Breast	60	3.2	1739	92.8	12	0.6	58	3.1	-	-	5	0.3	1874	100.0
C51	Vulva	-	-	30	93.8	-	-	2	6.3	-	-	-	-	32	100.0
C52	Vagina	1	2.4	38	92.7	1	2.4	1	2.4	-	-	-	-	41	100.0
C53	Cervix Uteri	24	2.2	991	92.9	1	0.1	50	4.7	-	-	1	0.1	1067	100.0
C54	Corpus Uteri	7	2.6	253	95.5	1	0.4	4	1.5	-	-	-	-	265	100.0
C55	Uterus Unspecified	-	-	35	68.6	-	-	16	31.4	-	-	-	-	51	100.0
C56	Ovary etc.	7	1.7	368	91.8	6	1.5	20	5.0	-	-	-	-	401	100.0
C57	Other Female Genital	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C58	Placenta	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	-	-	51	96.2	-	-	2	3.8	-	-	-	-	53	100.0
C65	Renal Pelvis	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	-	-	40	90.9	-	-	4	9.1	-	-	-	-	44	100.0
C68	Uns.Urinary Organs	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	2	28.6	5	71.4	-	-	-	-	-	-	-	-	7	100.0
C70-C72	Brain, Nervous System	-	-	133	89.3	2	1.3	14	9.4	-	-	-	-	149	100.0
C73	Thyroid	-	-	218	97.3	1	0.4	5	2.2	-	-	-	-	224	100.0
C74	Adrenal Gland	-	-	3	75.0	-	-	1	25.0	-	-	-	-	4	100.0
C81	Hodgkins Disease	-	-	25	89.3	-	-	2	7.1	-	-	1	3.6	28	100.0
C82-85,C96	NHL	-	-	154	91.7	2	1.2	12	7.1	-	-	-	-	168	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	63	94.0	1	1.5	3	4.5	-	-	-	-	67	100.0
C91	Lymphoid Leuk.	-	-	48	98.0	1	2.0	-	-	-	-	-	-	49	100.0
C92-C94	Myeloid Leukaemia	-	-	101	98.1	-	-	2	1.9	-	-	-	-	103	100.0
C95	Leukaemia Uns	-	-	30	88.2	-	-	4	11.8	-	-	-	-	34	100.0
O&U *	Other and Uns	24	9.6	160	63.7	8	3.2	59	23.5	-	-	-	-	251	100.0
	<b>All Sites</b>	<b>179</b>	<b>2.6</b>	<b>6299</b>	<b>90.3</b>	<b>70</b>	<b>1.0</b>	<b>421</b>	<b>6.0</b>	<b>1.0</b>	<b>-</b>	<b>9</b>	<b>0.1</b>	<b>6979</b>	<b>100.0</b>

**TABLE: BLR-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2006-2007 - Males : Bangalore**

ICD-10 -	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C01-C02	Tongue	152	66.7	2	0.9	50	21.9	-	-	-	-	24	10.5	228	100.0
C03-C06	Mouth	126	71.6	2	1.1	30	17.0	-	-	-	-	18	10.2	176	100.0
C07-C08	Salivary Gland	16	76.2	-	-	4	19.0	-	-	-	-	1	4.8	21	100.0
C09	Tonsil	38	71.7	1	1.9	6	11.3	-	-	-	-	8	15.1	53	100.0
C10	Oth. Oropharynx	34	61.8	-	-	16	29.1	-	-	-	-	5	9.1	55	100.0
C11	Nasopharynx	11	68.8	1	6.3	3	18.8	-	-	-	-	1	6.3	16	100.0
C12-C13	Hypopharynx	155	62.0	5	2.0	64	25.6	-	-	-	-	26	10.4	250	100.0
C14	Pharynx Unspecified	29	50.0	-	-	4	6.9	-	-	-	-	25	43.1	58	100.0
C15	Oesophagus	312	84.6	1	0.3	7	1.9	-	-	-	-	49	13.3	369	100.0
C16	Stomach	374	82.4	6	1.3	5	1.1	-	-	-	-	69	15.2	454	100.0
C17	Small Intestine	19	86.4	-	-	-	-	-	-	-	-	3	13.6	22	100.0
C18	Colon	186	84.9	5	2.3	5	2.3	-	-	-	-	23	10.5	219	100.0
C19-C20	Rectum	182	87.5	2	1.0	-	-	-	-	-	-	24	11.5	208	100.0
C21	Anus & Anal Canal	20	100.0	-	-	-	-	-	-	-	-	-	-	20	100.0
C22	Liver	100	48.8	1	0.5	44	21.5	-	-	-	-	60	29.3	205	100.0
C23-C24	Gallbladder etc.	54	83.1	-	-	4	6.2	-	-	-	-	7	10.8	65	100.0
C25	Pancreas	47	51.6	6	6.6	3	3.3	-	-	-	-	35	38.5	91	100.0
C30-C31	Nose, Sinuses etc.	32	86.5	-	-	2	5.4	-	-	-	-	3	8.1	37	100.0
C32	Larynx	137	81.1	-	-	13	7.7	-	-	-	-	19	11.2	169	100.0
C33-C34	Lung etc.	249	50.5	9	1.8	118	23.9	-	-	-	-	117	23.7	493	100.0
C37-C38	Other Thoracic Organs	17	60.7	-	-	8	28.6	-	-	-	-	3	10.7	28	100.0
C40-C41	Bone	54	83.1	-	-	4	6.2	-	-	-	-	7	10.8	65	100.0
C43	Melanoma of Skin	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C44	Other Skin	59	83.1	-	-	6	8.5	-	-	-	-	6	8.5	71	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	58	87.9	-	-	4	6.1	-	-	-	-	4	6.1	66	100.0
C50	Breast	53	86.9	-	-	4	6.6	-	-	-	-	4	6.6	61	100.0
C60	Penis	59	88.1	1	1.5	2	3.0	-	-	-	-	5	7.5	67	100.0
C61	Prostate	327	87.7	2	0.5	4	1.1	-	-	-	-	40	10.7	373	100.0
C62	Testis	48	94.1	-	-	2	3.9	-	-	-	-	1	2.0	51	100.0
C63	Other Male Genital	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	78	90.7	-	-	1	1.2	-	-	-	-	7	8.1	86	100.0
C65	Renal Pelvis	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C66	Ureter	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	134	85.9	-	-	2	1.3	-	-	-	-	20	12.8	156	100.0
C68	Uns. Urinary Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	13	92.9	-	-	1	7.1	-	-	-	-	-	-	14	100.0
C70-C72	Brain, Nervous System	226	94.2	-	-	-	-	-	-	-	-	14	5.8	240	100.0
C73	Thyroid	64	87.7	-	-	5	6.8	-	-	-	-	4	5.5	73	100.0
C74	Adrenal Gland	4	80.0	-	-	1	20.0	-	-	-	-	-	-	5	100.0
C81	Hodgkins Disease	71	83.5	-	-	6	7.1	1	1.2	5	5.9	2	2.4	85	100.0
C82-85,C96	NHL	245	81.7	-	-	14	4.7	3	1.0	15	5.0	23	7.7	300	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	15	21.1	-	-	-	-	-	-	53	74.6	3	4.2	71	100.0
C91	Lymphoid Leuk.	4	4.4	-	-	-	-	6	6.6	78	85.7	3	3.3	91	100.0
C92-C94	Myeloid Leukaemia	2	1.5	-	-	-	-	13	9.6	111	82.2	9	6.7	135	100.0
C95	Leukaemia Uns	2	4.5	-	-	-	-	8	18.2	26	59.1	8	18.2	44	100.0
O&U *	Other and Uns	60	17.6	95	27.9	88	25.9	-	-	-	-	97	28.5	340	100.0
	<b>All Sites</b>	<b>3880</b>	<b>68.7</b>	<b>139</b>	<b>2.5</b>	<b>530</b>	<b>9.4</b>	<b>31</b>	<b>0.5</b>	<b>288</b>	<b>5.1</b>	<b>777</b>	<b>13.8</b>	<b>5645</b>	<b>100.0</b>

**TABLE: BLR-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2006-2007 - Females : Bangalore**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	5	71.4	-	-	1	14.3	-	-	-	-	1	14.3	7	100.0
C01-C02	Tongue	44	77.2	-	-	8	14.0	-	-	-	-	5	8.8	57	100.0
C03-C06	Mouth	237	78.5	1	0.3	51	16.9	-	-	-	-	13	4.3	302	100.0
C07-C08	Salivary Gland	19	86.4	-	-	3	13.6	-	-	-	-	-	-	22	100.0
C09	Tonsil	10	83.3	-	-	2	16.7	-	-	-	-	-	-	12	100.0
C10	Oth. Oropharynx	4	80.0	-	-	1	20.0	-	-	-	-	-	-	5	100.0
C11	Nasopharynx	10	90.9	-	-	1	9.1	-	-	-	-	-	-	11	100.0
C12-C13	Hypopharynx	45	75.0	2	3.3	5	8.3	-	-	-	-	8	13.3	60	100.0
C14	Pharynx Unspecified	13	56.5	-	-	3	13.0	-	-	-	-	7	30.4	23	100.0
C15	Oesophagus	255	85.6	-	-	-	-	-	-	-	-	43	14.4	298	100.0
C16	Stomach	223	81.4	3	1.1	4	1.5	-	-	-	-	44	16.1	274	100.0
C17	Small Intestine	11	73.3	-	-	1	6.7	-	-	-	-	3	20.0	15	100.0
C18	Colon	168	88.4	-	-	1	0.5	-	-	-	-	21	11.1	190	100.0
C19-C20	Rectum	160	93.0	1	0.6	2	1.2	-	-	-	-	9	5.2	172	100.0
C21	Anus & Anal Canal	9	90.0	-	-	1	10.0	-	-	-	-	-	-	10	100.0
C22	Liver	33	44.0	-	-	12	16.0	-	-	-	-	30	40.0	75	100.0
C23-C24	Gallbladder etc.	57	85.1	-	-	4	6.0	-	-	-	-	6	9.0	67	100.0
C25	Pancreas	39	62.9	3	4.8	6	9.7	-	-	-	-	14	22.6	62	100.0
C30-C31	Nose, Sinuses etc.	17	89.5	-	-	2	10.5	-	-	-	-	-	-	19	100.0
C32	Larynx	18	85.7	-	-	2	9.5	-	-	-	-	1	4.8	21	100.0
C33-C34	Lung etc.	92	50.8	9	5.0	41	22.7	-	-	-	-	39	21.5	181	100.0
C37-C38	Other Thoracic Organs	17	70.8	-	-	7	29.2	-	-	-	-	-	-	24	100.0
C40-C41	Bone	32	80.0	-	-	3	7.5	-	-	2	5.0	3	7.5	40	100.0
C43	Melanoma of Skin	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C44	Other Skin	55	93.2	-	-	1	1.7	-	-	-	-	3	5.1	59	100.0
C45	Mesothelioma	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	41	85.4	-	-	5	10.4	-	-	-	-	2	4.2	48	100.0
C50	Breast	1586	84.6	9	0.5	144	7.7	-	-	-	-	135	7.2	1874	100.0
C51	Vulva	30	93.8	-	-	-	-	-	-	-	-	2	6.3	32	100.0
C52	Vagina	38	92.7	-	-	-	-	-	-	-	-	3	7.3	41	100.0
C53	Cervix Uteri	982	92.0	1	0.1	8	0.7	-	-	-	-	76	7.1	1067	100.0
C54	Corpus Uteri	251	94.7	-	-	2	0.8	-	-	-	-	12	4.5	265	100.0
C55	Uterus Unspecified	35	68.6	-	-	-	-	-	-	-	-	16	31.4	51	100.0
C56	Ovary etc.	314	78.3	14	3.5	40	10.0	-	-	-	-	33	8.2	401	100.0
C57	Other Female Genital	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C58	Placenta	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C64	Kidney etc.	48	90.6	-	-	3	5.7	-	-	-	-	2	3.8	53	100.0
C65	Renal Pelvis	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C66	Ureter	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C67	Bladder	40	90.9	-	-	-	-	-	-	-	-	4	9.1	44	100.0
C68	Uns. Urinary Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	5	71.4	-	-	-	-	-	-	-	-	2	28.6	7	100.0
C70-C72	Brain, Nervous System	133	89.3	-	-	-	-	-	-	-	-	16	10.7	149	100.0
C73	Thyroid	191	85.3	2	0.9	25	11.2	-	-	-	-	6	2.7	224	100.0
C74	Adrenal Gland	2	50.0	-	-	1	25.0	-	-	-	-	1	25.0	4	100.0
C81	Hodgkins Disease	23	82.1	-	-	1	3.6	-	-	1	3.6	3	10.7	28	100.0
C82-85,C96	NHL	139	82.7	-	-	9	5.4	-	-	6	3.6	14	8.3	168	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	8	11.9	-	-	-	-	-	-	55	82.1	4	6.0	67	100.0
C91	Lymphoid Leuk.	2	4.1	-	-	-	-	6	12.2	40	81.6	1	2.0	49	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	1	1.0	13	12.6	87	84.5	2	1.9	103	100.0
C95	Leukaemia Uns	1	2.9	-	-	-	-	4	11.8	25	73.5	4	11.8	34	100.0
O&U *	Other and Uns	61	24.3	55	21.9	39	15.5	-	-	5	2.0	91	36.3	251	100.0
	<b>All Sites</b>	<b>5515</b>	<b>79.0</b>	<b>100</b>	<b>1.4</b>	<b>440</b>	<b>6.3</b>	<b>23</b>	<b>0.3</b>	<b>221</b>	<b>3.2</b>	<b>680</b>	<b>9.7</b>	<b>6979</b>	<b>100.0</b>



**TABLE BLR-7 (a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):  
2006-2007 – Males**

%= Relative Proportion of Cancers of All Sites.

**Bangalore**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.05
C01-C02	Tongue	-	-	-	-	1	-	1	3	2	4	9	12	9	3	3	8	-	55	2.61
C03-C06	Mouth	-	-	-	-	-	-	2	1	2	4	2	7	8	6	2	3	1	38	1.80
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	7	0.33
C09	Tonsil	-	-	-	-	-	-	1	-	1	2	-	1	3	2	3	-	-	13	0.62
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	1	4	-	3	-	3	1	-	12	0.57
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	4	-	2	2	-	8	0.38
C12-C13	Hypopharynx	-	-	-	-	1	-	-	2	2	5	10	12	12	10	8	9	-	71	3.37
C14	Pharynx Unspecified	-	-	-	-	-	-	-	1	3	3	8	4	6	5	5	12	-	47	2.23
C15	Oesophagus	-	-	-	-	-	-	1	1	3	14	23	24	20	23	19	27	1	156	7.40
C16	Stomach	-	-	-	-	-	1	3	4	10	15	25	20	22	39	43	36	-	218	10.34
C17	Small Intestine	-	-	-	-	-	-	1	-	-	1	-	1	1	1	-	1	-	6	0.28
C18	Colon	-	-	-	-	1	2	4	3	2	3	7	9	14	11	6	14	-	76	3.60
C19-C20	Rectum	-	-	-	1	1	-	-	5	2	6	3	4	6	5	3	16	1	53	2.51
C21	Anus & Anal Canal	-	-	-	-	-	-	1	-	-	1	1	1	-	1	1	2	-	8	0.38
C22	Liver	-	-	-	-	1	-	2	3	4	6	10	12	29	34	20	32	-	153	7.25
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	1	5	4	3	3	6	3	2	5	-	32	1.52
C25	Pancreas	-	-	-	-	-	-	-	-	2	5	17	6	10	16	4	9	-	69	3.27
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	1	1	1	-	-	-	-	1	1	-	1	-	6	0.28
C32	Larynx	-	-	-	-	-	-	-	1	2	1	2	5	3	8	7	10	-	39	1.85
C33-C34	Lung etc.	-	-	-	-	-	-	1	3	5	22	31	32	46	43	38	44	-	265	12.57
C37-C38	Other Thoracic Organs	-	-	-	-	1	-	-	-	2	-	2	1	2	2	1	1	-	12	0.57
C40-C41	Bone	-	-	-	1	1	3	1	-	-	2	5	-	1	1	3	2	-	20	0.95
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.05
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	4	-	11	0.52
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	1	1	-	-	-	1	-	-	-	-	2	4	-	1	2	-	12	0.57
C50	Breast	-	-	-	-	-	-	1	-	1	3	2	1	1	-	1	2	-	12	0.57
C60	Penis	-	-	-	-	-	-	-	2	-	1	1	1	2	4	2	1	-	14	0.66
C61	Prostate	-	-	-	-	-	-	-	-	-	2	3	3	8	13	28	49	-	106	5.03
C62	Testis	-	-	-	-	1	-	-	-	1	1	-	2	-	-	1	1	-	7	0.33
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	0.09
C64	Kidney etc.	-	-	-	-	-	-	-	-	3	2	1	5	5	4	5	7	-	32	1.52
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	0.09
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.05
C67	Bladder	-	-	-	-	-	-	-	-	-	1	3	4	3	4	9	15	-	39	1.85
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.05
C70-C72	Brain, Nervous System	-	3	3	1	1	1	-	4	6	4	9	8	3	6	11	6	-	66	3.13
C73	Thyroid	-	-	-	-	-	-	-	1	2	-	2	3	1	3	-	1	-	13	0.62
C74	Adrenal Gland	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.05
C81	Hodgkins Disease	-	-	-	1	-	2	1	2	1	-	-	2	-	1	-	1	-	11	0.52
C82-85,C96	NHL	-	1	1	2	2	5	-	3	6	6	8	7	17	10	11	22	-	101	4.79
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	1	-	-	1	-	3	8	7	11	-	31	1.47
C91	Lymphoid Leuk.	4	1	2	1	2	1	1	2	-	1	-	2	1	4	5	3	-	30	1.42
C92-C94	Myeloid Leukaemia	1	-	-	1	1	4	3	6	3	3	4	5	6	6	8	6	-	57	2.70
C95	Leukaemia Uns	-	1	2	-	1	2	2	-	3	-	1	1	1	3	2	8	1	28	1.33
O&U *	Other and Uns	3	-	1	-	3	1	4	-	7	8	18	18	25	21	22	34	1	166	7.87
	<b>All Sites</b>	<b>9</b>	<b>7</b>	<b>10</b>	<b>8</b>	<b>18</b>	<b>23</b>	<b>32</b>	<b>50</b>	<b>82</b>	<b>132</b>	<b>218</b>	<b>219</b>	<b>288</b>	<b>306</b>	<b>291</b>	<b>410</b>	<b>6</b>	<b>2109</b>	<b>100.00</b>

**TABLE BLR-7 (b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):  
2006-2007 – Females**

%= Relative Proportion of Cancers of All Sites.

**Bangalore**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	3	0.15
C01-C02	Tongue	-	-	-	-	-	-	1	1	-	-	-	1	1	1	2	1	-	8	0.41
C03-C06	Mouth	-	-	-	-	-	1	3	3	3	15	7	8	9	12	9	18	-	88	4.52
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	4	0.21
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	0.10
C11	Nasopharynx	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	4	0.21
C12-C13	Hypopharynx	-	-	-	-	-	1	-	2	-	1	1	3	1	1	-	-	-	10	0.51
C14	Pharynx Unspecified	-	-	-	-	-	-	1	-	1	-	1	1	2	3	2	5	-	16	0.82
C15	Oesophagus	-	-	-	-	-	1	2	1	2	9	11	15	7	17	17	23	-	105	5.39
C16	Stomach	-	-	-	-	-	2	2	3	7	12	14	27	7	16	13	14	-	117	6.01
C17	Small Intestine	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	3	0.15
C18	Colon	-	-	-	-	-	-	4	-	2	2	6	5	10	5	11	16	-	61	3.13
C19-C20	Rectum	-	-	-	1	-	-	-	3	5	4	6	8	4	7	3	6	-	47	2.41
C21	Anus & Anal Canal	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	3	0.15
C22	Liver	-	-	-	1	-	2	-	2	1	2	10	4	7	6	7	12	-	54	2.77
C23-C24	Gallbladder etc.	-	-	-	-	-	-	2	-	-	4	1	4	7	4	3	5	-	30	1.54
C25	Pancreas	-	-	-	-	-	-	2	2	1	4	1	3	4	5	2	11	-	35	1.80
C30-C31	Nose, Sinuses etc.	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	5	0.26
C32	Larynx	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	-	-	7	0.36
C33-C34	Lung etc.	-	-	1	-	-	-	3	3	3	7	15	15	12	10	15	14	-	98	5.03
C37-C38	Other Thoracic Organs	-	-	1	-	-	-	-	1	-	2	1	-	-	1	-	2	-	8	0.41
C40-C41	Bone	-	1	-	-	-	2	-	-	-	2	2	2	-	2	3	2	-	16	0.82
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	3	0.15
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	1	-	2	-	-	-	1	-	-	3	-	1	1	-	-	9	0.46
C50	Breast	-	-	-	-	-	3	13	25	26	41	60	53	41	42	35	48	-	387	19.87
C51	Vulva	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	-	5	0.26
C52	Vagina	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	-	-	7	0.36
C53	Cervix Uteri	-	-	-	-	-	-	4	15	22	34	34	11	35	19	24	27	-	225	11.55
C54	Corpus Uteri	-	-	-	-	-	-	-	-	3	2	1	6	3	7	3	3	-	28	1.44
C55	Uterus Unspecified	-	-	-	-	-	3	-	1	3	4	4	7	6	6	5	7	-	46	2.36
C56	Ovary etc.	-	-	-	-	-	2	1	2	9	17	17	20	20	15	8	12	-	123	6.31
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	1	1	1	2	5	-	1	3	1	-	15	0.77
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	-	9	0.46
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.05
C70-C72	Brain, Nervous System	1	3	1	2	1	-	4	2	3	6	3	9	3	10	3	3	-	54	2.77
C73	Thyroid	-	-	-	-	-	-	-	-	-	1	-	2	6	2	5	4	-	20	1.03
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.05
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	2	-	-	1	3	-	1	-	-	7	0.36
C82-85,C96	NHL	1	-	2	1	1	-	2	1	5	2	2	4	7	10	5	9	-	52	2.67
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	1	-	-	-	3	-	4	1	4	2	1	4	-	20	1.03
C91	Lymphoid Leuk.	1	-	-	1	-	-	1	-	-	-	2	1	3	-	2	-	-	11	0.56
C92-C94	Myeloid Leukaemia	-	1	-	1	4	1	1	3	4	1	5	6	3	3	6	1	-	40	2.05
C95	Leukaemia Uns	-	-	1	-	1	-	2	2	1	-	2	4	-	1	-	1	-	15	0.77
O&U *	Other and Uns	-	-	-	-	1	4	5	1	4	12	15	8	19	18	20	37	2	146	7.49
	<b>All Sites</b>	<b>4</b>	<b>6</b>	<b>7</b>	<b>7</b>	<b>11</b>	<b>23</b>	<b>55</b>	<b>74</b>	<b>115</b>	<b>191</b>	<b>231</b>	<b>243</b>	<b>231</b>	<b>233</b>	<b>217</b>	<b>298</b>	<b>2</b>	<b>1948</b>	<b>100.00</b>



**TABLE: BLR-8(a):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and**  
**Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2006-2007 - Males**  
**Bangalore**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	0.03	-
C01-C02	-	-	-	-	0.1	-	0.2	0.5	0.4	1.0	2.8	6.1	5.3	2.7	3.7	9.3	0.8	1.1	0.15	2.3
C03-C06	-	-	-	-	-	-	0.3	0.2	0.4	1.0	0.6	3.5	4.7	5.5	2.5	3.5	0.5	0.8	0.13	1.5
C07-C08	-	-	-	-	-	-	-	-	-	0.2	0.3	0.5	0.6	0.9	1.2	1.2	0.1	0.1	0.06	0.2
C09	-	-	-	-	-	-	0.2	-	0.2	0.5	-	0.5	1.8	1.8	3.7	-	0.2	0.3	0.08	0.4
C10	-	-	-	-	-	-	-	-	-	0.2	1.3	-	1.8	-	3.7	1.2	0.2	0.2	0.07	0.5
C11	-	-	-	-	-	-	-	-	-	-	-	-	2.4	-	2.5	2.3	0.1	0.2	0.07	0.3
C12-C13	-	-	-	-	0.1	-	-	0.3	0.4	1.2	3.1	6.1	7.1	9.1	9.8	10.4	1.0	1.5	0.18	2.6
C14	-	-	-	-	-	-	-	0.2	0.6	0.7	2.5	2.0	3.6	4.6	6.1	13.9	0.7	1.0	0.15	1.4
C15	-	-	-	-	-	-	0.2	0.2	0.6	3.3	7.2	12.2	11.9	21.0	23.3	31.3	2.2	3.3	0.27	5.1
C16	-	-	-	-	-	0.1	0.5	0.7	2.2	3.6	7.8	10.1	13.1	35.5	52.7	41.8	3.0	4.7	0.33	5.5
C17	-	-	-	-	-	-	0.2	-	-	0.2	-	0.5	0.6	0.9	-	1.2	0.1	0.1	0.05	0.2
C18	-	-	-	-	0.1	0.2	0.6	0.5	0.4	0.7	2.2	4.6	8.3	10.0	7.4	16.2	1.1	1.6	0.19	2.3
C19-C20	-	-	-	0.1	0.1	-	-	0.8	0.4	1.4	0.9	2.0	3.6	4.6	3.7	18.6	0.7	1.0	0.15	1.4
C21	-	-	-	-	-	-	0.2	-	-	0.2	0.3	0.5	-	0.9	1.2	2.3	0.1	0.2	0.06	0.2
C22	-	-	-	-	0.1	-	0.3	0.5	0.9	1.4	3.1	6.1	17.2	31.0	24.5	37.1	2.1	3.4	0.28	4.1
C23-C24	-	-	-	-	-	-	-	0.2	1.1	1.0	0.9	1.5	3.6	2.7	2.5	5.8	0.4	0.6	0.12	1.2
C25	-	-	-	-	-	-	-	-	0.4	1.2	5.3	3.0	5.9	14.6	4.9	10.4	1.0	1.5	0.18	2.3
C30-C31	-	-	-	-	-	0.1	0.2	0.2	-	-	-	-	0.6	0.9	-	1.2	0.1	0.1	0.05	0.1
C32	-	-	-	-	-	-	-	0.2	0.4	0.2	0.6	2.5	1.8	7.3	8.6	11.6	0.5	0.9	0.14	0.8
C33-C34	-	-	-	-	-	-	0.2	0.5	1.1	5.3	9.7	16.2	27.3	39.2	46.6	51.1	3.7	5.8	0.36	8.5
C37-C38	-	-	-	-	0.1	-	-	-	0.4	-	0.6	0.5	1.2	1.8	1.2	1.2	0.2	0.2	0.07	0.4
C40-C41	-	-	-	0.1	0.1	0.4	0.2	-	-	0.5	1.6	-	0.6	0.9	3.7	2.3	0.3	0.3	0.08	0.4
C43	-	-	-	-	-	-	-	-	0.2	-	-	-	-	-	-	-	-	-	0.01	-
C44	-	-	-	-	-	-	-	-	-	-	0.6	-	0.6	1.8	2.5	4.6	0.2	0.3	0.08	0.2
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	0.2	0.2	-	-	-	0.2	-	-	-	-	1.0	2.4	-	1.2	2.3	0.2	0.2	0.07	0.4
C50	-	-	-	-	-	-	0.2	-	0.2	0.7	0.6	0.5	0.6	-	1.2	2.3	0.2	0.2	0.06	0.4
C60	-	-	-	-	-	-	-	0.3	-	0.2	0.3	0.5	1.2	3.6	2.5	1.2	0.2	0.3	0.08	0.4
C61	-	-	-	-	-	-	-	-	-	0.5	0.9	1.5	4.7	11.8	34.3	56.9	1.5	2.5	0.24	1.1
C62	-	-	-	-	0.1	-	-	-	0.2	0.2	-	1.0	-	-	1.2	1.2	0.1	0.1	0.05	0.2
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	1.2	-	-	0.1	0.04	-
C64	-	-	-	-	-	-	-	-	0.6	0.5	0.3	2.5	3.0	3.6	6.1	8.1	0.4	0.7	0.13	1.0
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2	-	-	0.02	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2	-	-	-	0.02	-
C67	-	-	-	-	-	-	-	-	-	0.2	0.9	2.0	1.8	3.6	11.0	17.4	0.5	0.9	0.14	0.7
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	0.2	-	-	-	-	-	-	-	-	-	0.01	-
C70-C72	-	0.5	0.5	0.1	0.1	0.1	-	0.7	1.3	1.0	2.8	4.1	1.8	5.5	13.5	7.0	0.9	1.3	0.16	1.8
C73	-	-	-	-	-	-	-	0.2	0.4	-	0.6	1.5	0.6	2.7	-	1.2	0.2	0.3	0.07	0.5
C74	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	-
C81	-	-	-	0.1	-	0.2	0.2	0.3	0.2	-	-	1.0	-	0.9	-	1.2	0.2	0.2	0.05	0.2
C82-85,C96	-	0.2	0.2	0.3	0.2	0.6	-	0.5	1.3	1.4	2.5	3.5	10.1	9.1	13.5	25.5	1.4	2.0	0.21	2.8
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	0.2	-	-	0.3	-	1.8	7.3	8.6	12.8	0.4	0.7	0.13	0.3
C91	0.7	0.2	0.3	0.1	0.2	0.1	0.2	0.3	-	0.2	-	1.0	0.6	3.6	6.1	3.5	0.4	0.6	0.11	0.3
C92-C94	0.2	-	-	0.1	0.1	0.5	0.5	1.0	0.6	0.7	1.3	2.5	3.6	5.5	9.8	7.0	0.8	1.1	0.15	1.4
C95	-	0.2	0.3	-	0.1	0.2	0.3	-	0.6	-	0.3	0.5	0.6	2.7	2.5	9.3	0.4	0.5	0.10	0.3
O&U *	0.6	-	0.2	-	0.3	0.1	0.6	-	1.5	1.9	5.7	9.1	14.8	19.1	27.0	39.5	2.3	3.5	0.28	4.7
All	1.7	1.2	1.6	1.2	2.0	2.8	4.9	8.4	17.7	31.6	68.4	110.9	171.0	278.7	356.6	475.9	29.2	44.6	1.00	58.6

**TABLE: BLR-8(b):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and**  
**Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2006-2007 - Females**  
**Bangalore**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	0.2	-	-	-	0.4	-	-	-	1.2	-	-	0.1	0.03	0.1
C01-C02	-	-	-	-	-	-	0.2	0.2	-	-	-	0.6	0.6	0.9	2.5	1.1	0.1	0.2	0.06	0.2
C03-C06	-	-	-	-	-	0.1	0.5	0.5	0.8	4.1	2.6	4.5	5.8	10.4	11.2	19.6	1.3	1.8	0.20	2.8
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	3.3	0.1	0.1	0.05	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2	1.1	-	-	0.03	-
C11	-	-	-	-	-	-	-	-	0.3	0.3	-	0.6	-	-	-	1.1	0.1	0.1	0.04	0.2
C12-C13	-	-	-	-	-	0.1	-	0.4	-	0.3	0.4	1.7	0.6	0.9	-	-	0.2	0.2	0.06	0.5
C14	-	-	-	-	-	-	0.2	-	0.3	-	0.4	0.6	1.3	2.6	2.5	5.4	0.2	0.4	0.09	0.3
C15	-	-	-	-	-	0.1	0.4	0.2	0.5	2.5	4.1	8.5	4.5	14.8	21.1	25.0	1.6	2.3	0.23	3.0
C16	-	-	-	-	-	0.3	0.4	0.5	1.8	3.3	5.2	15.3	4.5	13.9	16.1	15.2	1.8	2.5	0.23	4.5
C17	-	-	-	-	-	0.1	-	-	-	-	0.4	-	-	-	1.2	-	-	0.1	0.03	0.1
C18	-	-	-	-	-	-	0.7	-	0.5	0.5	2.2	2.8	6.4	4.4	13.7	17.4	0.9	1.3	0.17	1.8
C19-C20	-	-	-	0.2	-	-	-	0.5	1.3	1.1	2.2	4.5	2.6	6.1	3.7	6.5	0.7	1.0	0.15	1.8
C21	-	-	-	-	-	-	0.2	-	-	-	-	-	-	0.9	-	1.1	-	0.1	0.04	-
C22	-	-	-	0.2	-	0.3	-	0.4	0.3	0.5	3.7	2.3	4.5	5.2	8.7	13.0	0.8	1.2	0.16	1.7
C23-C24	-	-	-	-	-	-	0.4	-	-	1.1	0.4	2.3	4.5	3.5	3.7	5.4	0.5	0.7	0.12	1.1
C25	-	-	-	-	-	-	0.4	0.4	0.3	1.1	0.4	1.7	2.6	4.4	2.5	12.0	0.5	0.7	0.13	0.9
C30-C31	-	0.2	-	-	-	-	-	-	0.3	-	-	0.6	0.6	-	-	1.1	0.1	0.1	0.05	0.2
C32	-	-	-	-	-	-	-	-	0.3	0.5	-	0.6	0.6	0.9	1.2	-	0.1	0.1	0.06	0.3
C33-C34	-	-	0.2	-	-	-	0.5	0.5	0.8	1.9	5.6	8.5	7.7	8.7	18.6	15.2	1.5	2.1	0.22	3.6
C37-C38	-	-	0.2	-	-	-	-	0.2	-	0.5	0.4	-	-	0.9	-	2.2	0.1	0.1	0.05	0.2
C40-C41	-	0.2	-	-	-	0.3	-	-	-	0.5	0.7	1.1	-	1.7	3.7	2.2	0.2	0.3	0.08	0.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	1.2	1.1	-	0.1	0.04	0.1
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	0.2	-	0.3	-	-	-	0.3	-	-	1.7	-	0.9	1.2	-	0.1	0.2	0.06	0.3
C50	-	-	-	-	-	0.4	2.4	4.5	6.7	11.3	22.5	30.1	26.4	36.6	43.4	52.2	5.9	7.9	0.41	15.3
C51	-	-	-	-	-	-	-	-	-	0.5	-	0.6	0.6	-	-	1.1	0.1	0.1	0.05	0.3
C52	-	-	-	-	-	-	-	-	-	0.3	0.4	-	1.9	0.9	1.2	-	0.1	0.2	0.06	0.4
C53	-	-	-	-	-	-	0.7	2.7	5.7	9.3	12.7	6.2	22.6	16.5	29.8	29.3	3.4	4.6	0.31	9.2
C54	-	-	-	-	-	-	-	-	0.8	0.5	0.4	3.4	1.9	6.1	3.7	3.3	0.4	0.6	0.12	1.0
C55	-	-	-	-	-	0.4	-	0.2	0.8	1.1	1.5	4.0	3.9	5.2	6.2	7.6	0.7	1.0	0.15	1.6
C56	-	-	-	-	-	0.3	0.2	0.4	2.3	4.7	6.4	11.4	12.9	13.1	9.9	13.0	1.9	2.6	0.24	5.6
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	0.2	0.3	0.3	0.7	2.8	-	0.9	3.7	1.1	0.2	0.3	0.08	0.6
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	1.1	0.6	0.9	2.5	3.3	0.1	0.2	0.07	0.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	-
C70-C72	0.2	0.6	0.2	0.3	0.1	-	0.7	0.4	0.8	1.6	1.1	5.1	1.9	8.7	3.7	3.3	0.8	1.1	0.15	1.6
C73	-	-	-	-	-	-	-	-	-	0.3	-	1.1	3.9	1.7	6.2	4.3	0.3	0.5	0.11	0.7
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	0.03	-
C81	-	-	-	-	-	-	-	-	0.5	-	-	0.6	1.9	-	1.2	-	0.1	0.2	0.06	0.4
C82-85,C96	0.2	-	0.3	0.2	0.1	-	0.4	0.2	1.3	0.5	0.7	2.3	4.5	8.7	6.2	9.8	0.8	1.1	0.16	1.4
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	0.1	-	-	-	0.8	-	1.5	0.6	2.6	1.7	1.2	4.3	0.3	0.4	0.10	0.8
C91	0.2	-	-	0.2	-	-	0.2	-	-	-	0.7	0.6	1.9	-	2.5	-	0.2	0.2	0.07	0.4
C92-C94	-	0.2	-	0.2	0.5	0.1	0.2	0.5	1.0	0.3	1.9	3.4	1.9	2.6	7.4	1.1	0.6	0.8	0.13	1.3
C95	-	-	0.2	-	0.1	-	0.4	0.4	0.3	-	0.7	2.3	-	0.9	-	1.1	0.2	0.3	0.07	0.5
O&U*	-	-	-	-	0.1	0.5	0.9	0.2	1.0	3.3	5.6	4.5	12.2	15.7	24.8	40.2	2.2	3.1	0.26	3.9
All	0.8	1.1	1.2	1.1	1.4	3.0	10.0	13.2	29.6	52.5	86.5	137.9	148.9	202.8	269.3	323.8	29.7	40.9	0.95	69.4

**TABLE: BLR-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 years and from 0-74 Years) : 2006-2007 - Males Bangalore**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.00	0.00	0.01	0.01
C01-C02	Tongue	0.33	0.33	0.50	0.50
C03-C06	Mouth	0.24	0.24	0.40	0.40
C07-C08	Salivary Gland	0.03	0.03	0.05	0.05
C09	Tonsil	0.06	0.06	0.14	0.14
C10	Oth. Oropharynx	0.08	0.08	0.15	0.15
C11	Nasopharynx	0.01	0.01	0.04	0.04
C12-C13	Hypopharynx	0.33	0.33	0.65	0.65
C14	Pharynx Unspecified	0.06	0.06	0.14	0.14
C15	Oesophagus	0.41	0.41	1.06	1.06
C16	Stomach	0.50	0.50	1.22	1.23
C17	Small Intestine	0.03	0.03	0.06	0.06
C18	Colon	0.27	0.27	0.52	0.52
C19-C20	Rectum	0.24	0.24	0.49	0.49
C21	Anus & Anal Canal	0.02	0.02	0.06	0.06
C22	Liver	0.19	0.19	0.55	0.55
C23-C24	Gallbladder etc.	0.09	0.09	0.14	0.14
C25	Pancreas	0.11	0.11	0.24	0.24
C30-C31	Nose, Sinuses etc.	0.05	0.05	0.07	0.07
C32	Larynx	0.21	0.21	0.48	0.48
C33-C34	Lung etc.	0.56	0.56	1.39	1.40
C37-C38	Other Thoracic Organs	0.02	0.02	0.07	0.07
C40-C41	Bone	0.06	0.06	0.11	0.11
C43	Melanoma of Skin	0.00	0.00	0.02	0.02
C44	Other Skin	0.07	0.07	0.14	0.14
C45	Mesothelioma	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 + C49	Conn. & Soft Tissue	0.07	0.07	0.12	0.12
C50	Breast	0.08	0.08	0.13	0.13
C60	Penis	0.07	0.07	0.15	0.15
C61	Prostate	0.18	0.18	1.05	1.06
C62	Testis	0.04	0.04	0.05	0.05
C63	Other Male Genital	0.00	0.00	0.00	0.00
C64	Kidney, etc.	0.10	0.10	0.22	0.22
C65	Renal Pelvis	0.00	0.00	0.01	0.01
C66	Ureter	0.00	0.00	0.01	0.01
C67	Bladder	0.13	0.13	0.41	0.41
C68	Uns. Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.01	0.01	0.01	0.01
C70-C72	Brain, Nervous System	0.28	0.28	0.41	0.41
C73	Thyroid	0.09	0.09	0.14	0.14
C74	Adrenal Gland	0.00	0.00	0.00	0.00
C81	Hodgkins Disease	0.08	0.08	0.09	0.09
C82-85, C96	NHL	0.34	0.34	0.60	0.60
C88	Malig Immn. Prol D	0.00	0.00	0.00	0.00
C90	Multiple Myeloma	0.06	0.06	0.21	0.21
C91	Lymphoid Leuk.	0.07	0.07	0.15	0.15
C92-C94	Myeloid Leukaemia	0.13	0.13	0.21	0.21
C95	Leukaemia Uns	0.03	0.03	0.07	0.07
O&U *	Other and Uns	0.41	0.41	0.85	0.85
	<b>All Sites</b>	<b>6.20</b>	<b>6.01</b>	<b>13.63</b>	<b>12.74</b>

**TABLE: BLR-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 years and from 0-74 years) : 2006-2007 - Females Bangalore**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.01	0.01	0.02	0.02
C01-C02	Tongue	0.08	0.08	0.15	0.15
C03-C06	Mouth	0.43	0.43	0.76	0.76
C07-C08	Salivary Gland	0.02	0.02	0.04	0.04
C09	Tonsil	0.02	0.02	0.03	0.03
C10	Oth. Oropharynx	0.01	0.01	0.02	0.02
C11	Nasopharynx	0.01	0.01	0.02	0.02
C12-C13	Hypopharynx	0.10	0.10	0.13	0.13
C14	Pharynx Unspecified	0.03	0.03	0.06	0.06
C15	Oesophagus	0.39	0.39	0.80	0.80
C16	Stomach	0.37	0.37	0.67	0.67
C17	Small Intestine	0.02	0.02	0.03	0.03
C18	Colon	0.26	0.26	0.46	0.46
C19-C20	Rectum	0.21	0.21	0.40	0.40
C21	Anus & Anal Canal	0.02	0.02	0.02	0.02
C22	Liver	0.09	0.09	0.19	0.19
C23-C24	Gallbladder etc.	0.10	0.10	0.18	0.18
C25	Pancreas	0.08	0.08	0.14	0.14
C30-C31	Nose, Sinuses etc.	0.03	0.03	0.04	0.04
C32	Larynx	0.03	0.03	0.06	0.06
C33-C34	Lung etc.	0.26	0.26	0.49	0.49
C37-C38	Other Thoracic Organs	0.03	0.03	0.07	0.07
C40-C41	Bone	0.05	0.05	0.07	0.07
C43	Melanoma of Skin	0.01	0.01	0.01	0.01
C44	Other Skin	0.07	0.07	0.15	0.15
C45	Mesothelioma	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	0.06	0.06	0.09	0.09
C50	Breast	2.89	2.85	4.02	4.10
C51	Vulva	0.04	0.04	0.11	0.11
C52	Vagina	0.06	0.06	0.10	0.10
C53	Cervix Uteri	1.59	1.58	2.41	2.44
C54	Corpus Uteri	0.46	0.46	0.73	0.73
C55	Uterus Unspecified	0.07	0.07	0.10	0.10
C56	Ovary etc.	0.58	0.58	0.89	0.89
C57	Other Female Genital	0.00	0.00	0.00	0.00
C58	Placenta	0.00	0.00	0.00	0.00
C64	Kidney etc.	0.08	0.08	0.14	0.15
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.06	0.06	0.12	0.12
C68	Uns.Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.01	0.01	0.01	0.01
C70-C72	Brain, Nervous System	0.19	0.19	0.29	0.29
C73	Thyroid	0.30	0.30	0.40	0.40
C74	Adrenal Gland	0.00	0.00	0.01	0.01
C81	Hodgkins Disease	0.03	0.03	0.05	0.05
C82-85,C96	NHL	0.23	0.23	0.35	0.36
C88	Malign.Imm.Prol D	0.00	0.00	0.00	0.00
C90	Multiple Myeloma	0.11	0.11	0.18	0.18
C91	Lymphoid Leuk.	0.06	0.06	0.08	0.08
C92-C94	Myeloid Leukaemia	0.13	0.13	0.20	0.20
C95	Leukaemia Uns	0.04	0.04	0.06	0.06
O&U *	Other and Uns	0.31	0.31	0.61	0.61
	<b>All Sites</b>	<b>10.02</b>	<b>9.54</b>	<b>16.09</b>	<b>14.86</b>