

POPULATION BASED RURAL CANCER REGISTRY, BARSHI (BARSHI, PARANDA & BHUM)

Nargis Dutt Memorial Cancer Hospital, Barshi

Dr R.A. Badwe, Principal Investigator

Dr B.M. Nene, Co-Principal Investigator

The rural cancer registry: Barshi, Paranda & Bhum, which was set up in 1987 is the first rural cancer registry in the country and is situated in the campus of Nargis Dutt Memorial Cancer Hospital (NDMCH). The registry covers a population of about 0.5 million in 346 villages spread over 3713 km². The village is the basic administrative unit in rural areas. The registry area is situated between latitudes 17.1° and 18.4° N and longitudes 76° and 76.4° E. Most of the population is Hindu (96%), Muslims form 3% and other religious groups 1%. Diagnosis and treatment facilities within the area itself are almost non-existent. The villagers seek care from various centres situated even as far as 400 kms. The registry is jointly funded by the Tata Memorial Centre, Mumbai and the NCRP of the Indian Council of Medical Research. The diagnostic and treatment facilities are provided by NDMCH with support from Tata Memorial Hospital Mumbai.

The usual method of cancer registration was modified to overcome deficiencies in diagnostic services in the rural setting. Trained field investigators visit the villages regularly and interact with the rural community to identify and motivate likely cancer cases to visit NDMCH for early diagnosis and treatment. Data on cancer cases from the area were also collected from various hospitals and histo-pathological laboratories (situated far and wide), which serve the population. However 60% of cases, are registered from NDMCH which are those referred by the field investigators.

As we have been interacting with the registry population for more than two decades, the cancer awareness has increased and now the literacy rates have also improved. We have expanded the registry area to cover Osmanabad and Beed districts, by following atlas methodology and collection of data started from 2007.

Information on deaths is collected from village death records and also directly from the local community (during village visits). As deaths are not generally medically certified, relatives of all deceased are contacted to collect relevant information to assist in 'follow back' to the medical records in the treating hospital or physician to identify proven cancer cases.

Registry Staff

Mrs Kasturi Jayant	: Honorary Consultant	Mr S.R. Mathapati	: Record Clerk
Mr M.K. Chauhan	: Chief Co-ordinator	Mr N.P. Gaikawad	: Field Investigator
Mr B.S. Shukla	: Administrator	Mr D.R. Pise	: Field Investigator
Mr N.S. Panse	: Registry Manager	Mr T.S. Dudhankar	: Field Investigator
Mr S.J. Hingmire	: Statistician	Mr B.D. Honmane	: Field Investigator
Dr F.Y. Khan	: Medical Record Supervisor	Mr N.D. Padwal	: Field Investigator

Figure BRS-1
Population Pyramid showing Age Distribution: 2006-2008
Barshi Rural




TABLE BRS-1
Population by Five Year Age Group and Gender: 2006-2008
Number and Relative Proportion (%)
Barshi Rural

Age Group	Males		Females	
	Number	%	Number	%
0-4	77019	9.4	65509	8.7
5-9	82294	10.0	75016	10.0
10-14	115165	14.0	101188	13.5
15-19	92365	11.2	64840	8.6
20-24	65343	7.9	49593	6.6
25-29	55079	6.7	56821	7.6
30-34	53609	6.5	55231	7.3
35-39	53514	6.5	55507	7.4
40-44	46474	5.7	37854	5.0
45-49	34793	4.2	29660	3.9
50-54	25452	3.1	20649	2.7
55-59	18530	2.3	22937	3.1
60-64	19449	2.4	33957	4.5
65-69	37127	4.5	41506	5.5
70-74	25350	3.1	20029	2.7
75+	20588	2.5	21533	2.9
Total	822156	100.0	751829	100.0

TABLE BRS-2
Main Sources of Registration of Incident Cases of Cancer: 2006-2008
Barshi Rural

Name of the Institution	Number	%
Barshi Cancer Hospital	431	55.0
Dr. A.S. Kothari Hospital	60	7.7
Dr. Patil Pathology Lab	56	7.2
Jagdale Mama Hospital	54	6.9
Camp	50	6.4
Home Visits Live Cases	33	4.2
College	14	1.8
Pune	10	1.3
Clinic	8	1.0
Hiremath Hospital	6	0.8
Others	61	7.8
Total	783	100.0

1. *Institutions listed have registered at least one percent of all cases in the registry for the combined years 2007-2008.*
2. *The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.*

**TABLE BRS-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2006-2008 – Males**

%= Relative Proportion of Cancers of All Sites.

Barshi Rural

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	0.51
C01-C02	Tongue	-	-	-	-	-	-	1	1	-	-	1	-	2	1	1	1	-	8	2.06
C03-C06	Mouth	-	-	-	-	-	1	1	-	6	1	2	1	2	2	4	1	-	21	5.40
C07-C08	Salivary Gland	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	4	1.03
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	3	0.77
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.26
C11	Nasopharynx	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.26
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	1	-	1	1	1	5	4	3	-	16	4.11
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	0.77
C15	Oesophagus	-	-	-	-	-	-	1	-	-	3	3	2	2	8	4	4	-	27	6.94
C16	Stomach	-	-	-	-	-	-	-	1	1	2	-	1	4	2	3	1	-	15	3.86
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.26
C18	Colon	-	-	-	-	1	-	-	-	-	3	1	1	2	-	2	2	-	12	3.08
C19-C20	Rectum	-	-	-	-	-	-	-	1	-	1	-	1	4	2	-	2	-	11	2.83
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	0.77
C22	Liver	1	-	1	-	-	-	-	-	-	4	2	6	7	2	3	3	-	29	7.46
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	4	1.03
C25	Pancreas	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	-	5	1.29
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	1	3	1	-	4	5	5	-	19	4.88
C33-C34	Lung etc.	-	-	-	1	-	-	-	-	3	-	2	2	3	6	3	-	-	20	5.14
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.26
C40-C41	Bone	-	3	1	3	-	-	-	-	-	1	1	-	-	1	-	-	-	10	2.57
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	1	-	1	-	-	-	-	-	2	1	4	-	9	2.31
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	3	0.77
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.26
C60	Penis	-	-	-	-	-	-	-	-	-	-	3	2	4	2	4	3	-	18	4.63
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	1	3	3	7	7	-	21	5.40
C62	Testis	-	-	-	-	-	-	2	-	1	1	-	-	-	-	1	-	-	5	1.29
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	1	-	-	-	-	-	1	-	-	1	-	-	1	-	3	-	8	2.06
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	1	-	1	-	-	1	1	2	-	1	-	7	1.80
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	3	0.77
C70-C72	Brain, Nervous System	-	-	1	1	-	-	-	2	-	1	1	-	1	1	-	1	-	9	2.31
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	0.51
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	3	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	8	2.06
C82-85,C96	NHL	1	-	-	1	2	1	-	2	1	-	2	-	-	1	1	1	-	13	3.34
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	0.51
C91	Lymphoid Leuk.	2	5	2	1	-	-	-	1	-	-	-	-	1	1	-	-	-	13	3.34
C92-C94	Myeloid Leukaemia	-	-	-	2	-	1	-	-	2	-	2	-	2	-	-	-	-	9	2.31
C95	Leukaemia Uns	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	3	0.77
O&U	Other and Uns	-	-	-	1	-	1	-	2	1	4	2	5	7	5	8	3	-	39	10.03
	All Sites	5	14	6	14	6	6	6	15	19	24	28	29	53	54	57	53	-	389	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE BRS-3 (b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2006-2008 – Females**

% = Relative Proportion of Cancers of All Sites

Barshi Rural

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.25
C03-C06	Mouth	-	-	-	-	-	-	-	-	-	-	-	2	3	4	-	-	-	9	2.28
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.25
C12-C13	Hypopharynx	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.25
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	3	1	-	2	5	5	1	1	-	-	18	4.57
C16	Stomach	-	-	-	-	-	-	-	2	2	-	3	3	2	3	3	-	-	18	4.57
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	5	1.27
C19-C20	Rectum	-	-	-	-	1	1	-	-	1	2	-	-	-	1	-	-	-	6	1.52
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	5	1.27
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	5	1.27
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.25
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.25
C33-C34	Lung etc.	-	-	-	-	-	-	1	-	-	1	3	2	4	3	2	1	-	17	4.31
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	-	5	1.27
C40-C41	Bone	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	4	1.02
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	1	1	1	-	1	-	2	3	1	1	-	11	2.79
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+ C49	Conn. & Soft Tissue	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.25
C50	Breast	-	-	-	-	-	-	2	3	5	10	10	6	8	11	1	1	-	57	14.47
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	0.51
C53	Cervix Uteri	-	-	-	-	-	-	3	10	14	14	17	10	29	19	13	2	-	131	33.25
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	-	6	1.52
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	0.51
C56	Ovary etc.	-	-	-	-	-	2	-	-	-	1	3	1	1	6	-	-	-	14	3.55
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	3	0.76
C70-C72	Brain, Nervous System	-	2	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	5	1.27
C73	Thyroid	-	-	-	-	2	1	-	-	1	1	-	1	1	-	-	-	-	7	1.78
C74	Adrenal Gland	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.25
C81	Hodgkins Disease	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2	0.51
C82-C85 C96	NHL	-	1	1	2	-	-	-	-	-	-	-	-	1	1	2	1	-	9	2.28
C88	Malig Imn. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	0.51
C91	Lymphoid Leuk.	-	-	2	-	-	1	-	-	-	1	-	-	1	-	-	-	-	5	1.27
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	1	2	-	2	-	2	-	2	-	-	-	9	2.28
C95	Leukaemia Uns	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.25
O&U	Other and Uns	-	-	-	-	-	-	-	2	3	3	3	5	5	3	2	3	-	29	7.36
	All Sites	1	3	5	4	3	5	12	21	35	42	41	41	70	59	38	14	-	394	100.0

TABLE BRS-4(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 2006-2008 - Males
Barshi Rural

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR	
C00	-	-	-	-	-	-	-	-	-	-	-	5.4	5.1	-	-	-	0.2	0.42	0.30	1.4	
C01-C02	-	-	-	-	-	-	1.9	1.9	-	-	3.9	-	10.3	2.7	3.9	4.9	1.0	1.09	0.41	2.3	
C03-C06	-	-	-	-	-	1.8	1.9	-	12.9	2.9	7.9	5.4	10.3	5.4	15.8	4.9	2.6	2.80	0.65	6.3	
C07-C08	-	1.2	-	-	-	-	-	1.9	-	-	-	5.4	-	-	-	4.9	0.5	0.55	0.29	1.1	
C09	-	-	-	-	-	-	-	-	-	-	-	5.4	5.1	-	3.9	-	0.4	0.50	0.31	1.4	
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.9	0.1	0.10	0.10	-	
C11	-	-	-	1.1	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.10	0.10	-	
C12-C13	-	-	-	-	-	-	-	-	2.2	-	3.9	5.4	5.1	13.5	15.8	14.6	1.9	1.76	0.48	2.4	
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.9	4.9	0.4	0.25	0.15	-	
C15	-	-	-	-	-	-	1.9	-	-	8.6	11.8	10.8	10.3	21.5	15.8	19.4	3.3	3.41	0.71	6.3	
C16	-	-	-	-	-	-	-	1.9	2.2	5.7	-	5.4	20.6	5.4	11.8	4.9	1.8	2.12	0.59	5.2	
C17	-	-	-	-	-	-	-	-	-	-	-	-	5.1	-	-	-	0.1	0.21	0.21	0.7	
C18	-	-	-	-	1.5	-	-	-	-	8.6	3.9	5.4	10.3	-	7.9	9.7	1.5	1.82	0.55	4.3	
C19-C20	-	-	-	-	-	-	-	1.9	-	2.9	-	5.4	20.6	5.4	-	9.7	1.3	1.68	0.54	4.3	
C21	-	-	-	-	-	-	-	-	-	-	-	-	5.1	2.7	-	4.9	0.4	0.38	0.24	0.7	
C22	1.3	-	0.9	-	-	-	-	-	-	11.5	7.9	32.4	36.0	5.4	11.8	14.6	3.5	4.74	0.93	12.3	
C23-C24	-	-	-	-	-	-	-	-	2.2	-	-	-	5.1	2.7	3.9	-	0.5	0.49	0.27	1.1	
C25	-	-	-	-	-	-	-	-	-	2.9	-	5.4	5.1	-	-	9.7	0.6	0.79	0.37	1.9	
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C32	-	-	-	-	-	-	-	-	-	2.9	11.8	5.4	-	10.8	19.7	24.3	2.3	2.18	0.54	3.2	
C33-C34	-	-	-	1.1	-	-	-	-	6.5	-	7.9	10.8	15.4	16.2	11.8	-	2.4	2.65	0.64	5.9	
C37-C38	-	-	-	-	-	-	-	1.9	-	-	-	-	-	-	-	-	0.1	0.11	0.11	0.4	
C40-C41	-	3.6	0.9	3.2	-	-	-	-	-	2.9	3.9	-	-	2.7	-	-	1.2	1.18	0.39	1.2	
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C44	-	-	-	-	-	1.8	-	1.9	-	-	-	-	-	-	5.4	3.9	19.4	1.1	0.89	0.30	0.4
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C47+C49	-	-	-	-	3.1	1.8	-	-	-	-	-	-	-	-	-	-	0.4	0.39	0.23	-	
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.9	-	0.1	0.08	0.08	-	
C60	-	-	-	-	-	-	-	-	-	-	11.8	10.8	20.6	5.4	15.8	14.6	2.2	2.61	0.67	5.9	
C61	-	-	-	-	-	-	-	-	-	-	-	5.4	15.4	8.1	27.6	34.0	2.6	2.31	0.55	2.7	
C62	-	-	-	-	-	-	3.7	-	2.2	2.9	-	-	-	-	3.9	-	0.6	0.60	0.28	1.0	
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C64	1.3	1.2	-	-	-	-	-	1.9	-	-	3.9	-	-	2.7	-	14.6	1.0	0.96	0.35	1.0	
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C67	-	-	-	-	-	-	1.9	-	2.2	-	-	5.4	5.1	5.4	-	4.9	0.9	0.92	0.37	1.8	
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C69	-	-	-	-	-	-	-	1.9	-	-	-	-	-	2.7	-	4.9	0.4	0.29	0.17	0.4	
C70-C72	-	-	0.9	1.1	-	-	-	3.7	-	2.9	3.9	-	5.1	2.7	-	4.9	1.1	1.15	0.41	2.6	
C73	-	-	-	-	-	-	-	-	-	-	-	-	5.1	-	-	4.9	0.2	0.30	0.23	0.7	
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C81	-	3.6	0.9	2.2	1.5	-	-	-	2.2	-	-	-	-	-	-	-	1.0	0.89	0.32	0.4	
C82-85,C96	1.3	-	-	1.1	3.1	1.8	-	3.7	2.2	-	7.9	-	-	2.7	3.9	4.9	1.6	1.65	0.48	2.4	
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C90	-	-	-	-	-	-	-	-	-	2.9	-	-	-	-	3.9	-	0.2	0.25	0.19	0.6	
C91	2.6	6.1	1.7	1.1	-	-	-	1.9	-	-	-	-	5.1	2.7	-	-	1.6	1.57	0.45	1.0	
C92-C94	-	-	-	2.2	-	1.8	-	-	4.3	-	7.9	-	10.3	-	-	-	1.1	1.40	0.48	3.4	
C95	-	1.2	-	1.1	-	-	-	-	-	-	3.9	-	-	-	-	-	0.4	0.42	0.25	0.6	
O&U	-	-	-	1.1	-	1.8	-	3.7	2.2	11.5	7.9	27.0	36.0	13.5	31.6	14.6	4.7	5.52	0.95	12.8	
All	6.5	17.0	5.2	15.2	9.2	10.9	11.2	28.0	40.9	69.0	110.0	156.5	272.5	145.5	224.9	257.5	47.3	51.5	2.81	99.8	

TABLE BRS-4(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 2006-2008 - Females
Barshi Rural

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	-	-	-	-	2.9	-	-	-	0.1	0.12	0.12	0.4
C03-C06	-	-	-	-	-	-	-	-	-	-	-	8.7	8.8	9.6	-	-	1.2	0.99	0.35	2.3
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	1.5	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.14	0.14	-
C12-C13	-	-	-	-	-	-	1.8	-	-	-	-	-	-	-	-	-	0.1	0.11	0.11	-
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	-	7.9	3.4	-	8.7	14.7	12.0	5.0	4.6	2.4	2.17	0.54	5.2
C16	-	-	-	-	-	-	-	-	5.3	6.7	-	13.1	8.8	4.8	15.0	13.9	2.4	2.32	0.58	5.2
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	3.4	-	4.4	2.9	-	10.0	-	0.7	0.69	0.32	1.6
C19-C20	-	-	-	-	2.0	1.8	-	-	2.6	6.7	-	-	-	-	5.0	-	0.8	0.97	0.40	1.8
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	-	-	-	9.7	4.4	2.9	-	5.0	-	0.7	0.88	0.41	2.5
C23-C24	-	-	-	-	-	-	-	1.8	2.6	-	4.8	4.4	2.9	-	-	-	0.7	0.80	0.37	2.6
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0	-	0.1	0.10	0.10	-
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	1.8	-	-	-	-	-	-	-	-	0.1	0.11	0.11	0.3
C33-C34	-	-	-	-	-	-	1.8	-	-	3.4	14.5	8.7	11.8	7.2	10.0	4.6	2.3	2.37	0.62	5.6
C37-C38	-	-	-	-	-	-	-	-	-	6.7	-	4.4	-	-	10.0	-	0.7	0.78	0.36	1.9
C40-C41	-	-	1.0	1.5	-	-	-	-	-	-	-	-	2.9	-	5.0	-	0.5	0.45	0.23	0.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	1.8	1.8	2.6	-	4.8	-	5.9	7.2	5.0	4.6	1.5	1.26	0.41	2.4
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	1.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.18	0.18	-
C50	-	-	-	-	-	-	3.6	5.4	13.2	33.7	48.4	26.2	23.6	26.5	5.0	4.6	7.6	8.76	1.24	24.4
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	-	-	3.4	-	-	-	-	5.0	-	0.3	0.30	0.23	0.7
C53	-	-	-	-	-	-	5.4	18.0	37.0	47.2	82.3	43.6	85.4	45.8	64.9	9.3	17.4	18.59	1.74	49.7
C54	-	-	-	-	-	-	-	-	-	-	4.8	4.4	2.9	-	15.0	-	0.8	0.83	0.36	1.7
C55	-	-	-	-	-	-	-	-	2.6	-	-	-	2.9	-	-	-	0.3	0.28	0.20	0.9
C56	-	-	-	-	-	3.5	-	-	-	3.4	14.5	4.4	2.9	14.5	-	-	1.9	1.94	0.58	3.9
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	5.3	-	-	-	-	-	-	4.6	0.4	0.41	0.24	1.0
C70-C72	-	2.7	-	-	-	-	1.8	1.8	-	-	-	4.4	-	-	-	-	0.7	0.66	0.30	0.9
C73	-	-	-	-	4.0	1.8	-	-	2.6	3.4	-	4.4	2.9	-	-	-	0.9	1.12	0.43	2.1
C74	-	-	-	-	-	-	-	-	2.6	-	-	-	-	-	-	-	0.1	0.16	0.16	0.5
C81	-	-	-	-	-	-	3.6	-	-	-	-	-	-	-	-	-	0.3	0.22	0.15	-
C82-85,C96	-	1.3	1.0	3.1	-	-	-	-	-	-	-	-	2.9	2.4	10.0	4.6	1.2	0.98	0.33	0.4
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	4.4	-	-	5.0	-	0.3	0.27	0.20	0.6
C91	-	-	2.0	-	-	1.8	-	-	-	3.4	-	-	2.9	-	-	-	0.7	0.64	0.30	1.0
C92-C94	-	-	-	-	-	-	1.8	3.6	-	6.7	-	8.7	-	4.8	-	-	1.2	1.22	0.43	3.1
C95	-	-	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.09	0.09	-
O&U	-	-	-	-	-	-	-	3.6	7.9	10.1	14.5	21.8	14.7	7.2	10.0	13.9	3.9	4.18	0.82	11.2
All	1.5	4.0	4.9	6.2	6.0	8.8	21.7	37.8	92.5	141.6	198.6	178.8	206.1	142.2	189.7	65.0	52.4	55.1	2.96	134.3

**TABLE BRS-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2006-2008 - Males
Barshi Rural**

ICD-10 -	Site	Clinical		Microscopic		X-Ray / Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C01-C02	Tongue	1	12.5	7	87.5	-	-	-	-	-	-	-	-	8	100.0
C03-C06	Mouth	1	4.8	19	90.5	-	-	-	-	1	4.8	-	-	21	100.0
C07-C08	Salivary Gland	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C09	Tonsil	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C12-C13	Hypopharynx	3	18.8	12	75.0	-	-	-	-	1	6.3	-	-	16	100.0
C14	Pharynx Unspecified	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C15	Oesophagus	1	3.7	19	70.4	2	7.4	1	3.7	4	14.8	-	-	27	100.0
C16	Stomach	-	-	14	93.3	-	-	-	-	1	6.7	-	-	15	100.0
C17	Small Intestine	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C18	Colon	1	8.3	8	66.7	-	-	-	-	3	25.0	-	-	12	100.0
C19-C20	Rectum	1	9.1	7	63.6	1	9.1	-	-	2	18.2	-	-	11	100.0
C21	Anus & Anal Canal	1	33.3	2	66.7	-	-	-	-	-	-	-	-	3	100.0
C22	Liver	-	-	23	79.3	6	20.7	-	-	-	-	-	-	29	100.0
C23-C24	Gallbladder etc.	-	-	1	25.0	2	50.0	-	-	1	25.0	-	-	4	100.0
C25	Pancreas	-	-	2	40.0	2	40.0	-	-	1	20.0	-	-	5	100.0
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	1	5.3	14	73.7	1	5.3	-	-	3	15.8	-	-	19	100.0
C33-C34	Lung etc.	2	10.0	12	60.0	3	15.0	1	5.0	2	10.0	-	-	20	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C40-C41	Bone	-	-	8	80.0	-	-	-	-	2	20.0	-	-	10	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	1	11.1	6	66.7	-	-	-	-	2	22.2	-	-	9	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C50	Breast	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C60	Penis	1	5.6	15	83.3	1	5.6	-	-	1	5.6	-	-	18	100.0
C61	Prostate	-	-	16	76.2	1	4.8	1	4.8	3	14.3	-	-	21	100.0
C62	Testis	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	5	62.5	1	12.5	-	-	2	25.0	-	-	8	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	1	14.3	6	85.7	-	-	-	-	-	-	-	-	7	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	33.3	2	66.7	-	-	-	-	-	-	-	-	3	100.0
C70-C72	Brain, Nervous System	-	-	5	55.6	1	11.1	-	-	3	33.3	-	-	9	100.0
C73	Thyroid	-	-	1	50.0	1	50.0	-	-	-	-	-	-	2	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C82-85,C96	NHL	-	-	12	92.3	-	-	-	-	1	7.7	-	-	13	100.0
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	13	100.0	-	-	-	-	-	-	-	-	13	100.0
C92-C94	Myeloid Leukaemia	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C95	Leukaemia Uns	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
O&U	Other and Uns	-	-	12	30.8	20	51.3	-	-	7	17.9	-	-	39	100.0
	All Sites	17	4.4	286	73.5	43	11.1	3	-	40.0	10.3	-	-	389	100.0

TABLE BRS-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2006-2008 - Females
Barshi Rural

ICD-10	Site	Clinical		Microscopic		X-Ray / Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C03-C06	Mouth	3	33.3	6	66.7	-	-	-	-	-	-	-	-	9	100.0
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C12-C13	Hypopharynx	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	1	5.6	14	77.8	2	11.1	-	-	1	5.6	-	-	18	100.0
C16	Stomach	2	11.1	14	77.8	2	11.1	-	-	-	-	-	-	18	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	3	60.0	-	-	-	-	2	40.0	-	-	5	100.0
C19-C20	Rectum	-	-	5	83.3	1	16.7	-	-	-	-	-	-	6	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	4	80.0	1	20.0	-	-	-	-	-	-	5	100.0
C23-C24	Gallbladder etc.	-	-	3	60.0	1	20.0	-	-	1	20.0	-	-	5	100.0
C25	Pancreas	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C33-C34	Lung etc.	-	-	10	58.8	5	29.4	-	-	2	11.8	-	-	17	100.0
C37-C38	Other Thoracic Organs	-	-	2	40.0	2	40.0	-	-	1	20.0	-	-	5	100.0
C40-C41	Bone	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	1	9.1	7	63.6	2	18.2	-	-	1	9.1	-	-	11	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C50	Breast	2	3.5	47	82.5	5	8.8	-	-	3	5.3	-	-	57	100.0
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C53	Cervix Uteri	11	8.4	116	88.5	4	3.1	-	-	-	-	-	-	131	100.0
C54	Corpus Uteri	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C55	Uterus Unspecified	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C56	Ovary etc.	1	7.1	9	64.3	3	21.4	-	-	1	7.1	-	-	14	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	2	66.7	1	33.3	-	-	-	-	-	-	3	100.0
C70-C72	Brain, Nervous System	-	-	3	60.0	2	40.0	-	-	-	-	-	-	5	100.0
C73	Thyroid	1	14.3	5	71.4	1	14.3	-	-	-	-	-	-	7	100.0
C74	Adrenal Gland	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C82-85,C96	NHL	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	1	50.0	-	-	-	-	1	50.0	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C92-C94	Myeloid Leukaemia	-	-	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C95	Leukaemia Uns	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
O&U	Other and Uns	1	3.4	14	48.3	10	34.5	-	-	4	13.8	-	-	29	100.0
	All Sites	23	5.8	311	78.9	43	10.9	-	-	17.0	4.3	-	-	394	100.0

TABLE BRS-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2006-2008 - Males : Barshi Rural

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C01-C02	Tongue	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C03-C06	Mouth	19	90.5	-	-	-	-	-	-	-	-	2	9.5	21	100.0
C07-C08	Salivary Gland	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C09	Tonsil	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C11	Nasopharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C12-C13	Hypopharynx	12	75.0	-	-	-	-	-	-	-	-	4	25.0	16	100.0
C14	Pharynx Unspecified	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C15	Oesophagus	19	70.4	-	-	-	-	-	-	-	-	8	29.6	27	100.0
C16	Stomach	14	93.3	-	-	-	-	-	-	-	-	1	6.7	15	100.0
C17	Small Intestine	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C18	Colon	6	50.0	1	8.3	1	8.3	-	-	-	-	4	33.3	12	100.0
C19-C20	Rectum	7	63.6	-	-	-	-	-	-	-	-	4	36.4	11	100.0
C21	Anus & Anal Canal	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C22	Liver	18	62.1	-	-	5	17.2	-	-	-	-	6	20.7	29	100.0
C23-C24	Gallbladder etc.	-	-	1	25.0	-	-	-	-	-	-	3	75.0	4	100.0
C25	Pancreas	1	20.0	-	-	1	20.0	-	-	-	-	3	60.0	5	100.0
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	13	68.4	-	-	1	5.3	-	-	-	-	5	26.3	19	100.0
C33-C34	Lung etc.	7	35.0	2	10.0	3	15.0	-	-	-	-	8	40.0	20	100.0
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C40-C41	Bone	8	80.0	-	-	-	-	-	-	-	-	2	20.0	10	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	6	66.7	-	-	-	-	-	-	-	-	3	33.3	9	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C50	Breast	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C60	Penis	15	83.3	-	-	-	-	-	-	-	-	3	16.7	18	100.0
C61	Prostate	16	76.2	-	-	-	-	-	-	-	-	5	23.8	21	100.0
C62	Testis	4	80.0	1	20.0	-	-	-	-	-	-	-	-	5	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	4	50.0	1	12.5	-	-	-	-	-	-	3	37.5	8	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	6	85.7	-	-	-	-	-	-	-	-	1	14.3	7	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C70-C72	Brain, Nervous System	5	55.6	-	-	-	-	-	-	-	-	4	44.4	9	100.0
C73	Thyroid	-	-	-	-	1	50.0	-	-	-	-	1	50.0	2	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C82-85,C96	NHL	12	92.3	-	-	-	-	-	-	-	-	1	7.7	13	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	50.0	-	-	-	-	-	-	1	50.0	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	13	100.0	-	-	13	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	9	100.0	-	-	9	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	3	100.0	-	-	3	100.0
O&U	Other and Uns	1	2.6	6	15.4	5	12.8	-	-	-	-	27	69.2	39	100.0
	All Sites	231	59.4	12	3.1	17	4.4	-	-	26	6.7	103	26.5	389	100.0

TABLE BRS-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2006-2008 - Females : Barshi Rural

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C03-C06	Mouth	6	66.7	-	-	-	-	-	-	-	-	3	33.3	9	100.0
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C12-C13	Hypopharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	13	72.2	1	5.6	-	-	-	-	-	-	4	22.2	18	100.0
C16	Stomach	13	72.2	1	5.6	-	-	-	-	-	-	4	22.2	18	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	3	60.0	-	-	-	-	-	-	-	-	2	40.0	5	100.0
C19-C20	Rectum	5	83.3	-	-	-	-	-	-	-	-	1	16.7	6	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	4	80.0	-	-	-	-	-	-	-	-	1	20.0	5	100.0
C23-C24	Gallbladder etc.	3	60.0	-	-	-	-	-	-	-	-	2	40.0	5	100.0
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C33-C34	Lung etc.	6	35.3	-	-	4	23.5	-	-	-	-	7	41.2	17	100.0
C37-C38	Other Thoracic Organs	1	20.0	-	-	1	20.0	-	-	-	-	3	60.0	5	100.0
C40-C41	Bone	3	75.0	1	25.0	-	-	-	-	-	-	-	-	4	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	7	63.6	-	-	-	-	-	-	-	-	4	36.4	11	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C50	Breast	40	70.2	-	-	7	12.3	-	-	-	-	10	17.5	57	100.0
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C53	Cervix Uteri	113	86.3	-	-	3	2.3	-	-	-	-	15	11.5	131	100.0
C54	Corpus Uteri	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C55	Uterus Unspecified	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C56	Ovary etc.	5	35.7	1	7.1	3	21.4	-	-	-	-	5	35.7	14	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C70-C72	Brain, Nervous System	3	60.0	-	-	-	-	-	-	-	-	2	40.0	5	100.0
C73	Thyroid	4	57.1	-	-	1	14.3	-	-	-	-	2	28.6	7	100.0
C74	Adrenal Gland	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C82-85,C96	NHL	8	88.9	-	-	1	11.1	-	-	-	-	-	-	9	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	50.0	1	50.0	2	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	5	100.0	-	-	5	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	-	-	9	100.0	-	-	9	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
O&U	Other and Uns	2	6.9	9	31.0	2	6.9	-	-	1	3.4	15	51.7	29	100.0
	All Sites	258	65.5	14	3.6	22	5.6	-	-	17	4.3	83	21.1	394	100.0

**TABLE BRS-7 (a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2006-2008 – Males**

% = Relative Proportion of Cancers of All Sites

Barshi Rural

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	1	1	1	-	1	1	1	2	-	1	-	9	2.82
C03-C06	Mouth	-	-	-	-	-	-	1	-	2	1	-	3	3	2	2	4	-	18	5.64
C07-C08	Salivary Gland	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.31
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	0.63
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	0.63
C11	Nasopharynx	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.31
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	1	-	1	1	2	4	6	3	-	18	5.64
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	1	-	-	1	1	2	2	5	4	7	-	23	7.21
C16	Stomach	-	-	-	-	-	-	-	-	-	2	-	2	2	1	4	1	-	12	3.76
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.31
C18	Colon	-	-	-	-	-	1	-	-	-	1	2	-	1	-	-	2	-	7	2.19
C19-C20	Rectum	-	-	-	1	-	-	-	1	-	1	1	-	1	-	2	1	-	8	2.51
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	0.63
C22	Liver	-	-	-	1	-	-	-	-	1	-	3	3	6	2	1	3	-	20	6.27
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	4	1.25
C25	Pancreas	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	-	6	1.88
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.31
C32	Larynx	-	-	-	-	-	-	-	-	-	-	1	2	1	3	3	7	-	17	5.33
C33-C34	Lung etc.	-	-	-	1	-	-	-	-	3	-	1	1	2	5	3	2	-	18	5.64
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.31
C40-C41	Bone	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	4	1.25
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	2	-	-	-	-	-	2	4	5	-	13	4.08
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.31
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	Penis	-	-	-	-	-	-	-	-	1	-	1	1	1	3	-	2	-	9	2.82
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	3	-	12	3.76
C62	Testis	-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	-	-	5	1.57
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	4	-	8	2.51
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	1	-	1	-	-	-	-	2	1	2	-	7	2.19
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	1	-	-	-	1	-	1	2	-	-	1	-	1	-	7	2.19
C73	Thyroid	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	3	0.94
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	2	0.63
C82-85,C96	NHL	-	-	-	-	-	-	-	2	1	-	-	-	1	1	1	-	-	6	1.88
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	0.63
C91	Lymphoid Leuk.	-	6	1	1	-	-	-	-	1	-	-	-	1	1	-	-	-	11	3.45
C92-C94	Myeloid Leukaemia	-	-	-	2	-	-	1	-	-	-	1	1	4	-	-	-	-	9	2.82
C95	Leukaemia Uns	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	4	1.25
O&U	Other and Uns	-	1	1	-	1	1	-	2	-	2	2	4	7	10	9	5	-	45	14.11
	All Sites	-	9	2	10	1	2	5	13	14	15	19	23	43	54	52	57	-	319	100.00

**TABLE BRS-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2006-2008 – Females**

% = Relative Proportion of Cancers of All Sites

Barshi Rural

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	0.69
C03-C06	Mouth	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	5	1.74
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	2	0.69
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	0.69
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	-	2	1	1	2	4	1	-	4	-	15	5.21
C16	Stomach	-	-	-	-	-	-	-	-	1	3	1	2	1	3	3	1	-	15	5.21
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	4	1.39
C19-C20	Rectum	-	-	-	1	-	-	-	2	-	-	-	-	-	1	1	-	-	5	1.74
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.35
C22	Liver	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	3	1.04
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	-	5	1.74
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	0.69
C33-C34	Lung etc.	-	-	-	-	-	-	-	-	-	-	1	4	1	2	1	2	-	11	3.82
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	1	2	-	1	-	-	1	-	-	5	1.74
C40-C41	Bone	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	4	1.39
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	1	-	1	-	-	3	2	-	-	7	2.43
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	3	1.04
C50	Breast	-	-	-	-	-	-	1	-	1	6	3	3	4	3	4	5	-	30	10.42
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	1.04
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	3	1.04
C53	Cervix Uteri	-	-	-	-	-	-	-	5	1	9	8	10	13	18	10	5	-	79	27.43
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	4	1.39
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	0.69
C56	Ovary etc.	-	-	-	-	-	1	-	2	1	2	-	1	1	3	1	1	-	13	4.51
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	0.69
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1.04
C70-C72	Brain, Nervous System	-	2	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	5	1.74
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.35
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1.04
C88	Malig Imn. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.35
C91	Lymphoid Leuk.	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	3	1.04
C92-C94	Myeloid Leukaemia	-	-	-	-	1	-	1	2	-	2	-	2	1	1	-	-	-	10	3.47
C95	Leukaemia Uns	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.35
O&U	Other and Uns	-	-	-	-	-	-	-	1	3	3	4	5	7	3	2	6	-	34	11.81
	All Sites	3	4	3	3	2	2	2	14	16	32	20	36	41	44	34	32	-	288	100.00

TABLE BRS-8(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2006-2008 - Males
Barshi Rural

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	T R
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	1.9	1.9	2.2	-	3.9	5.4	5.4	-	4.9	1.1	1.2	0.44	2.8	
C03-C06	-	-	-	-	-	-	1.9	-	4.3	2.9	-	16.2	15.4	5.4	7.9	19.4	2.2	2.5	0.64	5.5
C07-C08	-	-	-	-	-	-	-	1.9	-	-	-	-	-	-	-	-	0.1	0.1	0.11	0.4
C09	-	-	-	-	-	-	-	-	-	-	-	-	5.1	-	3.9	-	0.2	0.3	0.22	0.7
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	2.7	-	4.9	0.2	0.2	0.13	-
C11	-	-	-	1.1	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.10	-
C12-C13	-	-	-	-	-	-	-	-	2.2	-	3.9	5.4	10.3	10.8	23.7	14.6	2.2	2.0	0.53	3.1
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	1.9	-	-	2.9	3.9	10.8	10.3	13.5	15.8	34.0	2.8	2.7	0.62	3.9
C16	-	-	-	-	-	-	-	-	-	5.7	-	10.8	10.3	2.7	15.8	4.9	1.5	1.7	0.53	3.8
C17	-	-	-	-	-	-	-	-	-	-	-	-	5.1	-	-	-	0.1	0.2	0.21	0.7
C18	-	-	-	-	-	1.8	-	-	-	2.9	7.9	-	5.1	-	-	9.7	0.9	1.1	0.43	2.5
C19-C20	-	-	-	1.1	-	-	-	1.9	-	2.9	3.9	-	5.1	-	7.9	4.9	1.0	1.0	0.39	2.2
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7.9	-	0.2	0.2	0.11	-
C22	-	-	-	1.1	-	-	-	-	2.2	-	11.8	16.2	30.9	5.4	3.9	14.6	2.4	3.2	0.76	8.4
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	5.1	5.4	3.9	-	0.5	0.4	0.25	0.7
C25	-	-	-	-	-	-	-	-	-	2.9	-	5.4	-	5.4	3.9	4.9	0.7	0.7	0.32	1.3
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.9	0.1	0.1	0.10	-
C32	-	-	-	-	-	-	-	-	-	-	3.9	10.8	5.1	8.1	11.8	34.0	2.1	2.0	0.53	2.7
C33-C34	-	-	-	1.1	-	-	-	-	6.5	-	3.9	5.4	10.3	13.5	11.8	9.7	2.2	2.1	0.55	3.9
C37-C38	-	-	-	-	-	-	-	1.9	-	-	-	-	-	-	-	-	0.1	0.1	0.11	0.4
C40-C41	-	1.2	-	-	-	-	-	-	2.2	2.9	3.9	-	-	-	-	-	0.5	0.6	0.32	1.6
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	3.7	-	-	-	-	-	5.4	15.8	24.3	1.6	1.2	0.33	0.7
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	5.1	-	-	-	0.1	0.2	0.21	0.7
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C60	-	-	-	-	-	-	-	-	2.2	-	3.9	5.4	5.1	8.1	-	9.7	1.1	1.2	0.43	2.4
C61	-	-	-	-	-	-	-	-	-	-	-	-	5.1	10.8	15.8	14.6	1.5	1.1	0.35	0.7
C62	-	-	-	-	-	-	-	1.9	-	5.7	-	-	5.1	-	3.9	-	0.6	0.7	0.35	2.1
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	2.2	-	-	5.4	-	2.7	3.9	19.4	1.0	0.9	0.34	1.1
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	1.9	-	2.2	-	-	-	-	5.4	3.9	9.7	0.9	0.7	0.26	0.4
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	1.1	-	-	-	1.9	-	2.9	7.9	-	-	2.7	-	4.9	0.9	1.0	0.38	2.2
C73	-	-	-	-	-	-	-	-	-	2.9	-	-	-	-	3.9	4.9	0.4	0.3	0.21	0.6
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	1.1	-	-	-	1.9	-	-	-	-	-	-	-	-	0.2	0.2	0.15	0.4
C82-85,C96	-	-	-	-	-	-	-	3.7	2.2	-	-	-	5.1	2.7	3.9	-	0.7	0.7	0.31	1.8
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	2.9	-	-	5.1	-	-	-	0.2	0.4	0.27	1.2
C91	-	7.3	0.9	1.1	-	-	-	-	2.2	-	-	-	5.1	2.7	-	-	1.3	1.3	0.41	1.1
C92-C94	-	-	-	2.2	-	-	1.9	-	-	-	3.9	5.4	20.6	-	-	-	1.1	1.5	0.53	4.0
C95	-	1.2	-	1.1	-	-	-	-	-	-	3.9	-	5.1	-	-	-	0.5	0.6	0.32	1.3
O&U	-	1.2	0.9	-	1.5	1.8	-	3.7	-	5.7	7.9	21.6	36.0	26.9	35.5	24.3	5.5	5.7	0.93	10.5
All	-	10.9	1.7	10.8	1.5	3.6	9.3	24.3	30.1	43.1	74.7	124.1	221.1	145.5	205.1	276.9	38.9	40.7	2.46	75.5

TABLE BRS-8(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2006-2008 - Females
Barshi Rural

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	-	-	-	-	2.9	-	-	4.6	0.3	0.2	0.15	0.4
C03-C06	-	-	-	-	-	-	-	-	-	-	-	4.4	-	2.4	10.0	4.6	0.7	0.5	0.25	0.6
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	2.0	-	-	-	-	-	-	-	2.9	-	-	-	0.3	0.3	0.20	0.4
C12-C13	-	-	-	-	-	-	-	-	2.6	-	-	-	-	-	-	4.6	0.3	0.3	0.18	0.5
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	-	5.3	3.4	4.8	8.7	11.8	2.4	-	18.6	2.0	2.0	0.55	5.1
C16	-	-	-	-	-	-	-	-	2.6	10.1	4.8	8.7	2.9	7.2	15.0	4.6	2.0	2.1	0.58	4.8
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	1.8	2.6	-	-	-	2.9	-	5.0	-	0.5	0.5	0.25	1.2
C19-C20	-	-	-	1.5	-	-	-	3.6	-	-	-	-	-	2.4	5.0	-	0.7	0.5	0.24	0.7
C21	-	-	-	-	-	-	-	-	2.6	-	-	-	-	-	-	-	0.1	0.2	0.16	0.5
C22	-	-	-	-	-	-	-	-	2.6	-	-	4.4	-	-	5.0	-	0.4	0.4	0.26	1.1
C23-C24	-	-	-	-	-	-	-	-	-	3.4	-	-	5.9	-	5.0	4.6	0.7	0.6	0.30	1.4
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4	5.0	-	0.3	0.2	0.12	-
C33-C34	-	-	-	-	-	-	-	-	-	-	4.8	17.4	2.9	4.8	5.0	9.3	1.5	1.5	0.48	3.4
C37-C38	-	-	-	-	-	-	-	-	2.6	6.7	-	4.4	-	-	5.0	-	0.7	0.8	0.38	2.4
C40-C41	-	-	-	3.1	-	-	-	-	-	-	-	-	2.9	-	5.0	-	0.5	0.5	0.25	0.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	2.6	-	4.8	-	-	7.2	10.0	-	0.9	0.8	0.35	1.3
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	1.5	-	-	-	-	-	-	-	-	3.4	-	4.4	-	-	-	-	0.4	0.6	0.32	1.2
C50	-	-	-	-	-	-	1.8	-	2.6	20.2	14.5	13.1	11.8	7.2	20.0	23.2	4.0	4.3	0.84	10.0
C51	-	-	-	-	-	-	-	-	-	-	-	-	2.9	2.4	-	4.6	0.4	0.3	0.17	0.4
C52	-	-	-	-	-	-	-	-	-	-	-	4.4	-	2.4	-	4.6	0.4	0.3	0.21	0.6
C53	-	-	-	-	-	-	-	9.0	2.6	30.3	38.7	43.6	38.3	43.4	49.9	23.2	10.5	10.5	1.28	24.9
C54	-	-	-	-	-	-	-	-	-	-	4.8	-	2.9	2.4	5.0	-	0.5	0.5	0.30	1.2
C55	-	-	-	-	-	-	-	-	-	-	-	-	2.9	-	5.0	-	0.3	0.2	0.15	0.4
C56	-	-	-	-	-	1.8	-	3.6	2.6	6.7	-	4.4	2.9	7.2	5.0	4.6	1.7	1.6	0.48	3.5
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	1.3	-	-	-	-	-	-	-	-	-	-	-	2.4	-	-	0.3	0.2	0.15	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	3.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.6	0.4	0.5	0.28	-
C70-C72	-	2.7	-	-	-	-	-	1.8	2.6	3.4	-	-	-	-	-	-	0.7	0.7	0.34	1.5
C73	-	-	-	-	-	-	-	-	-	-	-	4.4	-	-	-	-	0.1	0.2	0.17	0.6
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	1.3	1.0	-	-	-	-	-	-	-	-	-	-	-	-	4.6	0.4	0.3	0.19	-
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	4.4	-	-	-	-	0.1	0.2	0.17	0.6
C91	-	-	1.0	-	-	1.8	-	-	-	3.4	-	-	-	-	-	-	0.4	0.4	0.26	0.7
C92-C94	-	-	-	-	2.0	-	1.8	3.6	-	6.7	-	8.7	2.9	2.4	-	-	1.3	1.4	0.47	3.5
C95	-	-	1.0	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.09	-
O&U	-	-	-	-	-	-	-	1.8	7.9	10.1	19.4	21.8	20.6	7.2	10.0	27.9	4.5	4.8	0.88	12.4
All	4.6	5.3	3.0	4.6	4.0	3.5	3.6	25.2	42.3	107.9	96.9	157.0	120.7	106.0	169.8	148.6	38.3	38.6	2.43	85.4

TABLE BRS-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 Years and from 0-74 Years) : 2006-2008 - Males
Barshi Rural

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.05	0.05	0.05	0.05
C01-C02	Tongue	0.09	0.09	0.12	0.12
C03-C06	Mouth	0.22	0.21	0.32	0.32
C07-C08	Salivary Gland	0.04	0.04	0.04	0.04
C09	Tonsil	0.05	0.05	0.07	0.07
C10	Oth. Oropharynx	0.00	0.00	0.00	0.00
C11	Nasopharynx	0.01	0.01	0.01	0.01
C12-C13	Hypopharynx	0.08	0.08	0.23	0.23
C14	Pharynx Unspecified	0.00	0.00	0.04	0.04
C15	Oesophagus	0.22	0.22	0.40	0.40
C16	Stomach	0.18	0.18	0.26	0.26
C17	Small Intestine	0.03	0.03	0.03	0.03
C18	Colon	0.15	0.15	0.19	0.19
C19-C20	Rectum	0.15	0.15	0.18	0.18
C21	Anus & Anal Canal	0.03	0.03	0.04	0.04
C22	Liver	0.45	0.45	0.53	0.54
C23-C24	Gallbladder etc.	0.04	0.04	0.07	0.07
C25	Pancreas	0.07	0.07	0.07	0.07
C30-C31	Nose, Sinuses etc.	0.00	0.00	0.00	0.00
C32	Larynx	0.10	0.10	0.25	0.25
C33-C34	Lung etc.	0.21	0.21	0.35	0.35
C37-C38	Other Thoracic Organs	0.01	0.01	0.01	0.01
C40-C41	Bone	0.07	0.07	0.09	0.09
C43	Melanoma of Skin	0.00	0.00	0.00	0.00
C44	Other Skin	0.02	0.02	0.07	0.07
C45	Mesothelioma	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 + C49	Conn. & Soft Tissue	0.02	0.02	0.02	0.02
C50	Breast	0.00	0.00	0.02	0.02
C60	Penis	0.22	0.22	0.32	0.32
C61	Prostate	0.10	0.10	0.28	0.28
C62	Testis	0.04	0.04	0.06	0.06
C63	Other Male Genital	0.00	0.00	0.00	0.00
C64	Kidney etc.	0.04	0.04	0.06	0.06
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.07	0.07	0.10	0.10
C68	Uns.Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.01	0.01	0.02	0.02
C70-C72	Brain, Nervous System	0.09	0.09	0.10	0.10
C73	Thyroid	0.03	0.03	0.03	0.03
C74	Adrenal Gland	0.00	0.00	0.00	0.00
C81	Hodgkins Disease	0.05	0.05	0.05	0.05
C82-85,C96	NHL	0.11	0.10	0.14	0.14
C88	Malig Imn.Prol D	0.00	0.00	0.00	0.00
C90	Multiple Myeloma	0.01	0.01	0.03	0.03
C91	Lymphoid Leuk.	0.09	0.09	0.11	0.11
C92-C94	Myeloid Leukaemia	0.13	0.13	0.13	0.13
C95	Leukaemia Uns	0.03	0.03	0.03	0.03
O&U	Other and Uns	0.46	0.45	0.68	0.68
	All Sites	3.76	3.69	5.61	5.46

TABLE BRS-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 years and from 0-74 years) : 2006-2008 - Females
Barshi Rural

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.00	0.00	0.00	0.00
C01-C02	Tongue	0.01	0.01	0.01	0.01
C03-C06	Mouth	0.09	0.09	0.14	0.14
C07-C08	Salivary Gland	0.00	0.00	0.00	0.00
C09	Tonsil	0.00	0.00	0.00	0.00
C10	Oth. Oropharynx	0.00	0.00	0.00	0.00
C11	Nasopharynx	0.01	0.01	0.01	0.01
C12-C13	Hypopharynx	0.01	0.01	0.01	0.01
C14	Pharynx Unspecified	0.00	0.00	0.00	0.00
C15	Oesophagus	0.17	0.17	0.26	0.26
C16	Stomach	0.17	0.17	0.27	0.27
C17	Small Intestine	0.00	0.00	0.00	0.00
C18	Colon	0.05	0.05	0.10	0.10
C19-C20	Rectum	0.07	0.07	0.09	0.09
C21	Anus & Anal Canal	0.00	0.00	0.00	0.00
C22	Liver	0.08	0.08	0.11	0.11
C23-C24	Gallbladder etc.	0.08	0.08	0.08	0.08
C25	Pancreas	0.00	0.00	0.02	0.02
C30-C31	Nose, Sinuses etc.	0.00	0.00	0.00	0.00
C32	Larynx	0.01	0.01	0.01	0.01
C33-C34	Lung etc.	0.20	0.20	0.29	0.29
C37-C38	Other Thoracic Organs	0.06	0.06	0.11	0.11
C40-C41	Bone	0.03	0.03	0.05	0.05
C43	Melanoma of Skin	0.00	0.00	0.00	0.00
C44	Other Skin	0.08	0.08	0.15	0.15
C45	Mesothelioma	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 + C49	Conn. & Soft Tissue	0.01	0.01	0.01	0.01
C50	Breast	0.77	0.77	0.92	0.93
C51	Vulva	0.00	0.00	0.00	0.00
C52	Vagina	0.02	0.02	0.04	0.04
C53	Cervix Uteri	1.59	1.58	2.13	2.15
C54	Corpus Uteri	0.06	0.06	0.14	0.14
C55	Uterus Unspecified	0.03	0.03	0.03	0.03
C56	Ovary etc.	0.14	0.14	0.22	0.22
C57	Other Female Genital	0.00	0.00	0.00	0.00
C58	Placenta	0.00	0.00	0.00	0.00
C64	Kidney etc.	0.00	0.00	0.00	0.00
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.00	0.00	0.00	0.00
C68	Uns.Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.03	0.03	0.03	0.03
C70-C72	Brain, Nervous System	0.05	0.05	0.05	0.05
C73	Thyroid	0.10	0.10	0.10	0.10
C74	Adrenal Gland	0.01	0.01	0.01	0.01
C81	Hodgkins Disease	0.02	0.02	0.02	0.02
C82-C85,C96	NHL	0.04	0.04	0.10	0.10
C88	Malig Imn.Prol D	0.00	0.00	0.00	0.00
C90	Multiple Myeloma	0.02	0.02	0.05	0.05
C91	Lymphoid Leuk.	0.05	0.05	0.05	0.05
C92-C94	Myeloid Leukaemia	0.10	0.10	0.13	0.13
C95	Leukaemia Uns	0.00	0.00	0.00	0.00
O&U	Other and Uns	0.36	0.36	0.45	0.45
	All Sites	4.54	4.44	6.20	6.01

Figure BRE-1
Population Pyramid showing Age Distribution: 2007-2008
Barshi Expanded




TABLE BRE-1
Population by Five Year Age Group and Gender: 2007-2008
Number and Relative Proportion (%)
Barshi Expanded

Age Group	Males		Females	
	Number	%	Number	%
0-4	399660	8.9	339783	8.1
5-9	489648	10.9	443483	10.6
10-14	673975	15.0	596357	14.3
15-19	515800	11.5	375739	9.0
20-24	349663	7.8	275942	6.6
25-29	285393	6.4	299892	7.2
30-34	288954	6.4	305387	7.3
35-39	285004	6.3	298348	7.2
40-44	248841	5.5	196988	4.7
45-49	179489	4.0	151223	3.6
50-54	125130	2.8	103457	2.5
55-59	93833	2.1	116001	2.8
60-64	100220	2.2	189258	4.5
65-69	209117	4.7	240396	5.8
70-74	142935	3.2	115225	2.8
75+	103817	2.3	122816	2.9
Total	4491479	100.0	4170295	100.0

TABLE BRE-2
Main Sources of Registration of Incident Cases of Cancer: 2007-2008
Barshi Expanded

Name of the Institution	Number	%
Barshi Cancer Hospital	1533	43.5
SRTR Medical College, Ambejogai	510	14.5
Civil Hospital (Ghati Hospital), Aurangabad	283	8.0
Civil Hospital, Beed	191	5.4
Camp, Barshi	70	2.0
Civil Hospital & V M Medical College, Solapur	62	1.8
Tata Memorial Centre, Bombay	62	1.8
Hiremath Hospital, Barshi	61	1.7
Dekhane Pathology Lab, Solapur	44	1.2
Pravara Hospital Loni, Ahemadnagar	40	1.1
Shree Pathology Lab(Dr Jadhav), Beed	39	1.1
Kahate Pathology Lab, Solapur	37	1.0
Aradhya Pathology Lab, Solapur	34	1.0
Jagdale Mama Hospital, Barshi	30	0.9
Dr. A.S. Kothari Hospital, Barshi	29	0.8
Home Visits Live Cases, Ausa	29	0.8
Civil Hospital, Osmanabad	24	0.7
Ashwini Sahakari Rugnalya, Solapur	21	0.6
Krishna Path. Lab, Latur	21	0.6
Others	405	11.5
Total	3525	100.0

1. Institutions listed have registered at least one percent of all cases in the registry for the combined years 2007-2008.
2. The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**TABLE BRE-3 (a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2007-2008 – Males**

% = Relative Proportion of Cancers of All Sites

Barshi Expanded

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	1	-	-	3	3	-	-	-	7	0.45
C01-C02	Tongue	-	-	-	-	-	4	13	12	10	7	10	10	6	7	9	4	-	92	5.94
C03-C06	Mouth	-	-	-	-	1	4	3	14	14	17	18	13	11	15	7	-	-	117	7.56
C07-C08	Salivary Gland	-	1	1	-	-	-	1	1	2	-	-	2	-	-	-	2	-	10	0.65
C09	Tonsil	-	-	-	-	-	-	-	1	-	1	3	2	3	5	1	3	-	19	1.23
C10	Oth. Oropharynx	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	4	0.26
C11	Nasopharynx	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	4	0.26
C12-C13	Hypopharynx	-	-	-	-	-	-	-	1	2	1	4	9	11	9	8	11	-	56	3.62
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	2	-	-	2	-	3	5	-	-	12	0.78
C15	Oesophagus	-	-	-	-	1	-	2	2	4	4	7	13	12	12	8	8	1	74	4.78
C16	Stomach	-	-	-	-	1	1	-	3	4	5	6	5	8	11	12	5	-	61	3.94
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.06
C18	Colon	-	-	-	1	-	2	-	3	1	2	4	6	4	3	2	3	-	31	2.00
C19-C20	Rectum	-	-	-	1	1	4	2	6	8	4	2	2	5	5	5	8	-	53	3.42
C21	Anus & Anal Canal	-	-	-	-	-	-	-	1	-	-	2	2	2	1	3	-	-	11	0.71
C22	Liver	1	1	-	-	-	-	2	1	3	5	6	7	11	18	6	5	-	66	4.26
C23-C24	Gallbladder etc.	-	-	-	-	-	-	1	1	-	1	1	-	2	2	3	-	-	11	0.71
C25	Pancreas	-	-	-	-	-	-	-	1	-	5	3	2	4	1	-	1	-	17	1.10
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	1	-	7	0.45
C32	Larynx	-	-	-	-	1	-	1	2	5	2	10	9	12	21	9	10	-	82	5.30
C33-C34	Lung etc.	-	-	1	-	-	1	4	4	5	7	9	5	11	17	12	10	-	86	5.56
C37-C38	Other Thoracic Organs	-	-	1	-	1	-	-	-	1	1	2	1	1	1	1	-	-	10	0.65
C40-C41	Bone	1	2	1	9	5	-	3	2	2	2	2	2	2	2	3	-	-	38	2.45
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	0.13
C44	Other Skin	-	-	1	1	1	2	1	-	7	1	1	4	7	9	5	4	-	44	2.84
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	3	1	2	-	-	1	1	2	2	3	1	-	3	1	-	4	-	24	1.55
C50	Breast	-	-	-	-	-	-	-	-	3	2	1	2	1	5	3	2	1	20	1.29
C60	Penis	-	-	-	-	1	-	2	3	1	6	10	3	5	17	11	3	-	62	4.01
C61	Prostate	-	-	-	-	-	-	-	-	2	2	2	5	9	7	21	15	1	64	4.13
C62	Testis	-	-	-	1	2	4	2	-	1	3	1	-	1	1	1	-	1	18	1.16
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	1	-	-	1	2	2	1	3	2	1	-	13	0.84
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	1	2	1	1	-	3	2	3	7	4	1	-	25	1.61
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	4	0.26
C70-C72	Brain, Nervous System	-	2	2	2	1	1	1	3	3	4	3	2	2	1	-	-	-	27	1.74
C73	Thyroid	-	-	-	-	-	1	-	4	2	1	-	-	5	3	-	1	-	17	1.10
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.06
C81	Hodgkins Disease	1	7	3	3	1	1	1	-	1	-	3	-	-	1	-	-	-	22	1.42
C82-85,C96	NHL	1	2	3	4	5	7	5	5	4	3	7	6	3	10	-	5	-	70	4.52
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	5	0.32
C91	Lymphoid Leuk.	3	1	4	4	3	-	-	5	2	-	1	1	-	1	-	-	-	25	1.61
C92-C94	Myeloid Leukaemia	-	3	2	3	3	-	3	3	2	1	5	1	4	1	4	-	-	35	2.26
C95	Leukaemia Uns	-	1	2	4	-	1	1	2	-	-	-	-	1	-	-	1	-	13	0.84
O&U	Other and Uns	1	1	1	1	4	3	4	9	11	19	22	25	25	26	19	16	1	188	12.14
	All Sites	12	22	24	35	32	39	58	92	107	112	152	147	179	235	168	129	5	1548	100.0

* O&U includes the Sites (ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE BRE-3(b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2007-2008 – Females**

% = Relative Proportion of Cancers of All Sites

Barshi Expanded

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip														1				1	0.05
C01-C02	Tongue							1	3	8	3	4	4	2	4	7			36	1.82
C03-C06	Mouth					2		1	3	4	3	5	7	5	1				31	1.57
C07-C08	Salivary Gland						1	1	1			1			1				5	0.25
C09	Tonsil								1					1	2		1		5	0.25
C10	Oth. Oropharynx																			-
C11	Nasopharynx				1											1			2	0.10
C12-C13	Hypopharynx								1			1	2	3	1	1	1		10	0.51
C14	Pharynx Unspecified															1			1	0.05
C15	Oesophagus						1		2	3	2	8	4	9	15	4	6		54	2.73
C16	Stomach							1		7	2	5	4	5	6	8	2		40	2.02
C17	Small Intestine							1		1									2	0.10
C18	Colon					1	1	1	3	3	5		1	1	3	1	2	1	23	1.16
C19-C20	Rectum					2	4		2	5	4	1	4	2	9	2	1	1	37	1.87
C21	Anus & Anal Canal								4		1		1		2				8	0.40
C22	Liver	1							1	1	2	1	3	1	5		1		16	0.81
C23-C24	Gallbladder etc.						1			1	1		2			1			6	0.30
C25	Pancreas										2	1		1	1	1			6	0.30
C30-C31	Nose, Sinuses etc.								1		1			1	1	1	1		6	0.30
C32	Larynx					1		1			1		2	2	6				13	0.66
C33-C34	Lung etc.					1			2	1	2	6	3	3	2	8	2		30	1.52
C37-C38	Other Thoracic Organs										1	1				1			3	0.15
C40-C41	Bone			4	6	1	2				1	2	2	1	2	2			23	1.16
C43	Melanoma of Skin			1									1		4				6	0.30
C44	Other Skin								4	2	2			2	4	1	2	1	18	0.91
C45	Mesothelioma								1										1	0.05
C46	Kaposi Sarcoma																			-
C47+C49	Conn. & Soft Tissue	1			1	2	2	1	1	2	3	1	1	3	3				21	1.06
C50	Breast					1	8	19	45	58	74	68	35	64	46	27	13	2	460	23.27
C51	Vulva									1		3		2	1	1			8	0.40
C52	Vagina				2				4	1		2			1	1	3		14	0.71
C53	Cervix Uteri					5	8	25	34	86	74	93	77	109	94	55	16	5	681	34.45
C54	Corpus Uteri							1	1	1	4		5	5	2		2		21	1.06
C55	Uterus Unspecified								2	3									5	0.25
C56	Ovary etc.		2	1		3	4	7	10	12	13	18	11	11	8	8	2	1	111	5.61
C57	Other Female Genital																			-
C58	Placenta					1													1	0.05
C64	Kidney etc.			1				2			2		1	2	1	1	2		12	0.61
C65	Renal Pelvis																			-
C66	Ureter																			-
C67	Bladder										2			3	3	2	1		11	0.56
C68	Uns. Urinary Organs										1								1	0.05
C69	Eye		1							1					2				4	0.20
C70-C72	Brain, Nervous System		1	1	2	2	2	2	1			2	1	1	2	1			18	0.91
C73	Thyroid						6	2	2	6	5	1	3	2	1	1	1		30	1.52
C74	Adrenal Gland					1				1			1						3	0.15
C81	Hodgkins Disease			1	1	1		1					1	1					6	0.30
C82-85,C96	NHL		1		2	1	1		2	4	4		3	2	7	4	4		35	1.77
C88	Malig Imn.Prol D																			-
C90	Multiple Myeloma															2			2	0.10
C91	Lymphoid Leuk.	2		2	2				1	1		2	1	1					12	0.61
C92-C94	Myeloid Leukaemia	1		3	1	1	2	3	2	3	5					1	1		23	1.16
C95	Leukaemia Uns		1			1	1				3								6	0.30
O&U	Other and Uns		1	2	1	3	3		7	9	10	12	11	14	18	12	6		109	5.51
	All Sites	5	7	16	19	30	47	68	133	221	239	237	189	263	261	154	77	11	1977	100.0

TABLE BRE-4(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 2007-2008 - Males
Barshi Expanded

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	0.6	-	-	3.0	1.4	-	-	0.2	0.20	0.08	0.5
C01-C02	-	-	-	-	-	1.4	4.5	4.2	4.0	3.9	8.0	10.7	6.0	3.3	6.3	3.9	2.0	2.48	0.28	5.8
C03-C06	-	-	-	-	0.3	1.4	1.0	4.9	5.6	9.5	14.4	13.9	11.0	7.2	4.9	-	2.6	3.42	0.34	9.4
C07-C08	-	0.2	0.1	-	-	-	0.3	0.4	0.8	-	-	2.1	-	-	-	1.9	0.2	0.25	0.08	0.5
C09	-	-	-	-	-	-	-	0.4	-	0.6	2.4	2.1	3.0	2.4	0.7	2.9	0.4	0.52	0.13	1.2
C10	-	-	-	-	-	-	0.3	-	-	-	-	-	-	0.5	-	1.9	0.1	0.07	0.04	-
C11	-	-	-	0.2	-	0.4	-	-	0.4	-	-	-	-	-	-	1.0	0.1	0.09	0.05	0.1
C12-C13	-	-	-	-	-	-	-	0.4	0.8	0.6	3.2	9.6	11.0	4.3	5.6	10.6	1.2	1.54	0.22	3.5
C14	-	-	-	-	-	-	-	-	0.8	-	-	2.1	-	1.4	3.5	-	0.3	0.25	0.08	0.4
C15	-	-	-	-	0.3	-	0.7	0.7	1.6	2.2	5.6	13.9	12.0	5.7	5.6	7.7	1.6	2.09	0.26	5.1
C16	-	-	-	-	0.3	0.4	-	1.1	1.6	2.8	4.8	5.3	8.0	5.3	8.4	4.8	1.4	1.57	0.22	3.5
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	0.01	0.01	-
C18	-	-	-	0.2	-	0.7	-	1.1	0.4	1.1	3.2	6.4	4.0	1.4	1.4	2.9	0.7	0.93	0.18	2.4
C19-C20	-	-	-	0.2	0.3	1.4	0.7	2.1	3.2	2.2	1.6	2.1	5.0	2.4	3.5	7.7	1.2	1.31	0.19	2.6
C21	-	-	-	-	-	-	-	0.4	-	-	1.6	2.1	2.0	0.5	2.1	-	0.2	0.32	0.11	0.9
C22	0.3	0.2	-	-	-	-	0.7	0.4	1.2	2.8	4.8	7.5	11.0	8.6	4.2	4.8	1.5	1.77	0.24	4.0
C23-C24	-	-	-	-	-	-	0.3	0.4	-	0.6	0.8	-	2.0	1.0	2.1	-	0.2	0.27	0.09	0.6
C25	-	-	-	-	-	-	-	0.4	-	2.8	2.4	2.1	4.0	0.5	-	1.0	0.4	0.59	0.15	1.8
C30-C31	-	-	-	-	-	-	-	-	0.4	-	0.8	1.1	-	0.5	1.4	1.0	0.2	0.17	0.07	0.3
C32	-	-	-	-	0.3	-	0.3	0.7	2.0	1.1	8.0	9.6	12.0	10.0	6.3	9.6	1.8	2.16	0.26	4.8
C33-C34	-	-	0.1	-	-	0.4	1.4	1.4	2.0	3.9	7.2	5.3	11.0	8.1	8.4	9.6	1.9	2.18	0.26	4.7
C37-C38	-	-	0.1	-	0.3	-	-	-	0.4	0.6	1.6	1.1	1.0	0.5	0.7	-	0.2	0.28	0.10	0.7
C40-C41	0.3	0.4	0.1	1.7	1.4	-	1.0	0.7	0.8	1.1	1.6	2.1	2.0	1.0	2.1	-	0.8	0.89	0.15	1.3
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	0.7	-	-	0.03	0.02	-
C44	-	-	0.1	0.2	0.3	0.7	0.3	-	2.8	0.6	0.8	4.3	7.0	4.3	3.5	3.9	1.0	1.10	0.18	2.2
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.8	0.2	0.3	-	-	0.4	0.3	0.7	0.8	1.7	0.8	-	3.0	0.5	-	3.9	0.5	0.63	0.13	1.1
C50	-	-	-	-	-	-	-	-	1.2	1.1	0.8	2.1	1.0	2.4	2.1	1.9	0.4	0.46	0.11	1.0
C60	-	-	-	-	0.3	-	0.7	1.1	0.4	3.3	8.0	3.2	5.0	8.1	7.7	2.9	1.4	1.53	0.21	3.3
C61	-	-	-	-	-	-	-	-	0.8	1.1	1.6	5.3	9.0	3.3	14.7	14.4	1.4	1.45	0.20	2.5
C62	-	-	-	0.2	0.6	1.4	0.7	-	0.4	1.7	0.8	-	1.0	0.5	0.7	-	0.4	0.45	0.11	0.7
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	0.3	-	-	0.6	1.6	2.1	1.0	1.4	1.4	1.0	0.3	0.35	0.11	0.8
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	0.4	0.7	0.4	0.4	-	2.4	2.1	3.0	3.3	2.8	1.0	0.6	0.62	0.14	1.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	0.3	-	-	-	-	-	0.3	-	-	-	-	-	-	0.5	-	1.0	0.1	0.08	0.04	-
C70-C72	-	0.4	0.3	0.4	0.3	0.4	0.3	1.1	1.2	2.2	2.4	2.1	2.0	0.5	-	-	0.6	0.74	0.15	1.8
C73	-	-	-	-	-	0.4	-	1.4	0.8	0.6	-	-	5.0	1.4	-	1.0	0.4	0.46	0.12	1.2
C74	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	-	-	-	0.03	0.03	0.1
C81	0.3	1.4	0.4	0.6	0.3	0.4	0.3	-	0.4	-	2.4	-	-	0.5	-	-	0.5	0.50	0.11	0.5
C82-85,C96	0.3	0.4	0.4	0.8	1.4	2.5	1.7	1.8	1.6	1.7	5.6	6.4	3.0	4.8	-	4.8	1.6	1.79	0.23	3.1
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	1.1	1.0	0.5	0.7	1.0	0.1	0.13	0.06	0.3
C91	0.8	0.2	0.6	0.8	0.9	-	-	1.8	0.8	-	0.8	1.1	-	0.5	-	-	0.6	0.55	0.12	0.8
C92-C94	-	0.6	0.3	0.6	0.9	-	1.0	1.1	0.8	0.6	4.0	1.1	4.0	0.5	2.8	-	0.8	0.89	0.16	1.8
C95	-	0.2	0.3	0.8	-	0.4	0.3	0.7	-	-	-	-	1.0	-	-	1.0	0.3	0.27	0.08	0.3
O&U	0.3	0.2	0.1	0.2	1.1	1.1	1.4	3.2	4.4	10.6	17.6	26.6	24.9	12.4	13.3	15.4	4.2	5.32	0.42	13.0
All	3.0	4.5	3.6	6.8	9.2	13.7	20.1	32.3	43.0	62.4	121.5	156.7	178.6	112.4	117.5	124.3	34.5	40.8	1.12	89.5

TABLE BRE-4(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 2007-2008 - Females
Barshi Expanded

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	0.01	0.01	-
C01-C02	-	-	-	-	-	-	-	0.3	1.5	5.3	2.9	3.4	2.1	0.8	3.5	5.7	0.9	1.00	0.18	2.6
C03-C06	-	-	-	-	0.7	-	-	0.3	1.5	2.6	2.9	4.3	3.7	2.1	0.9	-	0.7	0.87	0.17	2.4
C07-C08	-	-	-	-	-	0.3	0.3	0.3	-	-	1.0	-	-	0.4	-	-	0.1	0.13	0.06	0.2
C09	-	-	-	-	-	-	-	0.3	-	-	-	-	0.5	0.8	-	0.8	0.1	0.08	0.04	0.1
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	0.3	-	-	-	-	-	-	-	-	-	-	0.9	-	-	0.04	0.03	-
C12-C13	-	-	-	-	-	-	-	0.3	-	-	1.0	1.7	1.6	0.4	0.9	0.8	0.2	0.25	0.08	0.6
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	0.02	0.02	-
C15	-	-	-	-	-	0.3	-	0.7	1.5	1.3	7.7	3.4	4.8	6.2	3.5	4.9	1.3	1.31	0.20	3.0
C16	-	-	-	-	-	-	0.3	-	3.6	1.3	4.8	3.4	2.6	2.5	6.9	1.6	1.0	1.04	0.18	2.5
C17	-	-	-	-	-	-	0.3	-	0.5	-	-	-	-	-	-	-	-	0.05	0.04	0.1
C18	-	-	-	-	0.4	0.3	0.3	1.0	1.5	3.3	-	0.9	0.5	1.2	0.9	1.6	0.6	0.57	0.13	1.3
C19-C20	-	-	-	-	0.7	1.3	-	0.7	2.5	2.6	1.0	3.4	1.1	3.7	1.7	0.8	0.9	0.91	0.16	1.9
C21	-	-	-	-	-	-	-	1.3	-	0.7	-	0.9	-	0.8	-	-	0.2	0.18	0.07	0.5
C22	0.3	-	-	-	-	-	-	0.3	0.5	1.3	1.0	2.6	0.5	2.1	-	0.8	0.4	0.42	0.11	1.0
C23-C24	-	-	-	-	-	0.3	-	-	0.5	0.7	-	1.7	-	-	0.9	-	0.1	0.18	0.08	0.4
C25	-	-	-	-	-	-	-	-	-	1.3	1.0	-	0.5	0.4	0.9	-	0.1	0.18	0.08	0.5
C30-C31	-	-	-	-	-	-	-	0.3	-	0.7	-	-	0.5	0.4	0.9	0.8	0.1	0.13	0.06	0.3
C32	-	-	-	-	0.4	-	0.3	-	-	0.7	-	1.7	1.1	2.5	-	-	0.3	0.27	0.08	0.5
C33-C34	-	-	-	-	0.4	-	-	0.7	0.5	1.3	5.8	2.6	1.6	0.8	6.9	1.6	0.7	0.83	0.17	2.0
C37-C38	-	-	-	-	-	-	-	-	-	0.7	1.0	-	-	-	0.9	-	0.1	0.11	0.06	0.3
C40-C41	-	-	0.7	1.6	0.4	0.7	-	-	-	0.7	1.9	1.7	0.5	0.8	1.7	-	0.6	0.57	0.13	0.7
C43	-	-	0.2	-	-	-	-	-	-	-	-	0.9	-	1.7	-	-	0.1	0.10	0.05	0.1
C44	-	-	-	-	-	-	-	-	2.0	1.3	1.9	-	1.1	1.7	0.9	1.6	0.4	0.44	0.12	1.1
C45	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	-	-	-	0.02	0.02	0.1
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.3	-	-	0.3	0.7	0.7	0.3	0.3	1.0	2.0	1.0	0.9	1.6	1.2	-	-	0.5	0.57	0.13	1.1
C50	-	-	-	-	0.4	2.7	6.2	15.1	29.4	48.9	65.7	30.2	33.8	19.1	23.4	10.6	11.0	13.32	0.67	36.9
C51	-	-	-	-	-	-	-	-	0.5	-	2.9	-	1.1	0.4	0.9	-	0.2	0.25	0.10	0.7
C52	-	-	-	0.5	-	-	-	1.3	0.5	-	1.9	-	-	0.4	0.9	2.4	0.3	0.33	0.10	0.7
C53	-	-	-	-	1.8	2.7	8.2	11.4	43.7	48.9	89.9	66.4	57.6	39.1	47.7	13.0	16.3	18.93	0.79	50.6
C54	-	-	-	-	-	-	0.3	0.3	0.5	2.6	-	4.3	2.6	0.8	-	1.6	0.5	0.56	0.13	1.6
C55	-	-	-	-	-	-	-	0.7	1.5	-	-	-	-	-	-	-	0.1	0.13	0.06	0.4
C56	-	0.5	0.2	-	1.1	1.3	2.3	3.4	6.1	8.6	17.4	9.5	5.8	3.3	6.9	1.6	2.7	3.23	0.33	8.3
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	-	-	-	0.03	0.03	-
C64	-	-	0.2	-	-	-	0.7	-	-	1.3	-	0.9	1.1	0.4	0.9	1.6	0.3	0.27	0.08	0.5
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	1.3	-	-	1.6	1.2	1.7	0.8	0.3	0.23	0.08	0.5
C68	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	0.04	0.04	0.1
C69	-	0.2	-	-	-	-	-	-	0.5	-	-	-	-	0.8	-	-	0.1	0.08	0.04	0.1
C70-C72	-	0.2	0.2	0.5	0.7	0.7	0.7	0.3	-	-	1.9	0.9	0.5	0.8	0.9	-	0.4	0.45	0.11	0.6
C73	-	-	-	-	-	2.0	0.7	0.7	3.0	3.3	1.0	2.6	1.1	0.4	0.9	0.8	0.7	0.86	0.16	2.0
C74	-	-	-	-	0.4	-	-	-	0.5	-	-	0.9	-	-	-	-	0.1	0.09	0.05	0.2
C81	-	-	0.2	0.3	0.4	-	0.3	-	-	-	-	0.9	0.5	-	-	-	0.1	0.14	0.06	0.2
C82-85,C96	-	0.2	-	0.5	0.4	0.3	-	0.7	2.0	2.6	-	2.6	1.1	2.9	3.5	3.3	0.8	0.81	0.15	1.5
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.7	-	-	0.03	0.02	-
C91	0.6	-	0.3	0.5	-	-	-	0.3	0.5	-	1.9	0.9	0.5	-	-	-	0.3	0.35	0.11	0.7
C92-C94	0.3	-	0.5	0.3	0.4	0.7	1.0	0.7	1.5	3.3	-	-	-	-	0.9	0.8	0.6	0.61	0.13	1.1
C95	-	0.2	-	-	0.4	0.3	-	-	-	2.0	-	-	-	-	-	-	0.1	0.20	0.08	0.4
O&U	-	0.2	0.3	0.3	1.1	1.0	-	2.3	4.6	6.6	11.6	9.5	7.4	7.5	10.4	4.9	2.6	2.84	0.30	6.7
All	1.5	1.6	2.7	5.1	10.9	15.7	22.3	44.6	112.2	158.0	229.1	162.9	139.0	108.6	133.7	62.7	47.4	54.3	1.32	136.8

**TABLE BRE-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2007-2008 - Males
Barshi Expanded**

ICD-10 -	Site	Clinical		Microscopic		X-Ray / Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	6	85.7	-	-	-	-	1	14.3	-	-	7	100.0
C01-C02	Tongue	2	2.2	83	90.2	-	-	-	-	7	7.6	-	-	92	100.0
C03-C06	Mouth	-	-	98	83.8	4	3.4	-	-	15	12.8	-	-	117	100.0
C07-C08	Salivary Gland	-	-	9	90.0	-	-	-	-	1	10.0	-	-	10	100.0
C09	Tonsil	-	-	17	89.5	-	-	-	-	2	10.5	-	-	19	100.0
C10	Oth. Oropharynx	-	-	3	75.0	1	25.0	-	-	-	-	-	-	4	100.0
C11	Nasopharynx	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C12-C13	Hypopharynx	2	3.6	49	87.5	2	3.6	-	-	3	5.4	-	-	56	100.0
C14	Pharynx Unspecified	-	-	9	75.0	2	16.7	-	-	1	8.3	-	-	12	100.0
C15	Oesophagus	2	2.7	62	83.8	2	2.7	-	-	8	10.8	-	-	74	100.0
C16	Stomach	-	-	54	88.5	1	1.6	-	-	6	9.8	-	-	61	100.0
C17	Small Intestine	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C18	Colon	1	3.2	24	77.4	-	-	1	3.2	5	16.1	-	-	31	100.0
C19-C20	Rectum	1	1.9	49	92.5	-	-	-	-	3	5.7	-	-	53	100.0
C21	Anus & Anal Canal	-	-	8	72.7	-	-	-	-	3	27.3	-	-	11	100.0
C22	Liver	2	3.0	49	74.2	8	12.1	-	-	7	10.6	-	-	66	100.0
C23-C24	Gallbladder etc.	-	-	8	72.7	1	9.1	-	-	2	18.2	-	-	11	100.0
C25	Pancreas	-	-	9	52.9	1	5.9	-	-	7	41.2	-	-	17	100.0
C30-C31	Nose, Sinuses etc.	-	-	7	100.0	-	-	-	-	-	-	-	-	7	100.0
C32	Larynx	5	6.1	63	76.8	2	2.4	-	-	12	14.6	-	-	82	100.0
C33-C34	Lung etc.	3	3.5	49	57.0	16	18.6	1	1.2	17	19.8	-	-	86	100.0
C37-C38	Other Thoracic Organs	-	-	8	80.0	2	20.0	-	-	-	-	-	-	10	100.0
C40-C41	Bone	-	-	30	78.9	1	2.6	-	-	7	18.4	-	-	38	100.0
C43	Melanoma of Skin	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C44	Other Skin	-	-	40	90.9	2	4.5	-	-	2	4.5	-	-	44	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	20	83.3	-	-	-	-	4	16.7	-	-	24	100.0
C50	Breast	1	5.0	18	90.0	1	5.0	-	-	-	-	-	-	20	100.0
C60	Penis	1	1.6	55	88.7	-	-	-	-	6	9.7	-	-	62	100.0
C61	Prostate	2	3.1	52	81.3	-	-	-	-	10	15.6	-	-	64	100.0
C62	Testis	-	-	15	83.3	2	11.1	-	-	1	5.6	-	-	18	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	7.7	10	76.9	-	-	-	-	2	15.4	-	-	13	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	1	4.0	20	80.0	1	4.0	-	-	3	12.0	-	-	25	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	3	75.0	-	-	-	-	1	25.0	-	-	4	100.0
C70-C72	Brain, Nervous System	-	-	23	85.2	-	-	-	-	4	14.8	-	-	27	100.0
C73	Thyroid	-	-	12	70.6	4	23.5	-	-	1	5.9	-	-	17	100.0
C74	Adrenal Gland	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	19	86.4	-	-	-	-	3	13.6	-	-	22	100.0
C82-85,C96	NHL	-	-	64	91.4	-	-	-	-	6	8.6	-	-	70	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	4	80.0	-	-	-	-	1	20.0	-	-	5	100.0
C91	Lymphoid Leuk.	-	-	22	88.0	-	-	-	-	3	12.0	-	-	25	100.0
C92-C94	Myeloid Leukaemia	-	-	30	85.7	-	-	-	-	5	14.3	-	-	35	100.0
C95	Leukaemia Uns	-	-	13	100.0	-	-	-	-	-	-	-	-	13	100.0
O&U	Other and Uns	1	0.5	131	69.7	22	11.7	-	-	33	17.6	1	0.5	188	100.0
	All Sites	25	1.6	1253	80.9	75	4.8	2	-	192.0	12.4	1	0.1	1548	100.0

TABLE BRE-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2007-2008 - Females
Barshi Expanded

ICD-10 -	Site	Clinical		Microscopic		X-Ray / Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C01-C02	Tongue	1	2.8	35	97.2	-	-	-	-	-	-	-	-	36	100.0
C03-C06	Mouth	-	-	26	83.9	-	-	-	-	5	16.1	-	-	31	100.0
C07-C08	Salivary Gland	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C09	Tonsil	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C12-C13	Hypopharynx	1	10.0	7	70.0	-	-	-	-	2	20.0	-	-	10	100.0
C14	Pharynx Unspecified	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C15	Oesophagus	1	1.9	44	81.5	1	1.9	-	-	8	14.8	-	-	54	100.0
C16	Stomach	2	5.0	34	85.0	-	-	-	-	4	10.0	-	-	40	100.0
C17	Small Intestine	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	-	-	19	82.6	-	-	-	-	4	17.4	-	-	23	100.0
C19-C20	Rectum	1	2.7	32	86.5	1	2.7	-	-	3	8.1	-	-	37	100.0
C21	Anus & Anal Canal	1	12.5	7	87.5	-	-	-	-	-	-	-	-	8	100.0
C22	Liver	-	-	13	81.3	1	6.3	-	-	2	12.5	-	-	16	100.0
C23-C24	Gallbladder etc.	-	-	4	66.7	1	16.7	-	-	1	16.7	-	-	6	100.0
C25	Pancreas	-	-	3	50.0	-	-	-	-	3	50.0	-	-	6	100.0
C30-C31	Nose, Sinuses etc.	-	-	5	83.3	-	-	-	-	-	-	1	16.7	6	100.0
C32	Larynx	1	7.7	10	76.9	-	-	-	-	2	15.4	-	-	13	100.0
C33-C34	Lung etc.	-	-	21	70.0	2	6.7	-	-	7	23.3	-	-	30	100.0
C37-C38	Other Thoracic Organs	-	-	1	33.3	1	33.3	-	-	1	33.3	-	-	3	100.0
C40-C41	Bone	-	-	17	73.9	1	4.3	-	-	5	21.7	-	-	23	100.0
C43	Melanoma of Skin	-	-	5	83.3	-	-	-	-	1	16.7	-	-	6	100.0
C44	Other Skin	-	-	17	94.4	-	-	-	-	1	5.6	-	-	18	100.0
C45	Mesothelioma	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	18	85.7	-	-	-	-	3	14.3	-	-	21	100.0
C50	Breast	15	3.3	349	75.9	53	11.5	-	-	43	9.3	-	-	460	100.0
C51	Vulva	-	-	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C52	Vagina	-	-	11	78.6	-	-	-	-	3	21.4	-	-	14	100.0
C53	Cervix Uteri	19	2.8	602	88.4	12	1.8	-	-	48	7.0	-	-	681	100.0
C54	Corpus Uteri	-	-	19	90.5	-	-	-	-	2	9.5	-	-	21	100.0
C55	Uterus Unspecified	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C56	Ovary etc.	5	4.5	80	72.1	9	8.1	-	-	17	15.3	-	-	111	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	-	-	9	75.0	1	8.3	-	-	2	16.7	-	-	12	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C68	Uns.Urinary Organs	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C70-C72	Brain, Nervous System	-	-	15	83.3	1	5.6	-	-	2	11.1	-	-	18	100.0
C73	Thyroid	1	3.3	21	70.0	3	10.0	-	-	5	16.7	-	-	30	100.0
C74	Adrenal Gland	-	-	2	66.7	-	-	-	-	1	33.3	-	-	3	100.0
C81	Hodgkins Disease	-	-	5	83.3	-	-	-	-	1	16.7	-	-	6	100.0
C82-85,C96	NHL	-	-	31	88.6	1	2.9	-	-	3	8.6	-	-	35	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	2	100.0	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C92-C94	Myeloid Leukaemia	-	-	22	95.7	-	-	-	-	1	4.3	-	-	23	100.0
C95	Leukaemia Uns	-	-	5	83.3	-	-	-	-	1	16.7	-	-	6	100.0
O&U	Other and Uns	1	0.9	74	67.9	15	13.8	-	-	19	17.4	-	-	109	100.0
	All Sites	50	2.5	1620	81.9	103	5.2	-	-	203.0	10.3	1	0.1	1977	100.0

TABLE BRE-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2007-2008 - Males : Barshi Expanded

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	6	85.7	-	-	-	-	-	-	-	-	1	14.3	7	100.0
C01-C02	Tongue	82	89.1	-	-	1	1.1	-	-	-	-	9	9.8	92	100.0
C03-C06	Mouth	96	82.1	-	-	2	1.7	-	-	-	-	19	16.2	117	100.0
C07-C08	Salivary Gland	7	70.0	-	-	2	20.0	-	-	-	-	1	10.0	10	100.0
C09	Tonsil	15	78.9	-	-	2	10.5	-	-	-	-	2	10.5	19	100.0
C10	Oth. Oropharynx	3	75.0	-	-	-	-	-	-	-	-	1	25.0	4	100.0
C11	Nasopharynx	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C12-C13	Hypopharynx	47	83.9	-	-	2	3.6	-	-	-	-	7	12.5	56	100.0
C14	Pharynx Unspecified	9	75.0	-	-	-	-	-	-	-	-	3	25.0	12	100.0
C15	Oesophagus	62	83.8	-	-	-	-	-	-	-	-	12	16.2	74	100.0
C16	Stomach	53	86.9	-	-	1	1.6	-	-	-	-	7	11.5	61	100.0
C17	Small Intestine	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C18	Colon	23	74.2	-	-	1	3.2	-	-	-	-	7	22.6	31	100.0
C19-C20	Rectum	49	92.5	-	-	-	-	-	-	-	-	4	7.5	53	100.0
C21	Anus & Anal Canal	8	72.7	-	-	-	-	-	-	-	-	3	27.3	11	100.0
C22	Liver	38	57.6	-	-	11	16.7	-	-	-	-	17	25.8	66	100.0
C23-C24	Gallbladder etc.	6	54.5	-	-	2	18.2	-	-	-	-	3	27.3	11	100.0
C25	Pancreas	8	47.1	-	-	1	5.9	-	-	-	-	8	47.1	17	100.0
C30-C31	Nose, Sinuses etc.	7	100.0	-	-	-	-	-	-	-	-	-	-	7	100.0
C32	Larynx	58	70.7	-	-	5	6.1	-	-	-	-	19	23.2	82	100.0
C33-C34	Lung etc.	32	37.2	-	-	16	18.6	1	1.2	-	-	37	43.0	86	100.0
C37-C38	Other Thoracic Organs	4	40.0	-	-	4	40.0	-	-	-	-	2	20.0	10	100.0
C40-C41	Bone	29	76.3	-	-	-	-	-	-	1	2.6	8	21.1	38	100.0
C43	Melanoma of Skin	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C44	Other Skin	38	86.4	-	-	2	4.5	-	-	-	-	4	9.1	44	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	20	83.3	-	-	-	-	-	-	-	-	4	16.7	24	100.0
C50	Breast	15	75.0	-	-	3	15.0	-	-	-	-	2	10.0	20	100.0
C60	Penis	55	88.7	-	-	-	-	-	-	-	-	7	11.3	62	100.0
C61	Prostate	51	79.7	-	-	1	1.6	-	-	-	-	12	18.8	64	100.0
C62	Testis	15	83.3	-	-	-	-	-	-	-	-	3	16.7	18	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	10	76.9	-	-	-	-	-	-	-	-	3	23.1	13	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	20	80.0	-	-	-	-	-	-	-	-	5	20.0	25	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	3	75.0	-	-	-	-	-	-	-	-	1	25.0	4	100.0
C70-C72	Brain, Nervous System	23	85.2	-	-	-	-	-	-	-	-	4	14.8	27	100.0
C73	Thyroid	7	41.2	-	-	5	29.4	-	-	-	-	5	29.4	17	100.0
C74	Adrenal Gland	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	18	81.8	-	-	1	4.5	-	-	-	-	3	13.6	22	100.0
C82-85,C96	NHL	60	85.7	-	-	-	-	-	-	4	5.7	6	8.6	70	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	3	60.0	-	-	-	-	-	-	1	20.0	1	20.0	5	100.0
C91	Lymphoid Leuk.	1	4.0	-	-	-	-	2	8.0	19	76.0	3	12.0	25	100.0
C92-C94	Myeloid Leukaemia	1	2.9	-	-	-	-	4	11.4	25	71.4	5	14.3	35	100.0
C95	Leukaemia Uns	1	7.7	-	-	-	-	2	15.4	10	76.9	-	-	13	100.0
O&U	Other and Uns	96	51.1	-	-	34	18.1	-	-	1	0.5	57	30.3	188	100.0
	All Sites	1087	70.2	-	-	96	6.2	9	0.6	61	3.9	295	19.1	1548	100.0

TABLE BRE-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2007-2008 - Females : Barshi Expanded

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C01-C02	Tongue	34	94.4	-	-	1	2.8	-	-	-	-	1	2.8	36	100.0
C03-C06	Mouth	26	83.9	-	-	-	-	-	-	-	-	5	16.1	31	100.0
C07-C08	Salivary Gland	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C09	Tonsil	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C12-C13	Hypopharynx	7	70.0	-	-	-	-	-	-	-	-	3	30.0	10	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C15	Oesophagus	44	81.5	-	-	-	-	-	-	-	-	10	18.5	54	100.0
C16	Stomach	33	82.5	-	-	1	2.5	-	-	-	-	6	15.0	40	100.0
C17	Small Intestine	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	19	82.6	-	-	-	-	-	-	-	-	4	17.4	23	100.0
C19-C20	Rectum	32	86.5	-	-	-	-	-	-	-	-	5	13.5	37	100.0
C21	Anus & Anal Canal	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C22	Liver	10	62.5	-	-	3	18.8	-	-	-	-	3	18.8	16	100.0
C23-C24	Gallbladder etc.	4	66.7	-	-	-	-	-	-	-	-	2	33.3	6	100.0
C25	Pancreas	2	33.3	-	-	1	16.7	-	-	-	-	3	50.0	6	100.0
C30-C31	Nose, Sinuses etc.	5	83.3	-	-	-	-	-	-	-	-	1	16.7	6	100.0
C32	Larynx	10	76.9	-	-	-	-	-	-	-	-	3	23.1	13	100.0
C33-C34	Lung etc.	12	40.0	-	-	9	30.0	-	-	-	-	9	30.0	30	100.0
C37-C38	Other Thoracic Organs	1	33.3	-	-	-	-	-	-	-	-	2	66.7	3	100.0
C40-C41	Bone	16	69.6	-	-	1	4.3	-	-	-	-	6	26.1	23	100.0
C43	Melanoma of Skin	4	66.7	-	-	1	16.7	-	-	-	-	1	16.7	6	100.0
C44	Other Skin	15	83.3	-	-	2	11.1	-	-	-	-	1	5.6	18	100.0
C45	Mesothelioma	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	18	85.7	-	-	-	-	-	-	-	-	3	14.3	21	100.0
C50	Breast	303	65.9	-	-	46	10.0	-	-	-	-	111	24.1	460	100.0
C51	Vulva	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C52	Vagina	11	78.6	-	-	-	-	-	-	-	-	3	21.4	14	100.0
C53	Cervix Uteri	585	85.9	-	-	17	2.5	-	-	-	-	79	11.6	681	100.0
C54	Corpus Uteri	19	90.5	-	-	-	-	-	-	-	-	2	9.5	21	100.0
C55	Uterus Unspecified	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C56	Ovary etc.	71	64.0	-	-	9	8.1	-	-	-	-	31	27.9	111	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	9	75.0	-	-	-	-	-	-	-	-	3	25.0	12	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	11	100.0	-	-	-	-	-	-	-	-	-	-	11	100.0
C68	Uns. Urinary Organs	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C69	Eye	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C70-C72	Brain, Nervous System	15	83.3	-	-	-	-	-	-	-	-	3	16.7	18	100.0
C73	Thyroid	18	60.0	-	-	3	10.0	-	-	-	-	9	30.0	30	100.0
C74	Adrenal Gland	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C81	Hodgkins Disease	5	83.3	-	-	-	-	-	-	-	-	1	16.7	6	100.0
C82-85,C96	NHL	29	82.9	-	-	2	5.7	-	-	-	-	4	11.4	35	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	2	100.0	2	100.0
C91	Lymphoid Leuk.	1	8.3	-	-	-	-	1	8.3	10	83.3	-	-	12	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	2	8.7	20	87.0	1	4.3	23	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	2	33.3	3	50.0	1	16.7	6	100.0
O&U	Other and Uns	52	47.7	2	1.8	19	17.4	-	-	1	0.9	35	32.1	109	100.0
	All Sites	1463	74.0	2	0.1	116	5.9	5	0.3	34	1.7	357	18.1	1977	100.0

**TABLE BRE-7 (a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2007-2008 – Males**

% = Relative Proportion of Cancers of All Sites

Barshi Expanded

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	1	2	3	3	1	1	-	-	-	2	1	-	14	3.86
C03-C06	Mouth	-	-	-	-	-	1	-	5	2	1	1	3	2	-	-	-	-	15	4.13
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	3	0.83
C10	Oth. Oropharynx	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	3	0.83
C11	Nasopharynx	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.28
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	1	2	2	1	4	6	-	16	4.41
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	-	-	6	1.65
C15	Oesophagus	-	-	-	-	-	-	-	-	1	1	1	6	2	1	3	2	-	17	4.68
C16	Stomach	-	-	-	-	-	1	-	-	-	1	-	1	2	1	4	2	-	12	3.31
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	2	-	-	2	1	1	-	-	-	1	7	1.93
C19-C20	Rectum	-	-	-	-	-	-	1	-	2	1	-	-	-	-	1	-	-	5	1.38
C21	Anus & Anal Canal	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	0.55
C22	Liver	-	-	-	-	-	-	-	-	1	4	3	1	-	5	1	-	-	15	4.13
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	0.55
C25	Pancreas	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	3	0.83
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	1	1	4	3	1	5	2	2	1	20	5.51
C33-C34	Lung etc.	-	-	-	-	-	-	-	2	1	1	1	1	1	5	6	-	-	18	4.96
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.28
C40-C41	Bone	-	1	-	1	1	-	-	-	-	2	-	1	-	1	-	-	-	7	1.93
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.28
C44	Other Skin	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.28
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	5	1.38
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	0.55
C60	Penis	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	4	1.10
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	7	1.93
C62	Testis	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	0.55
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	3	0.83
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	3	0.83
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.28
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	0.55
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.28
C82-85,C96	NHL	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	4	1.10
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.28
C91	Lymphoid Leuk.	1	-	-	1	1	-	-	1	-	-	-	1	-	1	-	-	-	6	1.65
C92-C94	Myeloid Leukaemia	-	-	1	-	1	-	-	1	-	1	2	-	2	-	1	-	-	9	2.48
C95	Leukaemia Uns	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	3	0.83
O&U	Other and Uns	-	1	1	4	2	1	5	2	5	11	17	11	22	24	21	13	1	141	38.84
	All Sites	2	2	2	9	5	5	9	18	20	28	37	34	40	59	53	37	3	363	100.00

**TABLE BRE-7 (b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2007-2008 – Females**

% = Relative Proportion of Cancers of All Sites

Barshi Expanded

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	Tongue	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	5	1.75
C03-C06	Mouth	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	0.70
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.35
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.35
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.35
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	1	1	-	4	-	-	1	1	1	-	9	3.15
C16	Stomach	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	1	-	7	2.45
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1.05
C19-C20	Rectum	-	-	-	-	-	-	-	-	1	-	-	1	2	3	-	1	-	8	2.80
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	1	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	5	1.75
C23-C24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.35
C25	Pancreas	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	0.70
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.35
C33-C34	Lung etc.	-	-	-	-	-	-	-	2	-	-	1	-	-	1	1	-	-	5	1.75
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.35
C40-C41	Bone	-	-	1	1	-	1	-	-	-	-	1	1	-	-	1	-	-	6	2.10
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.35
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	0.70
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.35
C50	Breast	-	-	-	-	-	1	1	1	-	5	8	-	5	4	2	-	-	27	9.44
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	Vagina	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	0.70
C53	Cervix Uteri	-	-	-	-	-	-	2	3	4	4	9	5	11	7	3	-	-	48	16.78
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	3	1.05
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	-	-	-	-	-	-	1	1	-	1	3	3	2	1	-	-	-	12	4.20
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	0.70
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	3	1.05
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.35
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	1	-	-	1	-	-	1	-	-	1	1	1	-	-	-	-	6	2.10
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.35
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.35
C88	Malign.Imm.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.35
C92-C94	Myeloid Leukaemia	-	-	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	5	1.75
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	1	-	-	-	-	-	1	6	10	6	12	16	10	26	15	9	-	112	39.16
	All Sites	2	1	5	2	1	2	5	16	18	25	41	32	36	52	33	14	1	286	100.00

TABLE BRE-8(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2007-2008 - Males
Barshi Expanded

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.04	0.1
C01-C02	-	-	-	-	-	0.4	0.7	1.1	1.2	0.6	0.8	-	-	-	1.4	1.0	0.3	0.3	0.09	0.7
C03-C06	-	-	-	-	-	0.4	-	1.8	0.8	0.6	0.8	3.2	2.0	-	-	-	0.3	0.5	0.12	1.4
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	0.8	1.1	-	0.5	-	-	0.1	0.1	0.06	0.3
C10	-	-	-	-	-	-	0.3	-	-	-	-	-	-	0.5	-	1.0	0.1	0.1	0.03	-
C11	-	-	-	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	-
C12-C13	-	-	-	-	-	-	-	-	-	-	0.8	2.1	2.0	0.5	2.8	5.8	0.4	0.4	0.11	0.7
C14	-	-	-	-	-	-	-	-	-	-	-	2.1	-	0.5	2.1	-	0.1	0.1	0.07	0.3
C15	-	-	-	-	-	-	-	-	0.4	0.6	0.8	6.4	2.0	0.5	2.1	1.9	0.4	0.5	0.14	1.4
C16	-	-	-	-	-	0.4	-	-	-	0.6	-	1.1	2.0	0.5	2.8	1.9	0.3	0.3	0.09	0.5
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	0.7	-	-	1.6	1.1	1.0	-	-	-	0.2	0.2	0.09	0.7
C19-C20	-	-	-	-	-	-	0.3	-	0.8	0.6	-	-	-	-	0.7	-	0.1	0.1	0.05	0.3
C21	-	-	-	-	-	-	-	0.4	-	-	-	-	-	0.5	-	-	-	-	0.03	0.1
C22	-	-	-	-	-	-	-	-	0.4	2.2	2.4	1.1	-	2.4	0.7	-	0.3	0.4	0.11	1.0
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.5	-	-	-	0.1	0.04	0.1
C25	-	-	-	-	-	-	-	-	-	1.1	-	-	-	-	-	1.0	0.1	0.1	0.05	0.2
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	0.4	0.6	3.2	3.2	1.0	2.4	1.4	1.9	0.4	0.5	0.13	1.2
C33-C34	-	-	-	-	-	-	-	0.7	0.4	0.6	0.8	1.1	1.0	2.4	4.2	-	0.4	0.4	0.10	0.7
C37-C38	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.02	0.1
C40-C41	-	0.2	-	0.2	0.3	-	-	-	-	1.1	-	1.1	-	0.5	-	-	0.2	0.2	0.07	0.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.7	-	-	-	0.01	-
C44	-	-	-	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	-	0.02	0.1
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.3	-	-	-	-	-	-	-	0.4	-	-	-	1.0	-	-	1.9	0.1	0.1	0.06	0.2
C50	-	-	-	-	-	-	-	-	-	-	-	-	2.0	-	-	-	-	0.1	0.06	0.3
C60	-	-	-	-	-	-	-	-	0.4	-	1.6	-	-	0.5	-	-	0.1	0.1	0.06	0.3
C61	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.5	1.4	2.9	0.2	0.1	0.06	0.1
C62	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	0.7	-	-	-	0.03	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	1.0	0.1	-	0.03	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	0.7	-	0.1	-	0.02	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	-	-	-	-	-	-	0.6	-	-	-	-	-	-	-	-	0.03	0.1
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	1.0	-	-	0.02	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	0.01	-
C82-85,C96	-	-	-	-	-	-	-	-	-	-	0.8	-	-	1.0	-	1.0	0.1	0.1	0.05	0.1
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	0.02	-
C91	0.3	-	-	0.2	0.3	-	-	0.4	-	-	-	1.1	-	0.5	-	-	0.1	0.1	0.06	0.2
C92-C94	-	-	0.1	-	0.3	-	-	0.4	-	0.6	1.6	-	2.0	-	0.7	-	0.2	0.3	0.09	0.7
C95	-	-	-	0.4	-	-	-	0.4	-	-	-	-	-	-	-	-	0.1	0.1	0.03	0.1
O&U	-	0.2	0.1	0.8	0.6	0.4	1.7	0.7	2.0	6.1	13.6	11.7	22.0	11.5	14.7	12.5	3.1	3.7	0.34	8.2
All	0.5	0.4	0.3	1.7	1.4	1.8	3.1	6.3	8.0	15.6	29.6	36.2	39.9	28.2	37.1	35.6	8.1	9.4	0.54	20.4

TABLE BRE-8(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2007-2008 - Females
Barshi Expanded

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-C02	-	-	-	-	-	-	-	-	-	0.7	-	0.9	0.5	0.4	0.9	-	0.1	0.1	0.06	0.3
C03-C06	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.01	-
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.01	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	-
C12-C13	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.01	-
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	0.3	0.5	-	3.9	-	-	0.4	0.9	0.8	0.2	0.3	0.11	0.8
C16	-	-	-	-	-	-	-	-	0.5	-	1.0	-	1.1	-	1.7	0.8	0.2	0.2	0.07	0.4
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	0.9	0.8	0.1	-	0.03	-
C19-C20	-	-	-	-	-	-	-	-	0.5	-	-	0.9	1.1	1.2	-	0.8	0.2	0.2	0.06	0.3
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	0.3	-	-	-	-	-	-	-	0.5	0.7	-	1.7	-	-	-	-	0.1	0.2	0.08	0.4
C23-C24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	0.02	-
C25	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	0.9	-	-	0.1	0.04	0.1
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.04	0.1
C33-C34	-	-	-	-	-	-	-	0.7	-	-	1.0	-	-	0.4	0.9	-	0.1	0.1	0.06	0.3
C37-C38	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.04	0.1
C40-C41	-	-	0.2	0.3	-	0.3	-	-	-	-	1.0	0.9	-	-	0.9	-	0.1	0.2	0.07	0.3
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.01	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	0.8	-	-	-	-	0.02	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	1.0	-	-	-	-	-	-	-	0.05	0.2
C50	-	-	-	-	-	0.3	0.3	0.3	-	3.3	7.7	-	2.6	1.7	1.7	-	0.6	0.8	0.18	2.3
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C52	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	0.9	-	-	-	0.03	0.1
C53	-	-	-	-	-	-	0.7	1.0	2.0	2.6	8.7	4.3	5.8	2.9	2.6	-	1.2	1.4	0.21	3.8
C54	-	-	-	-	-	-	-	-	-	0.7	-	0.9	-	-	-	0.8	0.1	0.1	0.06	0.2
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	-	-	-	-	-	-	0.3	0.3	-	0.7	2.9	2.6	1.1	0.4	-	-	0.3	0.4	0.12	1.1
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	0.5	0.4	-	-	-	-	0.02	0.1
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	0.7	-	-	0.5	-	0.9	-	0.1	0.1	0.05	0.2
C68	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.04	0.1
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	0.2	-	-	0.4	-	-	0.3	-	-	1.0	0.9	0.5	-	-	-	0.1	0.2	0.08	0.4
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	0.02	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	-	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	0.03	0.1
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	0.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.02	-
C92-C94	-	-	0.5	-	-	-	-	-	-	0.7	-	-	-	-	0.9	-	0.1	0.1	0.05	0.1
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	0.3	-	-	-	-	-	0.3	2.0	5.1	4.0	11.6	13.8	5.3	10.8	13.0	7.3	2.7	2.8	0.29	6.5
All	0.6	0.2	0.8	0.5	0.4	0.7	1.6	5.4	9.1	16.5	39.6	27.6	19.0	21.6	28.6	11.4	6.9	7.6	0.49	18.4

TABLE BRE-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 Years and from 0-74 Years) : 2007-2008 - Males
Barshi Expanded

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.02	0.02	0.02	0.02
C01-C02	Tongue	0.21	0.21	0.26	0.26
C03-C06	Mouth	0.31	0.31	0.37	0.37
C07-C08	Salivary Gland	0.02	0.02	0.02	0.02
C09	Tonsil	0.04	0.04	0.06	0.06
C10	Oth. Oropharynx	0.00	0.00	0.00	0.00
C11	Nasopharynx	0.00	0.00	0.00	0.00
C12-C13	Hypopharynx	0.13	0.13	0.18	0.18
C14	Pharynx Unspecified	0.01	0.01	0.04	0.04
C15	Oesophagus	0.18	0.18	0.24	0.24
C16	Stomach	0.12	0.12	0.19	0.19
C17	Small Intestine	0.00	0.00	0.00	0.00
C18	Colon	0.09	0.09	0.10	0.10
C19-C20	Rectum	0.09	0.09	0.12	0.12
C21	Anus & Anal Canal	0.03	0.03	0.04	0.04
C22	Liver	0.14	0.14	0.21	0.21
C23-C24	Gallbladder etc.	0.02	0.02	0.04	0.04
C25	Pancreas	0.06	0.06	0.06	0.06
C30-C31	Nose, Sinuses etc.	0.01	0.01	0.02	0.02
C32	Larynx	0.17	0.17	0.25	0.25
C33-C34	Lung etc.	0.16	0.16	0.25	0.25
C37-C38	Other Thoracic Organs	0.03	0.03	0.03	0.03
C40-C41	Bone	0.07	0.07	0.08	0.08
C43	Melanoma of Skin	0.00	0.00	0.01	0.01
C44	Other Skin	0.09	0.09	0.12	0.12
C45	Mesothelioma	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 + C49	Conn. & Soft Tissue	0.04	0.04	0.05	0.05
C50	Breast	0.03	0.03	0.05	0.05
C60	Penis	0.11	0.11	0.19	0.19
C61	Prostate	0.09	0.09	0.18	0.18
C62	Testis	0.03	0.03	0.04	0.04
C63	Other Male Genital	0.00	0.00	0.00	0.00
C64	Kidney etc.	0.03	0.03	0.04	0.04
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.05	0.05	0.08	0.08
C68	Uns.Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.00	0.00	0.01	0.01
C70-C72	Brain, Nervous System	0.07	0.07	0.07	0.07
C73	Thyroid	0.04	0.04	0.05	0.05
C74	Adrenal Gland	0.00	0.00	0.00	0.00
C81	Hodgkins Disease	0.03	0.03	0.03	0.03
C82-85,C96	NHL	0.14	0.14	0.16	0.16
C88	Malig Immn.Prol D	0.00	0.00	0.00	0.00
C90	Multiple Myeloma	0.01	0.01	0.02	0.02
C91	Lymphoid Leuk.	0.04	0.04	0.04	0.04
C92-C94	Myeloid Leukaemia	0.07	0.07	0.09	0.09
C95	Leukaemia Uns	0.02	0.02	0.02	0.02
O&U *	Other and Uns	0.46	0.46	0.59	0.59
	All Sites	3.28	3.22	4.43	4.33

TABLE BRE-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 years and from 0-74 years) : 2007-2008 - Females
Barshi Expanded

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.00	0.00	0.00	0.00
C01-C02	Tongue	0.08	0.08	0.10	0.10
C03-C06	Mouth	0.08	0.08	0.10	0.10
C07-C08	Salivary Gland	0.01	0.01	0.01	0.01
C09	Tonsil	0.00	0.00	0.01	0.01
C10	Oth. Oropharynx	0.00	0.00	0.00	0.00
C11	Nasopharynx	0.00	0.00	0.01	0.01
C12-C13	Hypopharynx	0.02	0.02	0.03	0.03
C14	Pharynx Unspecified	0.00	0.00	0.00	0.00
C15	Oesophagus	0.10	0.10	0.15	0.15
C16	Stomach	0.08	0.08	0.13	0.13
C17	Small Intestine	0.00	0.00	0.00	0.00
C18	Colon	0.04	0.04	0.05	0.05
C19-C20	Rectum	0.07	0.07	0.09	0.09
C21	Anus & Anal Canal	0.01	0.01	0.02	0.02
C22	Liver	0.03	0.03	0.04	0.04
C23-C24	Gallbladder etc.	0.02	0.02	0.02	0.02
C25	Pancreas	0.01	0.01	0.02	0.02
C30-C31	Nose, Sinuses etc.	0.01	0.01	0.01	0.01
C32	Larynx	0.02	0.02	0.03	0.03
C33-C34	Lung etc.	0.06	0.06	0.10	0.10
C37-C38	Other Thoracic Organs	0.01	0.01	0.01	0.01
C40-C41	Bone	0.04	0.04	0.05	0.05
C43	Melanoma of Skin	0.01	0.01	0.01	0.01
C44	Other Skin	0.03	0.03	0.04	0.04
C45	Mesothelioma	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 + C49	Conn. & Soft Tissue	0.05	0.05	0.05	0.05
C50	Breast	1.16	1.16	1.37	1.37
C51	Vulva	0.02	0.02	0.03	0.03
C52	Vagina	0.02	0.02	0.03	0.03
C53	Cervix Uteri	1.65	1.64	2.07	2.09
C54	Corpus Uteri	0.05	0.05	0.06	0.06
C55	Uterus Unspecified	0.01	0.01	0.01	0.01
C56	Ovary etc.	0.28	0.28	0.33	0.33
C57	Other Female Genital	0.00	0.00	0.00	0.00
C58	Placenta	0.00	0.00	0.00	0.00
C64	Kidney etc.	0.02	0.02	0.03	0.03
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.01	0.01	0.03	0.03
C68	Uns.Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.00	0.00	0.01	0.01
C70-C72	Brain, Nervous System	0.03	0.03	0.04	0.04
C73	Thyroid	0.07	0.07	0.08	0.08
C74	Adrenal Gland	0.01	0.01	0.01	0.01
C81	Hodgkins Disease	0.01	0.01	0.01	0.01
C82-85,C96	NHL	0.05	0.05	0.08	0.08
C88	Malg Imn.Prol D	0.00	0.00	0.00	0.00
C90	Multiple Myeloma	0.00	0.00	0.01	0.01
C91	Lymphoid Leuk.	0.03	0.03	0.03	0.03
C92-C94	Myeloid Leukaemia	0.04	0.04	0.05	0.05
C95	Leukaemia Uns	0.01	0.01	0.01	0.01
O&U *	Other and Uns	0.22	0.22	0.31	0.31
	All Sites	4.53	4.43	5.74	5.58