

# POPULATION BASED CANCER REGISTRY, BHOPAL

## Gandhi Medical College, Bhopal

**Dr Neelkamal Kapoor**, Principal Investigator

**Mr Atul Shrivastava**, Co-Principal Investigator & Research Officer

Bhopal is the capital of the state of Madhya Pradesh of India. It is also the administrative headquarters of Bhopal District and Bhopal Division. Historically, Bhopal was also the name of a princely state in central India. Bhopal is said to have been founded by the Parmara King Bhoj (1000–1055), who had his capital at Dhar. The city was known as Bhojpal named after King Bhoj and the dam ('pal') that he is said to have constructed to form the lakes surrounding Bhopal.

Under the network of National Cancer Registry Programme a Population Based Cancer Registry was established in September 1985 at the Gandhi Medical College Bhopal, with the objective of generating reliable data on magnitude and pattern of cancer morbidity and mortality among the residence of Bhopal urban agglomerate. The actual collection and compilation of data began from 1<sup>st</sup> January 1986.

Bhopal is situated at an altitude of 505 metres above the sea level at 23.07° North and 77.12° East with a total area of 284.90 sq. km. The summers are hot and the winters cold with temperature varying from a minimum of 5° C in the month of January to a maximum of 46° C in the month of May. It rains moderately during the rainy season. The average annual rainfall recorded in the city is 1200 mm. The municipality covers 286 square kilometres. The density of population as per 2001 census is 4755.46/sq.km. The decadal growth rate observed between 1991 and 2001 is 29.8% among males and 30.4% in female. The Old City of Bhopal is a predominantly Muslim area, but New Bhopal is a demographically cosmopolitan area. The chief languages are Hindi, Urdu, Sindhi while there are a substantial number of Marathi speakers as well.


Registration of cancer cases is done by active method of registration. Information on cancer patients is obtained from various government hospitals, private hospitals, nursing homes and diagnostic centres. Social Investigators visit these centres as and when required and collect data by interviewing the cases whenever possible. Information is also collected from medical records. In the last two decades of its functioning the registry has observed a very high incidence of tobacco related cancers among males with cancers of lung, tongue, mouth, hypopharynx and oesophagus as the leading sites. Among females cancer of the breast, genital system and oesophagus are the leading sites of cancer. These malignancies account for more than 55% of the total cancer burden among females. Cancer of the breast has shown a rising trend.

Cancer mortality data is incomplete due to incorrect certification of cause of death. Keeping this in mind, efforts have been made to improve this aspect of data. Burial ground and crematorium records of Bhopal were examined and all deaths irrespective of the cause of death mentioned are noted and then matched with the morbidity data. The matched deaths are then updated. The unmatched cancer deaths are traced back by house visits and scrutiny of medical records. Cancers with no other details, other than those available on the death certificate, are registered as “Death Certificate Only”. Significant improvement has already been observed.

***Staff of Population Based Cancer Registry, Bhopal***

<b>Dr Sunil Surange</b>	:	Research Officer
<b>Mrs Alka Goley</b>	:	Social Investigator
<b>Mrs Shushma Shrivastava</b>	:	Social Investigator
<b>Mrs Shubra Trivedi</b>	:	Social Investigator
<b>Mrs Ragini Nair</b>	:	Typist
<b>Mr Jagannathan Nair</b>	:	Messenger

**Figure BHP-1**  
**Population Pyramid showing Age Distribution: 2006-2008**  
**Bhopal**



**TABLE BHP-1**  
**Population by Five Year Age Group and Gender: 2006-2008**  
*Number and Relative Proportion (%)*  
**Bhopal**

Age Group	Males		Females	
	Number	%	Number	%
<b>0-4</b>	258962	9.1	237463	9.2
<b>5-9</b>	312101	10.9	286415	11.1
<b>10-14</b>	325156	11.4	289859	11.3
<b>15-19</b>	328594	11.5	274194	10.6
<b>20-24</b>	293597	10.3	255102	9.9
<b>25-29</b>	243776	8.5	245092	9.5
<b>30-34</b>	230369	8.1	210127	8.2
<b>35-39</b>	220728	7.7	203897	7.9
<b>40-44</b>	175096	6.1	138214	5.4
<b>45-49</b>	133409	4.7	111601	4.3
<b>50-54</b>	93306	3.3	80977	3.1
<b>55-59</b>	71320	2.5	71442	2.8
<b>60-64</b>	68323	2.4	61601	2.4
<b>65-69</b>	46418	1.6	46045	1.8
<b>70-74</b>	33024	1.2	30252	1.2
<b>75+</b>	26215	0.9	33458	1.3
<b>Total</b>	<b>2860395</b>	<b>100.0</b>	<b>2575740</b>	<b>100.0</b>

**TABLE BHP-1**  
**Main Sources of Registration of Incident Cases of Cancer: 2006-2008**  
**Bhopal**

Name of the Institution	Number	%
J.L.N. Cancer Hospital	1868	47.0
Hamidia Hospital	634	15.9
Navoday Cancer Hospital	483	12.1
Peoples Hospital	410	10.3
Kasturba Hospital	260	6.5
Sultania Zanana Hospital	164	4.1
D.C.O.	82	2.1
Others	76	1.9
<b>Total</b>	<b>3977</b>	<b>100.0</b>

1. *Institutions listed have registered at least one percent of all cases in the registry for the combined years 2006-2008.*
2. *The numbers and proportion listed are the minimum number of cases. Institutions could have registered/ reported more cases, since duplicate registrations and non-resident/registry cases are not included.*

**TABLE BHP-3(a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):  
2006-2008 – Males**

%= Relative Proportion of Cancers of All Sites.

**Bhopal**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	2	-	-	1	2	1	-	-	6	0.30
C01-C02	Tongue	-	-	-	-	2	3	18	10	22	31	20	20	22	24	18	5	-	195	9.68
C03-C06	Mouth	-	-	-	-	-	9	13	23	26	23	24	16	24	17	18	12	-	205	10.17
C07-C08	Salivary Gland	-	-	-	-	-	-	1	-	1	-	3	2	-	-	1	1	-	9	0.45
C09	Tonsil	-	-	-	-	-	-	-	1	4	2	4	3	7	5	1	4	-	31	1.54
C10	Oth. Oropharynx	-	-	-	-	-	-	-	1	3	-	-	2	1	4	4	-	-	15	0.74
C11	Nasopharynx	-	-	1	-	-	-	-	1	-	-	-	-	3	-	-	-	-	5	0.25
C12-C13	Hypopharynx	-	1	-	-	-	2	3	2	2	3	8	15	18	10	15	13	-	92	4.57
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	1	1	2	1	-	1	1	2	-	9	0.45
C15	Oesophagus	-	-	-	-	-	-	2	2	10	5	16	14	17	15	14	12	-	107	5.31
C16	Stomach	-	-	-	-	-	2	-	1	4	5	7	4	6	10	5	6	-	50	2.48
C17	Small Intestine	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	4	0.20
C18	Colon	-	-	-	-	1	3	3	4	3	2	2	3	5	3	6	2	-	37	1.84
C19-C20	Rectum	-	-	-	-	-	1	4	1	3	5	4	2	6	3	2	5	-	36	1.79
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	1	-	6	0.30
C22	Liver	-	-	-	1	-	1	-	-	-	5	2	3	4	3	5	5	-	29	1.44
C23-C24	Gallbladder etc.	-	-	-	-	1	1	4	3	5	4	5	5	5	5	2	1	-	41	2.03
C25	Pancreas	-	-	-	-	-	-	-	2	1	4	-	1	2	2	1	1	-	14	0.69
C30-C31	Nose, Sinuses etc.	-	-	1	-	1	-	-	1	-	-	-	1	1	1	-	-	-	6	0.30
C32	Larynx	-	-	-	-	-	1	-	4	8	7	11	17	16	16	6	12	-	98	4.86
C33-C34	Lung etc.	-	-	-	-	-	-	-	9	12	13	21	37	42	24	26	23	-	207	10.27
C37-C38	Other Thoracic Organs	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	4	0.20
C40-C41	Bone	-	2	1	4	1	5	1	4	1	-	1	7	-	-	3	-	-	30	1.49
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	1	1	2	2	2	5	1	3	7	7	1	6	5	-	43	2.13
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.05
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	1	-	1	1	1	4	2	2	3	2	2	5	3	-	-	27	1.34
C50	Breast	-	-	-	-	1	-	-	-	3	1	1	3	1	3	1	1	-	15	0.74
C60	Penis	-	-	-	-	-	1	1	1	-	1	-	1	1	1	2	-	-	9	0.45
C61	Prostate	-	-	-	-	-	-	1	-	-	-	1	6	17	22	20	14	1	82	4.07
C62	Testis	-	-	-	-	5	6	1	3	-	-	-	-	2	1	1	-	-	19	0.94
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	2	-	1	1	-	-	1	-	2	1	7	-	2	3	-	2	-	22	1.09
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	1	3	1	3	7	8	5	-	28	1.39
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	0.10
C69	Eye	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	0.15
C70-C72	Brain, Nervous System	-	4	6	1	4	4	3	-	3	7	6	7	3	5	1	1	-	55	2.73
C73	Thyroid	-	-	-	-	-	-	1	-	1	1	1	2	-	2	3	-	-	11	0.55
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.05
C81	Hodgkins Disease	1	8	5	-	3	-	2	1	-	1	1	1	-	-	1	-	-	24	1.19
C82-85,C96	NHL	1	2	9	4	2	8	4	10	3	5	4	9	6	13	2	6	-	88	4.37
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	1	1	4	-	2	3	9	3	4	1	-	28	1.39
C91	Lymphoid Leuk.	3	4	8	4	1	-	2	2	2	2	4	2	1	3	4	3	-	45	2.23
C92-C94	Myeloid Leukaemia	-	1	2	1	6	5	1	1	3	4	5	1	6	-	3	4	-	43	2.13
C95	Leukaemia Uns	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	0.10
O&U	Other and Uns	-	2	1	2	3	7	6	8	20	19	24	22	30	31	30	26	-	231	11.46
	<b>All Sites</b>	<b>9</b>	<b>26</b>	<b>37</b>	<b>19</b>	<b>34</b>	<b>62</b>	<b>77</b>	<b>102</b>	<b>156</b>	<b>159</b>	<b>197</b>	<b>225</b>	<b>272</b>	<b>246</b>	<b>219</b>	<b>174</b>	<b>1</b>	<b>2015</b>	<b>100.0</b>

\* O&U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE BHP-3 (b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):  
2006-2008 – Females**

%= Relative Proportion of Cancers of All Sites.

**Bhopal**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	5	0.25
C01-C02	Tongue	-	-	-	-	-	-	2	2	2	3	5	3	13	1	7	2	-	40	2.04
C03-C06	Mouth	-	-	-	1	-	1	-	-	12	7	16	13	23	7	11	2	-	93	4.74
C07-C08	Salivary Gland	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	2	0.10
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	0.10
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	0.10
C11	Nasopharynx	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	4	0.20
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	4	1	3	2	1	1	-	12	0.61
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.05
C15	Oesophagus	-	-	-	-	-	-	2	-	4	12	7	14	17	8	12	15	-	91	4.64
C16	Stomach	-	-	-	-	-	1	-	3	1	2	1	2	6	5	1	5	-	27	1.38
C17	Small Intestine	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	1	-	6	0.31
C18	Colon	-	-	-	-	-	-	-	1	-	4	5	5	2	9	3	2	-	31	1.58
C19-C20	Rectum	-	-	1	-	1	2	-	3	1	4	4	4	2	4	5	1	-	32	1.63
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	5	0.25
C22	Liver	-	-	-	-	-	-	-	2	-	-	1	2	2	1	2	2	-	12	0.61
C23-C24	Gallbladder etc.	-	-	-	-	1	-	2	4	8	9	5	4	10	13	8	7	-	71	3.62
C25	Pancreas	-	-	-	-	-	-	-	1	1	3	2	2	2	3	4	2	-	20	1.02
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	1	-	3	1	1	-	1	-	1	-	-	8	0.41
C32	Larynx	-	-	-	-	-	-	1	-	1	1	2	2	-	-	2	3	-	12	0.61
C33-C34	Lung etc.	-	-	-	-	-	1	-	2	1	4	4	2	12	5	6	8	-	45	2.29
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	0.10
C40-C41	Bone	2	2	4	4	1	1	-	-	-	-	1	-	1	-	-	1	-	17	0.87
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	1	1	2	-	2	4	4	2	4	4	4	3	6	-	37	1.89
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+ C49	Conn. & Soft Tissue	3	-	1	1	-	2	2	3	1	1	1	1	2	2	2	-	-	22	1.12
C50	Breast	-	-	-	-	1	6	26	53	67	73	67	65	43	33	27	25	-	486	24.77
C51	Vulva	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	3	0.15
C52	Vagina	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	3	0.15
C53	Cervix Uteri	-	-	-	1	-	7	8	24	47	52	61	36	50	27	24	9	-	346	17.64
C54	Corpus Uteri	-	-	-	-	-	1	-	2	2	-	12	11	15	5	1	-	-	49	2.50
C55	Uterus Unspecified	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	0.10
C56	Ovary etc.	-	-	1	5	3	5	3	11	15	14	23	14	26	10	9	5	-	144	7.34
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	7	0.36
C64	Kidney etc.	2	-	1	1	-	-	-	-	1	-	2	2	2	1	-	1	-	13	0.66
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	4	0.20
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	0.20
C70-C72	Brain, Nervous System	2	5	2	-	4	3	4	3	1	3	3	1	2	2	-	2	-	37	1.89
C73	Thyroid	-	-	-	2	2	2	2	2	3	4	4	3	3	5	-	-	-	32	1.63
C74	Adrenal Gland	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.05
C81	Hodgkins Disease	2	2	-	-	-	1	2	2	2	2	2	-	-	-	-	1	-	16	0.82
C82-85,C96	NHL	1	1	3	-	1	6	3	1	2	1	4	6	7	5	1	2	-	44	2.24
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	2	-	1	1	1	-	4	-	-	-	2	7	-	18	0.92
C91	Lymphoid Leuk.	3	8	4	-	2	2	1	3	-	1	1	2	-	1	1	-	-	29	1.48
C92-C94	Myeloid Leukaemia	-	1	1	1	-	1	4	4	2	2	3	2	1	2	-	-	-	24	1.22
C95	Leukaemia Uns	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	0.10
O&U	Other and Uns	1	2	1	1	1	4	5	5	9	8	7	9	12	11	13	10	-	99	5.05
	<b>All Sites</b>	<b>19</b>	<b>21</b>	<b>20</b>	<b>18</b>	<b>21</b>	<b>54</b>	<b>71</b>	<b>140</b>	<b>194</b>	<b>219</b>	<b>261</b>	<b>212</b>	<b>269</b>	<b>171</b>	<b>148</b>	<b>124</b>	<b>-</b>	<b>1962</b>	<b>100.0</b>

\* O&U includes the Sites ( ICD-10: C26, C39, C48, C75, C76, C77, C78, C79, C80, C97)

**TABLE BHP-4(a):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and**  
**Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 2006-2008 - Males**  
**Bhopal**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	1.5	-	-	1.5	4.3	3.0	-	0.2	0.34	0.14	0.5
C01-C02	-	-	-	-	0.7	1.2	7.8	4.5	12.6	23.2	21.4	28.0	32.2	51.7	54.5	19.1	6.8	9.55	0.71	19.0
C03-C06	-	-	-	-	-	3.7	5.6	10.4	14.8	17.2	25.7	22.4	35.1	36.6	54.5	45.8	7.2	9.88	0.72	19.8
C07-C08	-	-	-	-	-	-	0.4	-	0.6	-	3.2	2.8	-	-	3.0	3.8	0.3	0.47	0.16	1.0
C09	-	-	-	-	-	-	-	0.5	2.3	1.5	4.3	4.2	10.2	10.8	3.0	15.3	1.1	1.74	0.32	3.4
C10	-	-	-	-	-	-	-	0.5	1.7	-	-	2.8	1.5	8.6	12.1	-	0.5	0.80	0.21	1.0
C11	-	-	0.3	-	-	-	-	0.5	-	-	-	-	4.4	-	-	-	0.2	0.23	0.11	0.7
C12-C13	-	0.3	-	-	-	0.8	1.3	0.9	1.1	2.2	8.6	21.0	26.3	21.5	45.4	49.6	3.2	5.30	0.57	8.3
C14	-	-	-	-	-	-	-	-	0.6	0.7	2.1	1.4	-	2.2	3.0	7.6	0.3	0.52	0.18	0.8
C15	-	-	-	-	-	-	0.9	0.9	5.7	3.7	17.1	19.6	24.9	32.3	42.4	45.8	3.7	6.04	0.60	10.5
C16	-	-	-	-	-	0.8	-	0.5	2.3	3.7	7.5	5.6	8.8	21.5	15.1	22.9	1.7	2.81	0.41	4.3
C17	-	-	-	-	-	-	0.4	-	-	-	-	4.2	-	-	-	-	0.1	0.19	0.10	0.5
C18	-	-	-	-	0.3	1.2	1.3	1.8	1.7	1.5	2.1	4.2	7.3	6.5	18.2	7.6	1.3	1.78	0.31	2.8
C19-C20	-	-	-	-	-	0.4	1.7	0.5	1.7	3.7	4.3	2.8	8.8	6.5	6.1	19.1	1.3	1.87	0.32	3.3
C21	-	-	-	-	-	-	-	-	0.6	0.7	-	2.8	-	-	3.0	3.8	0.2	0.33	0.14	0.6
C22	-	-	-	0.3	-	0.4	-	-	-	3.7	2.1	4.2	5.9	6.5	15.1	19.1	1.0	1.67	0.32	2.4
C23-C24	-	-	-	-	0.3	0.4	1.7	1.4	2.9	3.0	5.4	7.0	7.3	10.8	6.1	3.8	1.4	1.96	0.32	4.1
C25	-	-	-	-	-	-	-	0.9	0.6	3.0	-	1.4	2.9	4.3	3.0	3.8	0.5	0.71	0.20	1.4
C30-C31	-	-	0.3	-	0.3	-	-	0.5	-	-	-	1.4	1.5	2.2	-	-	0.2	0.26	0.11	0.5
C32	-	-	-	-	-	0.4	-	1.8	4.6	5.2	11.8	23.8	23.4	34.5	18.2	45.8	3.4	5.52	0.57	10.2
C33-C34	-	-	-	-	-	-	-	4.1	6.9	9.7	22.5	51.9	61.5	51.7	78.7	87.7	7.2	11.78	0.83	22.3
C37-C38	-	0.3	0.3	-	0.3	-	-	-	-	-	1.1	-	-	-	-	-	0.1	0.14	0.07	0.2
C40-C41	-	0.6	0.3	1.2	0.3	2.1	0.4	1.8	0.6	-	1.1	9.8	-	-	9.1	-	1.0	1.19	0.23	1.9
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	0.3	0.3	0.8	0.9	0.9	2.9	0.7	3.2	9.8	10.2	2.2	18.2	19.1	1.5	2.22	0.35	4.0
C45	-	-	-	-	-	-	-	-	-	-	-	-	1.5	-	-	-	-	0.06	0.06	0.2
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	0.3	-	0.3	0.4	0.4	1.8	1.1	1.5	3.2	2.8	2.9	10.8	9.1	-	0.9	1.28	0.26	2.1
C50	-	-	-	-	0.3	-	-	-	1.7	0.7	1.1	4.2	1.5	6.5	3.0	3.8	0.5	0.79	0.21	1.4
C60	-	-	-	-	-	0.4	0.4	0.5	-	0.7	-	1.4	1.5	2.2	6.1	-	0.3	0.43	0.15	0.6
C61	-	-	-	-	-	-	0.4	-	-	-	1.1	8.4	24.9	47.4	60.6	53.4	2.9	5.11	0.57	4.5
C62	-	-	-	-	1.7	2.5	0.4	1.4	-	-	-	-	2.9	2.2	3.0	-	0.7	0.68	0.17	0.6
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	0.8	-	0.3	0.3	-	-	0.4	-	1.1	0.7	7.5	-	2.9	6.5	-	7.6	0.8	1.13	0.25	2.0
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	0.7	3.2	1.4	4.4	15.1	24.2	19.1	1.0	1.76	0.33	1.4
C68	-	-	-	-	-	-	-	-	0.6	-	-	-	-	-	-	3.8	0.1	0.11	0.08	0.1
C69	0.8	-	-	-	-	-	-	-	-	-	-	-	-	2.2	-	-	0.1	0.16	0.09	-
C70-C72	-	1.3	1.8	0.3	1.4	1.6	1.3	-	1.7	5.2	6.4	9.8	4.4	10.8	3.0	3.8	1.9	2.41	0.34	4.2
C73	-	-	-	-	-	-	0.4	-	0.6	0.7	1.1	2.8	-	4.3	9.1	-	0.4	0.58	0.18	0.8
C74	-	-	-	-	-	-	-	-	-	-	1.1	-	-	-	-	-	-	0.05	0.05	0.2
C81	0.4	2.6	1.5	-	1.0	-	0.9	0.5	-	0.7	1.1	1.4	-	-	3.0	-	0.8	0.82	0.17	0.6
C82-85,C96	0.4	0.6	2.8	1.2	0.7	3.3	1.7	4.5	1.7	3.7	4.3	12.6	8.8	28.0	6.1	22.9	3.1	3.98	0.45	5.4
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	0.4	0.5	2.3	-	2.1	4.2	13.2	6.5	12.1	3.8	1.0	1.51	0.29	3.1
C91	1.2	1.3	2.5	1.2	0.3	-	0.9	0.9	1.1	1.5	4.3	2.8	1.5	6.5	12.1	11.4	1.6	1.94	0.31	1.9
C92-C94	-	0.3	0.6	0.3	2.0	2.1	0.4	0.5	1.7	3.0	5.4	1.4	8.8	-	9.1	15.3	1.5	1.94	0.31	3.2
C95	-	0.3	-	-	-	-	-	-	-	-	-	-	1.5	-	-	-	0.1	0.09	0.07	0.2
O&U	-	0.6	0.3	0.6	1.0	2.9	2.6	3.6	11.4	14.2	25.7	30.8	43.9	66.8	90.8	99.2	8.1	12.45	0.85	19.5
All	3.5	8.3	11.4	5.8	11.6	25.4	33.4	46.2	89.1	119.2	211.1	315.5	398.1	530.0	663.2	663.7	70.4	104.6	2.42	175.4



**TABLE BHP-4(b):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and**  
**Truncated (35-64 Yrs) (TR) Incidence Rate per 100,000 population: 2006-2008 - Females**  
**Bhopal**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	1.0	0.7	0.9	1.2	-	-	-	-	-	0.2	0.22	0.10	0.7
C01-C02	-	-	-	-	-	-	1.0	1.0	1.4	2.7	6.2	4.2	21.1	2.2	23.1	6.0	1.6	2.33	0.38	5.3
C03-C06	-	-	-	0.4	-	0.4	-	-	8.7	6.3	19.8	18.2	37.3	15.2	36.4	6.0	3.6	5.47	0.57	13.2
C07-C08	-	-	-	-	0.4	-	-	-	-	-	1.2	-	-	-	-	-	0.1	0.09	0.07	0.2
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0	0.1	0.12	0.08	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	1.6	2.2	-	-	0.1	0.13	0.09	0.2
C11	-	-	-	-	-	-	-	0.5	0.7	-	-	-	1.6	2.2	-	-	0.2	0.20	0.11	0.4
C12-C13	-	-	-	-	-	-	-	-	-	-	4.9	1.4	4.9	4.3	3.3	3.0	0.5	0.75	0.22	1.6
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	2.2	-	-	-	0.07	0.07	-
C15	-	-	-	-	-	-	1.0	-	2.9	10.8	8.6	19.6	27.6	17.4	39.7	44.8	3.5	5.41	0.57	10.1
C16	-	-	-	-	-	0.4	-	1.5	0.7	1.8	1.2	2.8	9.7	10.9	3.3	14.9	1.0	1.53	0.30	2.6
C17	-	-	-	-	-	-	-	-	-	0.9	-	1.4	4.9	-	-	3.0	0.2	0.36	0.15	1.0
C18	-	-	-	-	-	-	-	0.5	-	3.6	6.2	7.0	3.2	19.5	9.9	6.0	1.2	1.87	0.34	3.1
C19-C20	-	-	0.3	-	0.4	0.8	-	1.5	0.7	3.6	4.9	5.6	3.2	8.7	16.5	3.0	1.2	1.73	0.31	3.1
C21	-	-	-	-	-	-	-	-	-	0.9	2.5	-	1.6	-	3.3	-	0.2	0.31	0.14	0.8
C22	-	-	-	-	-	-	-	1.0	-	-	1.2	2.8	3.2	2.2	6.6	6.0	0.5	0.68	0.20	1.2
C23-C24	-	-	-	-	0.4	-	1.0	2.0	5.8	8.1	6.2	5.6	16.2	28.2	26.4	20.9	2.8	4.01	0.49	6.9
C25	-	-	-	-	-	-	-	0.5	0.7	2.7	2.5	2.8	3.2	6.5	13.2	6.0	0.8	1.18	0.27	1.9
C30-C31	-	-	-	-	-	-	0.5	-	2.2	0.9	1.2	-	1.6	-	3.3	-	0.3	0.41	0.15	1.0
C32	-	-	-	-	-	-	0.5	-	0.7	0.9	2.5	2.8	-	-	6.6	9.0	0.5	0.67	0.20	1.1
C33-C34	-	-	-	-	-	0.4	-	1.0	0.7	3.6	4.9	2.8	19.5	10.9	19.8	23.9	1.7	2.69	0.41	4.7
C37-C38	-	-	-	-	-	-	-	0.5	-	-	1.2	-	-	-	-	-	0.1	0.09	0.07	0.3
C40-C41	0.8	0.7	1.4	1.5	0.4	0.4	-	-	-	-	1.2	-	1.6	-	-	3.0	0.7	0.68	0.17	0.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	0.4	0.4	0.8	-	1.0	2.9	3.6	2.5	5.6	6.5	8.7	9.9	17.9	1.4	2.00	0.34	3.4
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	1.3	-	0.3	0.4	-	0.8	1.0	1.5	0.7	0.9	1.2	1.4	3.2	4.3	6.6	-	0.9	1.03	0.23	1.4
C50	-	-	-	-	0.4	2.4	12.4	26.0	48.5	65.4	82.7	91.0	69.8	71.7	89.3	74.7	18.9	25.36	1.18	61.2
C51	-	-	-	-	-	-	-	-	-	-	1.2	1.4	1.6	-	-	-	0.1	0.18	0.11	0.6
C52	-	-	-	-	-	-	-	-	0.7	-	1.2	-	1.6	-	-	-	0.1	0.17	0.10	0.5
C53	-	-	-	0.4	-	2.9	3.8	11.8	34.0	46.6	75.3	50.4	81.2	58.6	79.3	26.9	13.4	18.94	1.04	47.0
C54	-	-	-	-	-	0.4	-	1.0	1.4	-	14.8	15.4	24.3	10.9	3.3	-	1.9	2.90	0.42	8.0
C55	-	-	-	-	-	-	0.5	-	-	0.9	-	-	-	-	-	-	0.1	0.08	0.06	0.2
C56	-	-	0.3	1.8	1.2	2.0	1.4	5.4	10.9	12.5	28.4	19.6	42.2	21.7	29.8	14.9	5.6	7.70	0.66	18.1
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	2.4	-	0.5	-	-	-	-	-	-	-	-	0.3	0.23	0.09	0.1
C64	0.8	-	0.3	0.4	-	-	-	-	0.7	-	2.5	2.8	3.2	2.2	-	3.0	0.5	0.70	0.20	1.3
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	4.3	3.3	3.0	0.2	0.26	0.13	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.0	0.2	0.21	0.11	-
C70-C72	0.8	1.7	0.7	-	1.6	1.2	1.9	1.5	0.7	2.7	3.7	1.4	3.2	4.3	-	6.0	1.4	1.59	0.27	2.1
C73	-	-	-	0.7	0.8	0.8	1.0	1.0	2.2	3.6	4.9	4.2	4.9	10.9	-	-	1.2	1.59	0.29	3.3
C74	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	-	-	-	0.03	0.03	0.1
C81	0.8	0.7	-	-	-	0.4	1.0	1.0	1.4	1.8	2.5	-	-	-	-	3.0	0.6	0.70	0.18	1.2
C82-85,C96	0.4	0.3	1.0	-	0.4	2.4	1.4	0.5	1.4	0.9	4.9	8.4	11.4	10.9	3.3	6.0	1.7	2.21	0.35	3.9
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	0.8	-	0.5	0.5	0.7	-	4.9	-	-	-	6.6	20.9	0.7	0.96	0.23	1.0
C91	1.3	2.8	1.4	-	0.8	0.8	0.5	1.5	-	0.9	1.2	2.8	-	2.2	3.3	-	1.1	1.16	0.22	1.0
C92-C94	-	0.3	0.3	0.4	-	0.4	1.9	2.0	1.4	1.8	3.7	2.8	1.6	4.3	-	-	0.9	1.05	0.23	2.2
C95	-	-	0.3	-	-	-	0.5	-	-	-	-	-	-	-	-	-	0.1	0.06	0.04	-
O&U	0.4	0.7	0.3	0.4	0.4	1.6	2.4	2.5	6.5	7.2	8.6	12.6	19.5	23.9	43.0	29.9	3.8	5.35	0.55	8.7
All	8.0	7.3	6.9	6.6	8.2	22.0	33.8	68.7	140.4	196.2	322.3	296.7	436.7	371.4	489.2	370.6	76.2	105.5	2.44	225.1

**TABLE BHP-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2006-2008 - Males**  
**Bhopal**

ICD-10 -	Site	Clinical		Microscopic		X-Ray / Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C01-C02	Tongue	8	4.1	172	88.2	14	7.2	1	0.5	-	-	-	-	195	100.0
C03-C06	Mouth	9	4.4	179	87.3	17	8.3	-	-	-	-	-	-	205	100.0
C07-C08	Salivary Gland	2	22.2	7	77.8	-	-	-	-	-	-	-	-	9	100.0
C09	Tonsil	-	-	27	87.1	3	9.7	1	3.2	-	-	-	-	31	100.0
C10	Oth. Oropharynx	-	-	13	86.7	2	13.3	-	-	-	-	-	-	15	100.0
C11	Nasopharynx	1	20.0	3	60.0	1	20.0	-	-	-	-	-	-	5	100.0
C12-C13	Hypopharynx	2	2.2	85	92.4	5	5.4	-	-	-	-	-	-	92	100.0
C14	Pharynx Unspecified	-	-	8	88.9	1	11.1	-	-	-	-	-	-	9	100.0
C15	Oesophagus	1	0.9	89	83.2	11	10.3	-	-	6	5.6	-	-	107	100.0
C16	Stomach	1	2.0	45	90.0	2	4.0	-	-	2	4.0	-	-	50	100.0
C17	Small Intestine	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C18	Colon	-	-	34	91.9	1	2.7	-	-	2	5.4	-	-	37	100.0
C19-C20	Rectum	3	8.3	33	91.7	-	-	-	-	-	-	-	-	36	100.0
C21	Anus & Anal Canal	-	-	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C22	Liver	-	-	23	79.3	5	17.2	-	-	1	3.4	-	-	29	100.0
C23-C24	Gallbladder etc.	-	-	30	73.2	8	19.5	-	-	3	7.3	-	-	41	100.0
C25	Pancreas	1	7.1	8	57.1	3	21.4	-	-	2	14.3	-	-	14	100.0
C30-C31	Nose, Sinuses etc.	2	33.3	3	50.0	1	16.7	-	-	-	-	-	-	6	100.0
C32	Larynx	6	6.1	85	86.7	7	7.1	-	-	-	-	-	-	98	100.0
C33-C34	Lung etc.	5	2.4	137	66.2	62	30.0	-	-	3	1.4	-	-	207	100.0
C37-C38	Other Thoracic Organs	-	-	2	50.0	2	50.0	-	-	-	-	-	-	4	100.0
C40-C41	Bone	2	6.7	27	90.0	1	3.3	-	-	-	-	-	-	30	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	1	2.3	41	95.3	1	2.3	-	-	-	-	-	-	43	100.0
C45	Mesothelioma	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	23	85.2	4	14.8	-	-	-	-	-	-	27	100.0
C50	Breast	-	-	15	100.0	-	-	-	-	-	-	-	-	15	100.0
C60	Penis	1	11.1	8	88.9	-	-	-	-	-	-	-	-	9	100.0
C61	Prostate	1	1.2	72	87.8	4	4.9	-	-	5	6.1	-	-	82	100.0
C62	Testis	2	10.5	17	89.5	-	-	-	-	-	-	-	-	19	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	22	100.0	-	-	-	-	-	-	-	-	22	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	24	85.7	3	10.7	-	-	1	3.6	-	-	28	100.0
C68	Uns. Urinary Organs	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C69	Eye	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C70-C72	Brain, Nervous System	1	1.8	47	85.5	6	10.9	-	-	1	1.8	-	-	55	100.0
C73	Thyroid	-	-	10	90.9	1	9.1	-	-	-	-	-	-	11	100.0
C74	Adrenal Gland	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	23	95.8	1	4.2	-	-	-	-	-	-	24	100.0
C82-85,C96	NHL	-	-	86	97.7	2	2.3	-	-	-	-	-	-	88	100.0
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	24	85.7	3	10.7	1	3.6	-	-	-	-	28	100.0
C91	Lymphoid Leuk.	-	-	44	97.8	1	2.2	-	-	-	-	-	-	45	100.0
C92-C94	Myeloid Leukaemia	-	-	32	74.4	10	23.3	1	2.3	-	-	-	-	43	100.0
C95	Leukaemia Uns	-	-	1	50.0	1	50.0	-	-	-	-	-	-	2	100.0
O&U	Other and Uns	2	0.9	96	41.6	31	13.4	99	42.9	3	1.3	-	-	231	100.0
	<b>All Sites</b>	<b>51</b>	<b>2.5</b>	<b>1617</b>	<b>80.2</b>	<b>215</b>	<b>10.7</b>	<b>103</b>	<b>5.1</b>	<b>29.0</b>	<b>1.4</b>	-	-	<b>2015</b>	<b>100.0</b>

**TABLE BHP-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2006-2008 - Females**  
**Bhopal**

ICD-10 -	Site	Clinical		Microscopic		X-Ray / Imaging		DCO		Others		Unknown		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C01-C02	Tongue	1	2.5	34	85.0	5	12.5	-	-	-	-	-	-	40	100.0
C03-C06	Mouth	6	6.5	80	86.0	7	7.5	-	-	-	-	-	-	93	100.0
C07-C08	Salivary Gland	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C09	Tonsil	1	50.0	1	50.0	-	-	-	-	-	-	-	-	2	100.0
C10	Oth. Oropharynx	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C11	Nasopharynx	-	-	3	75.0	1	25.0	-	-	-	-	-	-	4	100.0
C12-C13	Hypopharynx	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C14	Pharynx Unspecified	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C15	Oesophagus	-	-	83	91.2	6	6.6	-	-	2	2.2	-	-	91	100.0
C16	Stomach	1	3.7	18	66.7	6	22.2	-	-	2	7.4	-	-	27	100.0
C17	Small Intestine	-	-	4	66.7	1	16.7	-	-	1	16.7	-	-	6	100.0
C18	Colon	-	-	28	90.3	3	9.7	-	-	-	-	-	-	31	100.0
C19-C20	Rectum	-	-	30	93.8	2	6.3	-	-	-	-	-	-	32	100.0
C21	Anus & Anal Canal	-	-	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C22	Liver	-	-	11	91.7	1	8.3	-	-	-	-	-	-	12	100.0
C23-C24	Gallbladder etc.	1	1.4	52	73.2	15	21.1	-	-	3	4.2	-	-	71	100.0
C25	Pancreas	1	5.0	12	60.0	5	25.0	-	-	2	10.0	-	-	20	100.0
C30-C31	Nose, Sinuses etc.	1	12.5	7	87.5	-	-	-	-	-	-	-	-	8	100.0
C32	Larynx	-	-	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C33-C34	Lung etc.	1	2.2	36	80.0	6	13.3	-	-	2	4.4	-	-	45	100.0
C37-C38	Other Thoracic Organs	1	50.0	1	50.0	-	-	-	-	-	-	-	-	2	100.0
C40-C41	Bone	-	-	15	88.2	2	11.8	-	-	-	-	-	-	17	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	1	2.7	34	91.9	2	5.4	-	-	-	-	-	-	37	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	20	90.9	2	9.1	-	-	-	-	-	-	22	100.0
C50	Breast	2	0.4	428	88.1	55	11.3	-	-	1	0.2	-	-	486	100.0
C51	Vulva	1	33.3	2	66.7	-	-	-	-	-	-	-	-	3	100.0
C52	Vagina	-	-	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C53	Cervix Uteri	30	8.7	310	89.6	6	1.7	-	-	-	-	-	-	346	100.0
C54	Corpus Uteri	2	4.1	43	87.8	2	4.1	-	-	2	4.1	-	-	49	100.0
C55	Uterus Unspecified	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C56	Ovary etc.	2	1.4	129	89.6	11	7.6	-	-	2	1.4	-	-	144	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	6	85.7	1	14.3	-	-	-	-	-	-	7	100.0
C64	Kidney etc.	-	-	11	84.6	1	7.7	-	-	1	7.7	-	-	13	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	2	50.0	2	50.0	-	-	-	-	-	-	4	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C70-C72	Brain, Nervous System	-	-	23	62.2	9	24.3	-	-	5	13.5	-	-	37	100.0
C73	Thyroid	-	-	25	78.1	6	18.8	-	-	1	3.1	-	-	32	100.0
C74	Adrenal Gland	-	-	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	-	-	15	93.8	1	6.3	-	-	-	-	-	-	16	100.0
C82-85,C96	NHL	-	-	41	93.2	3	6.8	-	-	-	-	-	-	44	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	15	83.3	3	16.7	-	-	-	-	-	-	18	100.0
C91	Lymphoid Leuk.	-	-	24	82.8	5	17.2	-	-	-	-	-	-	29	100.0
C92-C94	Myeloid Leukaemia	-	-	18	75.0	6	25.0	-	-	-	-	-	-	24	100.0
C95	Leukaemia Uns	-	-	2	100.0	-	-	-	-	-	-	-	-	2	100.0
O&U	Other and Uns	1	1.0	36	36.4	7	7.1	49	49.5	6	6.1	-	-	99	100.0
	<b>All Sites</b>	<b>53</b>	<b>2.7</b>	<b>1648</b>	<b>84.0</b>	<b>182</b>	<b>9.3</b>	<b>49</b>	<b>2.5</b>	<b>30.0</b>	<b>1.5</b>	-	-	<b>1962</b>	<b>100.0</b>

**TABLE BHP-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2006-2008 - Males : Bhopal**

ICD-10 -	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C01-C02	Tongue	153	78.5	5	2.6	14	7.2	-	-	-	-	23	11.8	195	100.0
C03-C06	Mouth	165	80.5	2	1.0	12	5.9	-	-	-	-	26	12.7	205	100.0
C07-C08	Salivary Gland	4	44.4	1	11.1	2	22.2	-	-	-	-	2	22.2	9	100.0
C09	Tonsil	25	80.6	-	-	2	6.5	-	-	-	-	4	12.9	31	100.0
C10	Oth. Oropharynx	6	40.0	2	13.3	5	33.3	-	-	-	-	2	13.3	15	100.0
C11	Nasopharynx	3	60.0	-	-	-	-	-	-	-	-	2	40.0	5	100.0
C12-C13	Hypopharynx	76	82.6	2	2.2	7	7.6	-	-	-	-	7	7.6	92	100.0
C14	Pharynx Unspecified	8	88.9	-	-	-	-	-	-	-	-	1	11.1	9	100.0
C15	Oesophagus	83	77.6	-	-	6	5.6	-	-	-	-	18	16.8	107	100.0
C16	Stomach	36	72.0	2	4.0	7	14.0	-	-	-	-	5	10.0	50	100.0
C17	Small Intestine	3	75.0	1	25.0	-	-	-	-	-	-	-	-	4	100.0
C18	Colon	32	86.5	2	5.4	-	-	-	-	-	-	3	8.1	37	100.0
C19-C20	Rectum	30	83.3	3	8.3	-	-	-	-	-	-	3	8.3	36	100.0
C21	Anus & Anal Canal	4	66.7	1	16.7	1	16.7	-	-	-	-	-	-	6	100.0
C22	Liver	14	48.3	1	3.4	8	27.6	-	-	-	-	6	20.7	29	100.0
C23-C24	Gallbladder etc.	22	53.7	4	9.8	4	9.8	-	-	-	-	11	26.8	41	100.0
C25	Pancreas	4	28.6	-	-	4	28.6	-	-	-	-	6	42.9	14	100.0
C30-C31	Nose, Sinuses etc.	3	50.0	-	-	-	-	-	-	-	-	3	50.0	6	100.0
C32	Larynx	79	80.6	2	2.0	4	4.1	-	-	-	-	13	13.3	98	100.0
C33-C34	Lung etc.	73	35.3	13	6.3	50	24.2	-	-	1	0.5	70	33.8	207	100.0
C37-C38	Other Thoracic Organs	2	50.0	-	-	-	-	-	-	-	-	2	50.0	4	100.0
C40-C41	Bone	25	83.3	-	-	1	3.3	-	-	1	3.3	3	10.0	30	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	39	90.7	-	-	2	4.7	-	-	-	-	2	4.7	43	100.0
C45	Mesothelioma	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	23	85.2	-	-	-	-	-	-	-	-	4	14.8	27	100.0
C50	Breast	12	80.0	-	-	2	13.3	1	6.7	-	-	-	-	15	100.0
C60	Penis	6	66.7	2	22.2	-	-	-	-	-	-	1	11.1	9	100.0
C61	Prostate	69	84.1	1	1.2	2	2.4	-	-	-	-	10	12.2	82	100.0
C62	Testis	15	78.9	1	5.3	1	5.3	-	-	-	-	2	10.5	19	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	21	95.5	-	-	1	4.5	-	-	-	-	-	-	22	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	23	82.1	-	-	1	3.6	-	-	-	-	4	14.3	28	100.0
C68	Uns.Urinary Organs	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C69	Eye	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C70-C72	Brain, Nervous System	47	85.5	-	-	-	-	-	-	-	-	8	14.5	55	100.0
C73	Thyroid	7	63.6	-	-	3	27.3	-	-	-	-	1	9.1	11	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C81	Hodgkins Disease	22	91.7	-	-	1	4.2	-	-	-	-	1	4.2	24	100.0
C82-85,C96	NHL	81	92.0	-	-	5	5.7	-	-	-	-	2	2.3	88	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	1	3.6	-	-	1	3.6	2	7.1	20	71.4	4	14.3	28	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	18	40.0	26	57.8	1	2.2	45	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	11	25.6	21	48.8	11	25.6	43	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	1	50.0	-	-	1	50.0	2	100.0
O&U	Other and Uns	6	2.6	47	20.3	43	18.6	-	-	-	-	135	58.4	231	100.0
	<b>All Sites</b>	<b>1233</b>	<b>61.2</b>	<b>92</b>	<b>4.6</b>	<b>190</b>	<b>9.4</b>	<b>33</b>	<b>1.6</b>	<b>69</b>	<b>3.4</b>	<b>398</b>	<b>19.8</b>	<b>2015</b>	<b>100.0</b>

**TABLE BHP-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis: 2006-2008 - Females : Bhopal**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	4	80.0	-	-	1	20.0	-	-	-	-	-	-	5	100.0
C01-C02	Tongue	28	70.0	-	-	6	15.0	-	-	-	-	6	15.0	40	100.0
C03-C06	Mouth	77	82.8	1	1.1	2	2.2	-	-	-	-	13	14.0	93	100.0
C07-C08	Salivary Gland	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C09	Tonsil	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C10	Oth. Oropharynx	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C11	Nasopharynx	2	50.0	1	25.0	-	-	-	-	-	-	1	25.0	4	100.0
C12-C13	Hypopharynx	12	100.0	-	-	-	-	-	-	-	-	-	-	12	100.0
C14	Pharynx Unspecified	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C15	Oesophagus	82	90.1	-	-	1	1.1	-	-	-	-	8	8.8	91	100.0
C16	Stomach	16	59.3	2	7.4	-	-	-	-	-	-	9	33.3	27	100.0
C17	Small Intestine	4	66.7	-	-	-	-	-	-	-	-	2	33.3	6	100.0
C18	Colon	28	90.3	-	-	-	-	-	-	-	-	3	9.7	31	100.0
C19-C20	Rectum	30	93.8	-	-	-	-	-	-	-	-	2	6.3	32	100.0
C21	Anus & Anal Canal	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C22	Liver	9	75.0	-	-	2	16.7	-	-	-	-	1	8.3	12	100.0
C23-C24	Gallbladder etc.	38	53.5	4	5.6	10	14.1	-	-	-	-	19	26.8	71	100.0
C25	Pancreas	11	55.0	-	-	1	5.0	-	-	-	-	8	40.0	20	100.0
C30-C31	Nose, Sinuses etc.	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C32	Larynx	10	83.3	-	-	2	16.7	-	-	-	-	-	-	12	100.0
C33-C34	Lung etc.	18	40.0	3	6.7	15	33.3	-	-	-	-	9	20.0	45	100.0
C37-C38	Other Thoracic Organs	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C40-C41	Bone	14	82.4	-	-	1	5.9	-	-	-	-	2	11.8	17	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	32	86.5	-	-	2	5.4	-	-	-	-	3	8.1	37	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	17	77.3	-	-	3	13.6	-	-	-	-	2	9.1	22	100.0
C50	Breast	381	78.4	2	0.4	45	9.3	-	-	-	-	58	11.9	486	100.0
C51	Vulva	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C52	Vagina	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C53	Cervix Uteri	303	87.6	1	0.3	6	1.7	-	-	-	-	36	10.4	346	100.0
C54	Corpus Uteri	42	85.7	1	2.0	-	-	-	-	-	-	6	12.2	49	100.0
C55	Uterus Unspecified	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C56	Ovary etc.	109	75.7	5	3.5	15	10.4	-	-	-	-	15	10.4	144	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	6	85.7	-	-	-	-	-	-	-	-	1	14.3	7	100.0
C64	Kidney etc.	10	76.9	-	-	1	7.7	-	-	-	-	2	15.4	13	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	2	50.0	-	-	-	-	-	-	-	-	2	50.0	4	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C70-C72	Brain, Nervous System	23	62.2	-	-	-	-	-	-	-	-	14	37.8	37	100.0
C73	Thyroid	18	56.3	-	-	7	21.9	-	-	-	-	7	21.9	32	100.0
C74	Adrenal Gland	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C81	Hodgkins Disease	14	87.5	-	-	1	6.3	-	-	-	-	1	6.3	16	100.0
C82-85,C96	NHL	38	86.4	-	-	3	6.8	-	-	-	-	3	6.8	44	100.0
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	2	11.1	-	-	1	5.6	2	11.1	10	55.6	3	16.7	18	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	9	31.0	15	51.7	5	17.2	29	100.0
C92-C94	Myeloid Leukaemia	-	-	-	-	-	-	6	25.0	12	50.0	6	25.0	24	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	2	100.0	-	-	-	-	2	100.0
O&U	Other and Uns	4	4.0	24	24.2	7	7.1	1	1.0	-	-	63	63.6	99	100.0
	<b>All Sites</b>	<b>1414</b>	<b>72.1</b>	<b>44</b>	<b>2.2</b>	<b>133</b>	<b>6.8</b>	<b>20</b>	<b>1.0</b>	<b>37</b>	<b>1.9</b>	<b>314</b>	<b>16.0</b>	<b>1962</b>	<b>100.0</b>

**TABLE BHP-7 (a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):  
2006-2008 – Males**

*% = Relative Proportion of Cancers of All Sites*

**Bhopal**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	3	0.33
C01-C02	Tongue	-	-	-	-	2	-	10	6	13	16	14	9	19	12	9	4	-	114	12.69
C03-C06	Mouth	-	-	-	-	-	3	10	11	6	7	10	9	9	2	3	4	-	74	8.24
C07-C08	Salivary Gland	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	0.22
C09	Tonsil	-	-	-	-	-	-	1	-	-	1	1	2	3	3	-	-	-	11	1.22
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	4	0.45
C11	Nasopharynx	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3	0.33
C12-C13	Hypopharynx	-	-	-	-	-	-	-	2	2	3	4	5	4	7	7	2	-	36	4.01
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	1	1	1	1	6	4	13	14	6	8	7	-	62	6.90
C16	Stomach	-	-	-	-	-	-	-	1	6	3	4	3	3	4	4	4	-	32	3.56
C17	Small Intestine	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	0.22
C18	Colon	-	-	-	-	2	-	-	3	1	2	2	1	1	1	5	1	-	19	2.12
C19-C20	Rectum	-	-	-	-	-	2	-	-	2	2	1	2	1	3	1	1	-	15	1.67
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.11
C22	Liver	-	-	-	-	1	2	-	-	-	1	-	4	3	1	4	-	-	16	1.78
C23-C24	Gallbladder etc.	-	-	-	-	-	-	1	-	2	2	2	3	1	1	1	-	-	13	1.45
C25	Pancreas	-	-	-	-	-	-	-	1	-	4	-	1	1	-	-	1	-	8	0.89
C30-C31	Nose, Sinuses etc.	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	4	0.45
C32	Larynx	-	-	-	-	-	-	-	-	2	3	5	8	5	8	2	2	-	35	3.90
C33-C34	Lung etc.	-	-	-	-	-	-	1	-	6	10	14	23	24	15	14	16	-	123	13.70
C37-C38	Other Thoracic Organs	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.11
C40-C41	Bone	-	-	1	1	-	2	1	-	-	-	-	1	-	-	1	-	-	7	0.78
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	1	1	-	2	2	3	-	-	2	-	11	1.22
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	1	-	1	-	2	-	-	-	2	1	-	-	7	0.78
C50	Breast	-	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	4	0.45
C60	Penis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C61	Prostate	-	-	-	-	-	-	-	-	-	-	2	1	3	4	2	3	1	16	1.78
C62	Testis	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	0.11
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	1	-	1	3	3	-	1	-	1	-	10	1.11
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	1	-	9	1.00
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	-	-	-	1	1	-	1	-	-	3	2	2	2	2	1	-	-	15	1.67
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	5	0.56
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.11
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.22
C82-85,C96	NHL	-	1	3	3	-	2	1	2	-	2	2	2	1	3	2	3	-	27	3.01
C88	Malig Imn.Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	1	-	-	2	2	-	-	-	6	0.67
C91	Lymphoid Leuk.	-	1	-	1	-	-	1	1	-	1	3	-	-	1	1	1	-	11	1.22
C92-C94	Myeloid Leukaemia	-	-	-	1	1	2	2	1	2	-	2	-	2	-	3	1	-	17	1.89
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	-	2	-	3	2	5	6	8	10	14	17	16	24	22	23	19	-	171	19.04
	<b>All Sites</b>	-	<b>5</b>	<b>6</b>	<b>10</b>	<b>12</b>	<b>20</b>	<b>37</b>	<b>41</b>	<b>57</b>	<b>87</b>	<b>95</b>	<b>117</b>	<b>130</b>	<b>109</b>	<b>97</b>	<b>74</b>	<b>1</b>	<b>898</b>	<b>100.00</b>

**TABLE BHP-7(b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):  
2006-2008 – Females**

% = Relative Proportion of Cancers of All Sites

**Bhopal**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	3	0.49
C01-C02	Tongue	-	-	-	-	-	-	1	2	4	1	3	3	4	-	5	1	-	24	3.89
C03-C06	Mouth	-	-	-	-	-	1	-	-	6	5	1	3	5	2	1	-	-	24	3.89
C07-C08	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.16
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.16
C12-C13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	4	0.65
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	1	-	4	4	3	7	8	5	4	11	-	47	7.62
C16	Stomach	-	-	-	-	-	-	-	1	1	2	1	-	4	3	2	2	-	16	2.59
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	0.32
C18	Colon	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	4	0.65
C19-C20	Rectum	-	-	-	-	1	1	-	1	1	3	2	-	1	-	1	-	-	11	1.78
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	0.32
C22	Liver	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	4	0.65
C23-C24	Gallbladder etc.	-	-	-	-	-	-	1	2	4	7	3	2	4	3	3	1	-	30	4.86
C25	Pancreas	1	-	-	-	-	-	-	1	-	2	-	-	1	2	1	1	-	9	1.46
C30-C31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	0.32
C33-C34	Lung etc.	-	-	-	-	-	1	-	1	1	3	2	5	7	4	2	3	-	29	4.70
C37-C38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	3	0.49
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	0.32
C50	Breast	-	1	-	-	1	1	7	10	20	11	17	16	9	6	4	5	-	108	17.50
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.16
C52	Vagina	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.16
C53	Cervix Uteri	-	-	-	-	-	4	1	1	4	16	17	17	9	5	6	3	-	83	13.45
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	-	5	0.81
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	0.32
C56	Ovary etc.	-	-	-	3	-	-	3	3	3	5	6	7	9	5	1	2	-	47	7.62
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.16
C64	Kidney etc.	-	-	-	1	-	-	-	-	-	2	-	1	-	1	-	-	-	5	0.81
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.16
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	Brain, Nervous System	1	2	2	-	1	2	1	-	-	2	3	1	1	1	-	1	-	18	2.92
C73	Thyroid	-	-	-	-	-	1	1	-	1	2	3	-	2	2	-	-	-	12	1.94
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-	5	0.81
C82-85,C96	NHL	1	-	-	1	-	1	-	1	-	-	1	3	2	1	-	-	-	11	1.78
C88	Malignant Imm. Prol D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	1	3	-	-	-	1	2	-	7	1.13
C91	Lymphoid Leuk.	-	-	-	-	-	1	-	3	-	-	1	-	-	2	-	-	-	7	1.13
C92-C94	Myeloid Leukaemia	-	-	-	-	1	-	-	2	-	1	2	1	1	1	1	1	-	11	1.78
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	Other and Uns	1	2	-	-	1	3	2	2	4	7	7	10	11	8	10	6	-	74	11.99
	<b>All Sites</b>	<b>4</b>	<b>5</b>	<b>2</b>	<b>5</b>	<b>6</b>	<b>18</b>	<b>18</b>	<b>33</b>	<b>58</b>	<b>79</b>	<b>82</b>	<b>81</b>	<b>82</b>	<b>53</b>	<b>49</b>	<b>42</b>	<b>-</b>	<b>617</b>	<b>100.00</b>

**TABLE BHP-8(a):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and**  
**Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2006-2008 - Males**  
**Bhopal**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	0.7	-	-	1.5	2.2	-	-	0.1	0.2	0.10	0.3
C01-C02	-	-	-	-	0.7	-	4.3	2.7	7.4	12.0	15.0	12.6	27.8	25.9	27.3	15.3	4.0	5.6	0.55	11.9
C03-C06	-	-	-	-	-	1.2	4.3	5.0	3.4	5.2	10.7	12.6	13.2	4.3	9.1	15.3	2.6	3.4	0.41	7.7
C07-C08	-	0.3	-	-	-	-	-	-	-	-	-	1.4	-	-	-	-	0.1	0.1	0.06	0.2
C09	-	-	-	-	-	-	0.4	-	-	0.7	1.1	2.8	4.4	6.5	-	-	0.4	0.6	0.19	1.2
C10	-	-	-	-	-	-	-	-	0.6	0.7	-	-	-	4.3	-	-	0.1	0.2	0.11	0.3
C11	-	-	0.3	-	-	-	-	-	-	-	-	1.4	1.5	-	-	-	0.1	0.1	0.09	0.4
C12-C13	-	-	-	-	-	-	-	0.9	1.1	2.2	4.3	7.0	5.9	15.1	21.2	7.6	1.3	2.0	0.34	3.2
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	0.4	0.4	0.5	0.6	4.5	4.3	18.2	20.5	12.9	24.2	26.7	2.2	3.6	0.46	6.8
C16	-	-	-	-	-	-	-	0.5	3.4	2.2	4.3	4.2	4.4	8.6	12.1	15.3	1.1	1.7	0.32	3.0
C17	-	-	-	-	-	-	0.4	-	-	-	-	1.4	-	-	-	-	0.1	0.1	0.06	0.2
C18	-	-	-	-	0.7	-	-	1.4	0.6	1.5	2.1	1.4	1.5	2.2	15.1	3.8	0.7	0.9	0.22	1.4
C19-C20	-	-	-	-	-	0.8	-	-	1.1	1.5	1.1	2.8	1.5	6.5	3.0	3.8	0.5	0.8	0.21	1.2
C21	-	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	0.04	0.1
C22	-	-	-	-	0.3	0.8	-	-	-	0.7	-	5.6	4.4	2.2	12.1	-	0.6	0.8	0.22	1.4
C23-C24	-	-	-	-	-	-	0.4	-	1.1	1.5	2.1	4.2	1.5	2.2	3.0	-	0.5	0.6	0.18	1.6
C25	-	-	-	-	-	-	-	0.5	-	3.0	-	1.4	1.5	-	-	3.8	0.3	0.4	0.15	1.0
C30-C31	-	-	-	-	0.3	-	-	0.5	-	-	-	-	1.5	-	-	3.8	0.1	0.2	0.10	0.3
C32	-	-	-	-	-	-	-	-	1.1	2.2	5.4	11.2	7.3	17.2	6.1	7.6	1.2	2.0	0.34	3.9
C33-C34	-	-	-	-	-	-	0.4	-	3.4	7.5	15.0	32.2	35.1	32.3	42.4	61.0	4.3	7.2	0.66	13.2
C37-C38	-	-	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.03	-
C40-C41	-	-	0.3	0.3	-	0.8	0.4	-	-	-	-	1.4	-	-	3.0	-	0.2	0.3	0.11	0.2
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	0.5	0.6	-	2.1	2.8	4.4	-	-	7.6	0.4	0.6	0.19	1.5
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	0.4	-	0.5	-	1.5	-	-	-	4.3	3.0	-	0.2	0.3	0.13	0.4
C50	-	-	-	-	0.3	-	-	-	0.6	-	-	1.4	-	-	3.0	-	0.1	0.2	0.09	0.3
C60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C61	-	-	-	-	-	-	-	-	-	-	2.1	1.4	4.4	8.6	6.1	11.4	0.6	0.9	0.25	1.1
C62	-	-	-	-	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	0.03	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	0.5	-	0.7	3.2	4.2	-	2.2	-	3.8	0.3	0.5	0.18	1.3
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	2.8	2.9	4.3	6.1	3.8	0.3	0.6	0.19	0.7
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	-	-	-	0.3	0.3	-	0.4	-	-	2.2	2.1	2.8	2.9	4.3	3.0	-	0.5	0.7	0.20	1.5
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	6.5	6.1	-	0.2	0.3	0.14	-
C74	-	-	-	-	-	-	-	-	-	-	1.1	-	-	-	-	-	-	0.1	0.05	0.2
C81	-	-	-	-	-	-	-	-	-	-	-	1.4	-	2.2	-	-	0.1	0.1	0.09	0.2
C82-85,C96	-	0.3	0.9	0.9	-	0.8	0.4	0.9	-	1.5	2.1	2.8	1.5	6.5	6.1	11.4	0.9	1.3	0.26	1.4
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	0.6	0.7	-	-	2.9	4.3	-	-	0.2	0.3	0.14	0.6
C91	-	0.3	-	0.3	-	-	0.4	0.5	-	0.7	3.2	-	-	2.2	3.0	3.8	0.4	0.5	0.17	0.8
C92-C94	-	-	-	0.3	0.3	0.8	0.9	0.5	1.1	-	2.1	-	2.9	-	9.1	3.8	0.6	0.8	0.19	1.0
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	-	0.6	-	0.9	0.7	2.1	2.6	3.6	5.7	10.5	18.2	22.4	35.1	47.4	69.6	72.5	6.0	9.2	0.73	14.2
<b>All</b>	<b>-</b>	<b>1.6</b>	<b>1.8</b>	<b>3.0</b>	<b>4.1</b>	<b>8.2</b>	<b>16.1</b>	<b>18.6</b>	<b>32.6</b>	<b>65.2</b>	<b>101.8</b>	<b>164.0</b>	<b>190.3</b>	<b>234.8</b>	<b>293.7</b>	<b>282.3</b>	<b>31.4</b>	<b>47.4</b>	<b>1.64</b>	<b>84.7</b>



**TABLE BHP-8(b):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error (SE)) and**  
**Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2006-2008 - Females**  
**Bhopal**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	0.5	-	-	2.5	-	-	-	-	-	0.1	0.2	0.09	0.5
C01-C02	-	-	-	-	-	-	0.5	1.0	2.9	0.9	3.7	4.2	6.5	-	16.5	3.0	0.9	1.3	0.28	2.9
C03-C06	-	-	-	-	-	0.4	-	-	4.3	4.5	1.2	4.2	8.1	4.3	3.3	-	0.9	1.3	0.27	3.5
C07-C08	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.0	-	0.1	0.06	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.3	-	-	0.1	0.07	-
C12-C13	-	-	-	-	-	-	-	-	-	-	2.5	1.4	-	-	3.3	-	0.2	0.2	0.12	0.6
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	0.5	-	2.9	3.6	3.7	9.8	13.0	10.9	13.2	32.9	1.8	2.8	0.41	4.8
C16	-	-	-	-	-	-	-	0.5	0.7	1.8	1.2	-	6.5	6.5	6.6	6.0	0.6	0.9	0.24	1.6
C17	-	-	-	-	-	-	-	-	-	-	-	1.4	1.6	-	-	-	0.1	0.1	0.09	0.4
C18	-	-	-	-	-	-	-	0.5	0.7	-	-	-	1.6	-	3.3	-	0.2	0.2	0.11	0.4
C19-C20	-	-	-	-	0.4	0.4	-	0.5	0.7	2.7	2.5	-	1.6	-	3.3	-	0.4	0.6	0.17	1.4
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	2.2	3.3	-	0.1	0.1	0.09	-
C22	-	-	-	-	-	0.4	-	0.5	-	-	-	-	1.6	-	3.3	-	0.2	0.2	0.10	0.3
C23-C24	-	-	-	-	-	-	0.5	1.0	2.9	6.3	3.7	2.8	6.5	6.5	9.9	3.0	1.2	1.6	0.31	3.8
C25	0.4	-	-	-	-	-	-	0.5	-	1.8	-	-	1.6	4.3	3.3	3.0	0.3	0.5	0.17	0.7
C30-C31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	-	1.4	-	-	3.3	-	0.1	0.1	0.09	0.2
C33-C34	-	-	-	-	-	0.4	-	0.5	0.7	2.7	2.5	7.0	11.4	8.7	6.6	9.0	1.1	1.7	0.32	3.5
C37-C38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-C41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	1.4	-	-	-	-	-	-	-	0.1	0.2	0.09	0.3
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	0.4	-	-	-	-	-	-	-	-	3.3	-	0.1	0.1	0.07	-
C50	-	0.3	-	-	0.4	0.4	3.3	4.9	14.5	9.9	21.0	22.4	14.6	13.0	13.2	14.9	4.2	5.5	0.55	13.8
C51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.0	-	0.1	0.06	-
C52	-	-	-	-	-	-	-	-	0.7	-	-	-	-	-	-	-	-	-	0.04	0.1
C53	-	-	-	-	-	1.6	0.5	0.5	2.9	14.3	21.0	23.8	14.6	10.9	19.8	9.0	3.2	4.7	0.52	11.8
C54	-	-	-	-	-	-	-	-	-	0.9	-	2.8	1.6	-	-	3.0	0.2	0.3	0.13	0.7
C55	-	-	-	-	-	-	-	-	-	0.9	1.2	-	-	-	-	-	0.1	0.1	0.08	0.4
C56	-	-	-	1.1	-	-	1.4	1.5	2.2	4.5	7.4	9.8	14.6	10.9	3.3	6.0	1.8	2.5	0.38	5.9
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	0.1	0.05	0.2
C64	-	-	-	0.4	-	-	-	-	-	1.8	-	1.4	-	2.2	-	-	0.2	0.3	0.12	0.5
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	0.1	0.05	0.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-C72	0.4	0.7	0.7	-	0.4	0.8	0.5	-	-	1.8	3.7	1.4	1.6	2.2	-	3.0	0.7	0.8	0.21	1.3
C73	-	-	-	-	-	0.4	0.5	-	0.7	1.8	3.7	-	3.2	4.3	-	-	0.5	0.7	0.19	1.5
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	0.4	-	-	-	0.7	0.9	2.5	-	-	-	-	-	0.2	0.3	0.12	0.7
C82-85,C96	0.4	-	-	0.4	-	0.4	-	0.5	-	-	1.2	4.2	3.2	2.2	-	-	0.4	0.6	0.18	1.3
C88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C90	-	-	-	-	-	-	-	-	-	0.9	3.7	-	-	-	3.3	6.0	0.3	0.4	0.16	0.8
C91	-	-	-	-	-	0.4	-	1.5	-	-	1.2	-	-	4.3	-	-	0.3	0.3	0.13	0.5
C92-C94	-	-	-	-	0.4	-	-	1.0	-	0.9	2.5	1.4	1.6	2.2	3.3	3.0	0.4	0.6	0.18	1.2
C95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
O&U	0.4	0.7	-	-	0.4	1.2	1.0	1.0	2.9	6.3	8.6	14.0	17.9	17.4	33.1	17.9	2.9	4.2	0.49	7.5
All	1.7	1.7	0.7	1.8	2.4	7.3	8.6	16.2	42.0	70.8	101.3	113.4	133.1	115.1	162.0	125.5	24.0	33.8	1.39	73.1

**TABLE BHP-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 years and from 0-74 Years) : 2006-2008 - Males Bhopal**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.01	0.01	0.05	0.05
C01-C02	Tongue	0.66	0.66	1.18	1.19
C03-C06	Mouth	0.68	0.67	1.12	1.13
C07-C08	Salivary Gland	0.04	0.04	0.05	0.05
C09	Tonsil	0.11	0.11	0.18	0.18
C10	Oth. Oropharynx	0.03	0.03	0.14	0.14
C11	Nasopharynx	0.03	0.03	0.03	0.03
C12-C13	Hypopharynx	0.31	0.31	0.65	0.65
C14	Pharynx Unspecified	0.02	0.02	0.05	0.05
C15	Oesophagus	0.36	0.36	0.74	0.74
C16	Stomach	0.15	0.15	0.33	0.33
C17	Small Intestine	0.02	0.02	0.02	0.02
C18	Colon	0.11	0.11	0.23	0.23
C19-C20	Rectum	0.12	0.12	0.18	0.18
C21	Anus & Anal Canal	0.02	0.02	0.04	0.04
C22	Liver	0.08	0.08	0.19	0.19
C23-C24	Gallbladder etc.	0.15	0.15	0.23	0.23
C25	Pancreas	0.04	0.04	0.08	0.08
C30-C31	Nose, Sinuses etc.	0.02	0.02	0.03	0.03
C32	Larynx	0.36	0.35	0.62	0.62
C33-C34	Lung etc.	0.78	0.78	1.42	1.43
C37-C38	Other Thoracic Organs	0.01	0.01	0.01	0.01
C40-C41	Bone	0.09	0.09	0.14	0.14
C43	Melanoma of Skin	0.00	0.00	0.00	0.00
C44	Other Skin	0.15	0.15	0.25	0.25
C45	Mesothelioma	0.01	0.01	0.01	0.01
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47 + C49	Conn. & Soft Tissue	0.07	0.07	0.17	0.17
C50	Breast	0.05	0.05	0.10	0.10
C60	Penis	0.02	0.02	0.07	0.07
C61	Prostate	0.17	0.17	0.71	0.71
C62	Testis	0.04	0.04	0.07	0.07
C63	Other Male Genital	0.00	0.00	0.00	0.00
C64	Kidney etc.	0.07	0.07	0.10	0.10
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.05	0.05	0.25	0.25
C68	Uns.Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.00	0.00	0.01	0.01
C70-C72	Brain, Nervous System	0.18	0.18	0.25	0.25
C73	Thyroid	0.03	0.03	0.10	0.10
C74	Adrenal Gland	0.01	0.01	0.01	0.01
C81	Hodgkins Disease	0.05	0.05	0.07	0.07
C82-85,C96	NHL	0.23	0.23	0.40	0.40
C88	Malig Imn.Prol D	0.00	0.00	0.00	0.00
C90	Multiple Myeloma	0.11	0.11	0.21	0.21
C91	Lymphoid Leuk.	0.10	0.10	0.19	0.19
C92-C94	Myeloid Leukaemia	0.13	0.13	0.18	0.18
C95	Leukaemia Uns	0.01	0.01	0.01	0.01
O&U *	Other and Uns	0.69	0.69	1.47	1.48
	<b>All Sites</b>	<b>6.39</b>	<b>6.19</b>	<b>12.36</b>	<b>11.63</b>

**TABLE BHP-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of individual sites (ICD-10) based on age specific rates (from 0-64 Years and from 0-74 Years) : 2006-2008 - Females**  
**Bhopal**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.02	0.02	0.02	0.02
C01-C02	Tongue	0.19	0.19	0.31	0.31
C03-C06	Mouth	0.46	0.45	0.71	0.71
C07-C08	Salivary Gland	0.01	0.01	0.01	0.01
C09	Tonsil	0.00	0.00	0.00	0.00
C10	Oth. Oropharynx	0.01	0.01	0.02	0.02
C11	Nasopharynx	0.01	0.01	0.03	0.03
C12-C13	Hypopharynx	0.06	0.06	0.09	0.09
C14	Pharynx Unspecified	0.00	0.00	0.01	0.01
C15	Oesophagus	0.35	0.35	0.64	0.64
C16	Stomach	0.09	0.09	0.16	0.16
C17	Small Intestine	0.04	0.04	0.04	0.04
C18	Colon	0.10	0.10	0.25	0.25
C19-C20	Rectum	0.11	0.11	0.23	0.23
C21	Anus & Anal Canal	0.02	0.02	0.04	0.04
C22	Liver	0.04	0.04	0.09	0.09
C23-C24	Gallbladder etc.	0.23	0.23	0.50	0.50
C25	Pancreas	0.06	0.06	0.16	0.16
C30-C31	Nose, Sinuses etc.	0.03	0.03	0.05	0.05
C32	Larynx	0.04	0.04	0.07	0.07
C33-C34	Lung etc.	0.16	0.16	0.32	0.32
C37-C38	Other Thoracic Organs	0.01	0.01	0.01	0.01
C40-C41	Bone	0.04	0.04	0.04	0.04
C43	Melanoma of Skin	0.00	0.00	0.00	0.00
C44	Other Skin	0.12	0.12	0.21	0.21
C45	Mesothelioma	0.00	0.00	0.00	0.00
C46	Kaposi Sarcoma	0.00	0.00	0.00	0.00
C47+C49	Conn. & Soft Tissue	0.06	0.06	0.12	0.12
C50	Breast	1.99	1.97	2.76	2.80
C51	Vulva	0.02	0.02	0.02	0.02
C52	Vagina	0.02	0.02	0.02	0.02
C53	Cervix Uteri	1.53	1.52	2.20	2.22
C54	Corpus Uteri	0.29	0.29	0.36	0.36
C55	Uterus Unspecified	0.01	0.01	0.01	0.01
C56	Ovary etc.	0.63	0.63	0.88	0.89
C57	Other Female Genital	0.00	0.00	0.00	0.00
C58	Placenta	0.01	0.01	0.01	0.01
C64	Kidney etc.	0.05	0.05	0.06	0.06
C65	Renal Pelvis	0.00	0.00	0.00	0.00
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.00	0.00	0.04	0.04
C68	Uns.Urinary Organs	0.00	0.00	0.00	0.00
C69	Eye	0.01	0.01	0.01	0.01
C70-C72	Brain, Nervous System	0.11	0.11	0.13	0.13
C73	Thyroid	0.12	0.12	0.17	0.17
C74	Adrenal Gland	0.00	0.00	0.00	0.00
C81	Hodgkins Disease	0.05	0.05	0.05	0.05
C82-85,C96	NHL	0.17	0.17	0.24	0.24
C88	Malig Imn.Prol D	0.00	0.00	0.00	0.00
C90	Multiple Myeloma	0.04	0.04	0.07	0.07
C91	Lymphoid Leuk.	0.07	0.07	0.10	0.10
C92-C94	Myeloid Leukaemia	0.08	0.08	0.11	0.11
C95	Leukaemia Uns	0.00	0.00	0.00	0.00
O&U *	Other and Uns	0.32	0.31	0.65	0.65
	<b>All Sites</b>	<b>7.77</b>	<b>7.48</b>	<b>12.07</b>	<b>11.37</b>