


**Figure AIZ - 1**  
**Population Pyramid showing Age Distribution: 2005-2006**  
**Aizawl District**



**TABLE:AIZ - 1****Population by Five Year Age Group and Gender : 2005-2006***Number and Relative Proportion (%)***Aizawl District**

Age Group	MALES		FEMALES		TOTAL	
	Number	%	Number	%	Number	%
<b>0-4</b>	32936	8.77	32158	8.94	65094	8.85
<b>5-9</b>	36408	9.70	34454	9.58	70862	9.64
<b>10-14</b>	40323	10.74	39857	11.08	80179	10.91
<b>15-19</b>	42979	11.45	44243	12.30	87222	11.86
<b>20-24</b>	45974	12.24	45031	12.52	91006	12.38
<b>25-29</b>	36870	9.82	34432	9.57	71302	9.70
<b>30-34</b>	29454	7.84	25898	7.20	55352	7.53
<b>35-39</b>	29052	7.74	26962	7.50	56015	7.62
<b>40-44</b>	22542	6.00	20938	5.82	43479	5.91
<b>45-49</b>	16176	4.31	14613	4.06	30789	4.19
<b>50-54</b>	14273	3.80	12443	3.46	26715	3.63
<b>55-59</b>	8237	2.19	7513	2.09	15751	2.14
<b>60-64</b>	6331	1.69	6493	1.81	12824	1.74
<b>65-69</b>	5374	1.43	5373	1.49	10746	1.46
<b>70-74</b>	4340	1.16	4139	1.15	8480	1.15
<b>75+</b>	4189	1.12	5173	1.44	9362	1.27
<b>Total</b>	<b>375458</b>	<b>100.00</b>	<b>359719</b>	<b>100.00</b>	<b>735177</b>	<b>100.00</b>

**TABLE AIZ-2 (a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):  
2005-2006 – Males**

*%= Relative Proportion of Cancers of All Sites.*

**Aizawl District**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	2	-	2	1	4	1	3	2	-	3	-	1	-	19	2.98
C03-06	Mouth	-	-	-	-	-	-	3	1	1	-	2	3	-	2	2	-	-	14	2.20
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	0.31
C09	Tonsil	-	-	-	-	-	-	1	-	1	5	-	2	-	1	-	-	-	10	1.57
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	-	-	5	0.78
C11	Nasopharynx	1	-	-	-	-	-	-	2	3	3	1	1	2	2	3	3	-	21	3.30
C12-13	Hypopharynx	-	-	-	-	-	-	-	1	4	5	4	2	1	7	2	4	-	30	4.71
C14	Pharynx Unspecified	-	-	-	-	-	-	-	1	2	2	1	-	1	1	-	2	-	10	1.57
C15	Oesophagus	-	-	-	-	-	1	-	2	10	18	11	6	4	19	3	5	-	79	12.40
C16	Stomach	-	-	-	-	1	2	-	8	12	19	10	17	19	12	14	20	-	134	21.04
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	0.31
C18	Colon	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	3	-	9	1.41
C19-20	Rectum	-	-	-	-	-	1	-	-	-	-	2	3	-	1	-	5	-	12	1.88
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	2	2	3	2	-	2	2	1	1	3	-	18	2.83
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	3	0.47
C25	Pancreas	-	-	-	-	-	-	-	-	1	-	-	-	2	-	3	1	-	7	1.10
C30-31	Nose, Sinuses etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.16
C32	Larynx	-	-	-	-	-	-	1	2	5	2	-	1	1	1	1	-	-	14	2.20
C33-34	Lung etc.	-	-	-	-	-	-	1	2	3	8	9	17	9	2	16	21	-	88	13.81
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	1	-	-	2	-	-	-	2	-	-	1	-	-	-	1	-	7	1.10
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	4	0.63
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	1	1	-	1	-	-	-	-	2	2	-	7	1.10
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.16
C60	Penis	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	0.31
C61	Prostate	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	6	-	10	1.57
C62	Testis	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.16
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.16
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	3	-	6	0.94
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.16
C70-72	Brain, Nervous System	-	2	-	-	3	-	-	-	-	-	-	-	1	-	2	-	-	8	1.26
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	4	0.63
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	1	-	1	1	-	1	1	-	1	3	-	2	-	1	-	-	12	1.88
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	0.47
C92-94	Myeloid Leukaemia	2	-	-	3	3	1	-	-	1	1	1	-	-	1	1	-	-	14	2.20
C95	Leukaemia Uns	-	-	-	2	-	1	1	-	-	-	-	1	-	-	1	1	-	7	1.10
O&U	Other and Uns	1	-	-	-	-	-	-	5	4	11	8	3	9	5	8	17	-	71	11.15
	<b>All Sites</b>	<b>7</b>	<b>4</b>	<b>1</b>	<b>6</b>	<b>12</b>	<b>6</b>	<b>13</b>	<b>32</b>	<b>56</b>	<b>84</b>	<b>61</b>	<b>67</b>	<b>63</b>	<b>62</b>	<b>64</b>	<b>99</b>	<b>-</b>	<b>637</b>	<b>100.00</b>

**TABLE AIZ-2 (b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):  
2005-2006 – Females**

*%= Relative Proportion of Cancers of All Sites.*

**Aizawl District**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2	0.40
C03-06	Mouth	-	-	-	-	-	-	-	1	-	2	-	1	2	-	-	1	-	7	1.42
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	0.40
C09	Tonsil	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.20
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.20
C11	Nasopharynx	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	1	-	6	1.21
C12-13	Hypopharynx	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2	0.40
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.20
C15	Oesophagus	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	3	-	8	1.62
C16	Stomach	-	-	-	-	-	1	2	1	2	7	10	5	9	4	11	11	-	63	12.75
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	4	-	9	1.82
C19-20	Rectum	-	-	-	-	-	-	1	-	-	1	3	2	3	1	3	-	-	14	2.83
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	2	-	-	-	-	-	-	-	-	1	3	1	2	-	1	1	-	11	2.23
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	2	-	9	1.82
C25	Pancreas	-	-	-	-	-	-	-	1	1	1	1	-	2	2	-	2	-	10	2.02
C30-31	Nose, Sinuses etc.	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	0.40
C32	Larynx	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	1	-	5	1.01
C33-34	Lung etc.	-	-	-	-	-	-	-	2	1	7	9	9	12	5	13	15	-	73	14.78
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	5	1.01
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	0.40
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	0.40
C50	Breast	-	-	-	1	1	-	3	7	10	7	6	4	2	9	-	2	-	52	10.53
C51	Vulva	-	-	-	-	-	-	-	-	-	1	3	-	-	-	1	-	-	5	1.01
C52	Vagina	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.20
C53	Cervix Uteri	-	-	-	-	2	2	11	11	13	9	6	1	3	13	3	-	-	74	14.98
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	3	0.61
C55	Uterus Unspecified	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	3	0.61
C56	Ovary etc.	-	-	-	1	-	-	1	2	-	-	-	1	-	2	-	2	-	9	1.82
C57	Other Female Genital	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	0.40
C58	Placenta	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2	0.40
C64	Kidney etc.	1	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	4	0.81
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	3	0.61
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	0.40
C70-72	Brain, Nervous System	-	-	-	1	-	-	1	-	-	-	1	-	-	-	2	-	-	5	1.01
C73	Thyroid	-	-	-	1	-	-	-	-	1	1	-	-	-	1	2	5	-	11	2.23
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	1	-	1	-	-	-	-	2	1	1	1	2	-	-	2	2	-	13	2.63
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	0.40
C91	Lymphoid Leuk.	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.20
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	4	0.81
C95	Leukaemia Uns	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3	0.61
O&U	Other and Uns	-	-	-	-	-	-	-	2	2	8	7	7	5	8	8	13	-	60	12.15
	<b>All Sites</b>	<b>5</b>	<b>1</b>	<b>1</b>	<b>5</b>	<b>6</b>	<b>4</b>	<b>20</b>	<b>34</b>	<b>38</b>	<b>60</b>	<b>54</b>	<b>42</b>	<b>53</b>	<b>54</b>	<b>47</b>	<b>69</b>	<b>1</b>	<b>494</b>	<b>100.00</b>

**TABLE: AIZ-3(a):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2005-2006- Males**  
**Aizawl District**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	4.4	-	6.8	3.4	17.7	18.5	7.0	36.4	31.6	-	-	23.9	5.1	6.7	1.65	17.6
C03-06	-	-	-	-	-	-	10.2	3.4	4.4	12.4	-	24.3	47.4	-	46.1	-	3.7	5.6	1.61	13.2
C07-8	-	-	-	-	-	-	-	-	-	-	-	-	15.8	-	-	23.9	0.5	1.1	0.79	2.0
C09	-	-	-	-	-	-	3.4	-	4.4	6.2	35.0	-	31.6	-	-	-	2.7	3.9	1.29	11.8
C10	-	-	-	-	-	-	-	-	-	12.4	14.0	-	-	18.6	-	-	1.3	2.0	0.91	4.7
C11	3.0	-	-	-	-	-	-	6.9	13.3	12.4	21.0	12.1	15.8	37.2	69.1	71.7	5.6	8.4	1.91	13.3
C12-13	-	-	-	-	-	-	-	3.4	17.7	43.3	35.0	48.6	31.6	18.6	46.1	95.5	8.0	12.2	2.30	28.5
C14	-	-	-	-	-	-	-	3.4	8.9	6.2	14.0	12.1	-	18.6	-	47.8	2.7	3.8	1.25	7.4
C15	-	-	-	-	-	2.7	-	6.9	44.4	117.5	126.1	133.6	94.8	74.4	69.1	119.4	21.0	31.8	3.70	82.5
C16	-	-	-	-	2.2	5.4	-	27.5	53.2	74.2	133.1	121.4	268.6	353.6	322.7	477.7	35.7	58.8	5.28	101.8
C17	-	-	-	-	-	-	-	-	-	6.2	-	12.1	-	-	-	-	0.5	0.9	0.61	2.8
C18	-	-	-	-	-	-	-	-	-	-	7.0	12.1	31.6	37.2	-	71.7	2.4	4.6	1.57	6.8
C19-20	-	-	-	-	-	2.7	-	-	-	6.2	-	24.3	47.4	-	-	119.4	3.2	5.8	1.73	10.4
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	6.8	6.9	13.3	6.2	14.0	-	31.6	37.2	23.0	71.7	4.8	7.0	1.76	11.4
C23-24	-	-	-	-	-	-	-	-	-	-	-	12.1	-	37.2	-	-	0.8	1.6	0.93	1.6
C25	-	-	-	-	-	-	-	-	4.4	-	-	-	-	37.2	69.1	23.9	1.9	3.2	1.25	0.9
C30-31	3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.4	0.36	-
C32	-	-	-	-	-	-	3.4	6.9	22.2	6.2	14.0	-	15.8	18.6	23.0	-	3.7	4.7	1.34	11.1
C33-34	-	-	-	-	-	-	3.4	6.9	13.3	12.4	56.1	109.3	268.6	167.5	368.7	501.6	23.4	42.5	4.63	64.1
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	2.7	-	-	4.4	-	-	-	8.9	-	-	-	15.8	-	-	23.9	1.9	2.3	0.95	3.8
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	3.4	-	-	-	12.1	-	18.6	23.0	-	1.1	1.7	0.90	2.2
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	3.4	3.4	-	-	7.0	-	-	-	46.1	47.8	1.9	2.6	1.04	1.8
C50	-	-	-	-	-	-	-	-	-	-	-	-	-	18.6	-	-	0.3	0.6	0.56	-
C60	-	-	-	-	-	-	-	-	-	-	7.0	-	15.8	-	-	-	0.5	1.0	0.72	3.2
C61	-	-	-	-	-	-	-	-	-	-	-	12.1	-	18.6	46.1	143.3	2.7	4.8	1.53	1.6
C62	-	-	-	-	-	-	-	-	-	-	7.0	-	-	-	-	-	0.3	0.4	0.35	1.1
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	3.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.4	0.36	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	6.9	-	-	-	-	-	18.6	-	71.7	1.6	2.4	1.04	1.3
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	12.1	-	-	-	-	0.3	0.5	0.49	1.6
C70-72	-	5.5	-	-	6.5	-	-	-	-	-	-	-	-	18.6	46.1	-	2.1	2.6	0.99	-
C73	-	-	-	-	-	-	-	-	-	6.2	-	-	15.8	18.6	23.0	-	1.1	2.0	1.03	3.2
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	2.7	-	2.3	2.2	-	3.4	3.4	-	-	7.0	36.4	-	37.2	23.0	-	3.2	4.5	1.38	6.5
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	3.0	-	2.5	-	-	-	-	-	-	-	-	-	15.8	-	-	-	0.8	1.2	0.76	2.0
C92-94	6.1	-	-	7.0	6.5	2.7	-	-	4.4	6.2	7.0	12.1	-	-	23.0	-	3.7	4.0	1.15	4.8
C95	-	-	-	4.7	-	2.7	3.4	-	-	-	-	-	15.8	-	23.0	23.9	1.9	2.4	1.01	2.0
O&U	3.0	-	-	-	-	-	-	17.2	17.7	30.9	77.1	97.1	47.4	167.5	184.4	406.0	18.9	30.8	3.76	43.8
All	21.3	11.0	2.5	14.0	26.1	16.3	44.1	110.1	248.4	383.3	588.6	740.7	1058.5	1172.5	1475.0	2364.5	169.7	269.0	11.06	470.7

**TABLE:AIZ-3(b):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2005-2006- Females**  
**Aizawl District**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	-	-	-	3.7	-	-	-	-	-	18.6	-	-	0.6	0.8	0.60	0.7
C03-06	-	-	-	-	-	-	-	3.7	-	-	16.1	-	15.4	37.2	-	19.3	1.9	3.1	1.23	5.3
C07-8	-	-	-	-	-	-	-	-	4.8	-	-	-	-	18.6	-	-	0.6	0.8	0.63	0.9
C09	-	-	-	-	-	-	-	3.9	-	-	-	-	-	-	-	-	0.3	0.2	0.23	-
C10	-	-	-	-	-	-	-	-	-	-	-	13.3	-	-	-	-	0.3	0.5	0.53	1.7
C11	-	-	-	-	-	-	-	-	4.8	-	-	-	30.8	37.2	-	19.3	1.7	3.0	1.27	4.9
C12-13	-	-	-	-	-	-	-	-	3.7	-	-	-	-	18.6	-	-	0.6	0.8	0.60	0.7
C14	-	-	-	-	-	-	-	-	-	-	-	-	15.4	-	-	-	0.3	0.6	0.62	2.0
C15	-	-	-	-	-	-	-	-	4.8	6.8	16.1	13.3	-	-	-	58.0	2.2	3.2	1.14	6.6
C16	-	-	-	-	-	2.9	7.7	3.7	9.6	27.4	56.3	133.1	77.0	167.5	265.8	212.7	17.5	28.9	3.73	44.1
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	4.8	6.8	8.0	-	30.8	-	-	77.3	2.5	3.9	1.33	7.5
C19-20	-	-	-	-	-	-	-	3.9	-	6.8	8.0	39.9	30.8	55.8	72.5	-	3.9	7.0	1.90	11.7
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	6.2	-	-	-	-	-	-	-	-	-	8.0	39.9	15.4	37.2	24.2	19.3	3.1	5.3	1.64	8.4
C23-24	-	-	-	-	-	-	-	-	-	6.8	8.0	13.3	15.4	37.2	24.2	38.7	2.5	4.3	1.47	6.3
C25	-	-	-	-	-	-	-	3.7	4.8	13.7	8.0	13.3	-	37.2	-	38.7	2.8	4.2	1.36	7.3
C30-31	-	-	-	-	-	2.9	-	-	-	-	-	-	-	18.6	-	-	0.6	0.8	0.60	-
C32	-	-	-	-	-	-	-	3.7	-	-	16.1	-	-	18.6	-	19.3	1.4	2.0	0.91	3.3
C33-34	-	-	-	-	-	-	-	7.4	4.8	34.2	56.3	119.8	138.6	223.4	314.2	290.0	20.3	34.7	4.14	51.4
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	-	-	-	-	-	-	-	-	13.7	-	-	-	37.2	-	19.3	1.4	2.3	1.05	2.6
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	18.6	-	19.3	0.6	0.9	0.68	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	15.4	-	-	19.3	0.6	1.0	0.73	2.0
C50	-	-	-	2.3	2.2	-	11.6	26.0	47.8	61.6	56.3	79.9	61.6	37.2	-	38.7	14.5	19.6	2.86	53.5
C51	-	-	-	-	-	-	-	-	-	-	8.0	39.9	-	-	24.2	-	1.4	2.5	1.12	6.4
C52	-	-	-	-	-	-	-	-	4.8	-	-	-	-	-	-	-	0.3	0.3	0.29	0.9
C53	-	-	-	-	4.4	5.8	42.5	40.8	62.1	89.0	72.3	79.9	15.4	55.8	72.5	-	20.6	25.4	3.12	61.1
C54	-	-	-	-	-	-	-	-	-	-	8.0	-	15.4	-	-	-	0.8	1.0	0.74	3.3
C55	-	-	-	-	2.2	-	-	-	-	-	16.1	-	-	-	-	-	0.8	1.0	0.60	2.6
C56	-	-	-	2.3	-	-	3.9	7.4	-	13.7	-	-	15.4	-	-	38.7	2.5	3.1	1.10	6.1
C57	-	-	-	-	-	-	-	-	4.8	-	-	-	-	18.6	-	-	0.6	0.8	0.63	0.9
C58	-	-	-	-	2.2	-	-	3.7	-	-	-	-	-	-	-	-	0.6	0.4	0.28	0.7
C64	3.1	-	-	-	-	-	-	-	-	6.8	16.1	-	-	-	-	-	1.1	1.6	0.79	3.9
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	4.8	6.8	-	13.3	-	-	-	-	0.8	1.2	0.73	4.0
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	15.4	-	-	19.3	0.6	1.0	0.73	2.0
C70-72	-	-	-	2.3	-	-	3.9	-	-	-	-	13.3	-	-	48.3	-	1.4	1.9	0.92	1.7
C73	-	-	-	2.3	-	-	-	-	4.8	6.8	8.0	-	-	-	48.3	96.7	3.1	4.2	1.29	3.5
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	3.1	-	2.5	-	-	-	-	7.4	4.8	-	8.0	13.3	30.8	-	48.3	38.7	3.6	5.2	1.53	9.3
C90	-	-	-	-	-	-	-	-	-	-	16.1	-	-	-	-	-	0.6	0.8	0.57	2.6
C91	-	2.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.29	-
C92-94	-	-	-	-	-	-	-	-	3.7	-	13.7	8.0	-	-	-	-	1.1	1.4	0.74	4.7
C95	3.1	-	-	2.3	2.2	-	-	-	-	-	-	-	-	-	-	-	0.8	0.8	0.46	-
O&U	-	-	-	-	-	-	-	7.4	9.6	54.7	64.3	93.2	107.8	93.1	193.3	251.4	16.7	27.2	3.59	50.2
All	15.5	2.9	2.5	11.3	13.3	11.6	77.2	126.1	181.5	369.6	482.3	718.8	647.0	986.6	1135.8	1334.1	137.3	208.4	9.72	385.1

**TABLE: AIZ-4(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2005-2006- Males****Aizawl District**

ICD-10	Site	Microscopic		X-Ray / imaging		Clinical		Others		D.C.O		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	18	94.7	-	-	-	-	-	-	1	5.3	19	100.0
C03-06	Mouth	12	85.7	-	-	1	7.1	1	7.1	-	-	14	100.0
C07-8	Salivary Gland	1	50.0	-	-	1	50.0	-	-	-	-	2	100.0
C09	Tonsil	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C10	Oth. Oropharynx	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C11	Nasopharynx	19	90.5	1	4.8	-	-	1	4.8	-	-	21	100.0
C12-13	Hypopharynx	27	90.0	-	-	2	6.7	1	3.3	-	-	30	100.0
C14	Pharynx Unspecified	7	70.0	-	-	1	10.0	-	-	2	20.0	10	100.0
C15	Oesophagus	64	81.0	3	3.8	2	2.5	7	8.9	3	3.8	79	100.0
C16	Stomach	100	74.6	-	-	4	3.0	9	6.7	21	15.7	134	100.0
C17	Small Intestine	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	8	88.9	-	-	-	-	-	-	1	11.1	9	100.0
C19-20	Rectum	9	75.0	-	-	2	16.7	1	8.3	-	-	12	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	12	66.7	2	11.1	1	5.6	2	11.1	1	5.6	18	100.0
C23-24	Gallbladder etc.	1	33.3	-	-	-	-	1	33.3	1	33.3	3	100.0
C25	Pancreas	1	14.3	1	14.3	3	42.9	2	28.6	-	-	7	100.0
C30-31	Nose, Sinuses etc.	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C32	Larynx	11	78.6	-	-	1	7.1	2	14.3	-	-	14	100.0
C33-34	Lung etc.	56	63.6	12	13.6	3	3.4	6	6.8	11	12.5	88	100.0
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	4	57.1	1	14.3	-	-	-	-	2	28.6	7	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	3	42.9	-	-	-	-	-	-	4	57.1	7	100.0
C50	Breast	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C60	Penis	1	50.0	-	-	-	-	-	-	1	50.0	2	100.0
C61	Prostate	1	10.0	-	-	5	50.0	3	30.0	1	10.0	10	100.0
C62	Testis	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	5	83.3	-	-	-	-	-	-	1	16.7	6	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C70-72	Brain, Nervous System	3	37.5	2	25.0	-	-	1	12.5	2	25.0	8	100.0
C73	Thyroid	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C92-94	Myeloid Leukaemia	13	92.9	-	-	-	-	1	7.1	-	-	14	100.0
C95	Leukaemia Uns	4	57.1	-	-	-	-	-	-	3	42.9	7	100.0
O&U	Other and Uns	18	25.4	1	1.4	1	1.4	1	1.4	50	70.4	71	100.0
	<b>All Sites</b>	<b>442</b>	<b>69.4</b>	<b>23</b>	<b>3.6</b>	<b>27</b>	<b>4.2</b>	<b>40</b>	<b>6.3</b>	<b>105</b>	<b>16.5</b>	<b>637</b>	<b>100.0</b>

**TABLE: AIZ-4(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2005-2006- Females****Aizawl District**

ICD-10	Site	Microscopic		X-Ray / imaging		Clinical		Others		D.C.O		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C03-06	Mouth	6	85.7	-	-	-	-	-	-	1	14.3	7	100.0
C07-8	Salivary Gland	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C09	Tonsil	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	5	83.3	-	-	1	16.7	-	-	-	-	6	100.0
C12-13	Hypopharynx	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C15	Oesophagus	7	87.5	-	-	-	-	-	-	1	12.5	8	100.0
C16	Stomach	46	73.0	2	3.2	2	3.2	7	11.1	6	9.5	63	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	6	66.7	-	-	-	-	1	11.1	2	22.2	9	100.0
C19-20	Rectum	13	92.9	-	-	-	-	1	7.1	-	-	14	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	8	72.7	-	-	1	9.1	-	-	2	18.2	11	100.0
C23-24	Gallbladder etc.	5	55.6	-	-	2	22.2	2	22.2	-	-	9	100.0
C25	Pancreas	-	-	4	40.0	2	20.0	3	30.0	1	10.0	10	100.0
C30-31	Nose, Sinuses etc.	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C32	Larynx	3	60.0	-	-	1	20.0	1	20.0	-	-	5	100.0
C33-34	Lung etc.	40	54.8	9	12.3	4	5.5	5	6.8	15	20.5	73	100.0
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	2	40.0	-	-	1	20.0	2	40.0	-	-	5	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C50	Breast	44	84.6	-	-	2	3.8	4	7.7	2	3.8	52	100.0
C51	Vulva	2	40.0	-	-	2	40.0	1	20.0	-	-	5	100.0
C52	Vagina	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C53	Cervix Uteri	61	82.4	-	-	4	5.4	5	6.8	4	5.4	74	100.0
C54	Corpus Uteri	2	66.7	-	-	-	-	1	33.3	-	-	3	100.0
C55	Uterus Unspecified	-	-	-	-	3	100.0	-	-	-	-	3	100.0
C56	Ovary etc.	8	88.9	-	-	-	-	1	11.1	-	-	9	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	2	100.0	2	100.0
C58	Placenta	1	50.0	-	-	1	50.0	-	-	-	-	2	100.0
C64	Kidney etc.	1	25.0	-	-	2	50.0	1	25.0	-	-	4	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	2	66.7	1	33.3	-	-	-	-	-	-	3	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	50.0	-	-	1	50.0	-	-	-	-	2	100.0
C70-72	Brain, Nervous System	1	20.0	3	60.0	-	-	-	-	1	20.0	5	100.0
C73	Thyroid	11	100.0	-	-	-	-	-	-	-	-	11	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	11	84.6	-	-	-	-	2	15.4	-	-	13	100.0
C90	Multiple Myeloma	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C91	Lymphoid Leuk.	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C92-94	Myeloid Leukaemia	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C95	Leukaemia Uns	1	33.3	-	-	-	-	-	-	2	66.7	3	100.0
O&U	Other and Uns	16	26.7	1	1.7	-	-	-	-	43	71.7	60	100.0
	<b>All Sites</b>	<b>325</b>	<b>65.8</b>	<b>20</b>	<b>4.0</b>	<b>29</b>	<b>5.9</b>	<b>37</b>	<b>7.5</b>	<b>83</b>	<b>16.8</b>	<b>494</b>	<b>100.0</b>



**TABLE: AIZ-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis, 2005-2006- Males : Aizawl District**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	18	94.7	-	-	-	-	-	-	-	-	1	5.3	19	100.0
C03-06	Mouth	10	71.4	-	-	2	14.3	-	-	-	-	2	14.3	14	100.0
C07-8	Salivary Gland	-	-	1	50.0	-	-	-	-	-	-	1	50.0	2	100.0
C09	Tonsil	9	90.0	-	-	1	10.0	-	-	-	-	-	-	10	100.0
C10	Oth. Oropharynx	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C11	Nasopharynx	17	81.0	-	-	2	9.5	-	-	-	-	2	9.5	21	100.0
C12-13	Hypopharynx	25	83.3	-	-	2	6.7	-	-	-	-	3	10.0	30	100.0
C14	Pharynx Unspecified	5	50.0	-	-	2	20.0	-	-	-	-	3	30.0	10	100.0
C15	Oesophagus	63	79.7	-	-	-	-	-	-	1	1.3	15	19.0	79	100.0
C16	Stomach	98	73.1	1	0.7	1	0.7	-	-	-	-	34	25.4	134	100.0
C17	Small Intestine	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	8	88.9	-	-	-	-	-	-	-	-	1	11.1	9	100.0
C19-20	Rectum	9	75.0	-	-	-	-	-	-	-	-	3	25.0	12	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	1	5.6	-	-	11	61.1	-	-	-	-	6	33.3	18	100.0
C23-24	Gallbladder etc.	-	-	-	-	1	33.3	-	-	-	-	2	66.7	3	100.0
C25	Pancreas	1	14.3	-	-	-	-	-	-	-	-	6	85.7	7	100.0
C30-31	Nose, Sinuses etc.	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C32	Larynx	10	71.4	-	-	1	7.1	-	-	-	-	3	21.4	14	100.0
C33-34	Lung etc.	25	28.4	-	-	31	35.2	-	-	-	-	32	36.4	88	100.0
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	2	28.6	-	-	2	28.6	-	-	-	-	3	42.9	7	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	14.3	-	-	2	28.6	-	-	-	-	4	57.1	7	100.0
C50	Breast	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C60	Penis	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C61	Prostate	1	10.0	-	-	-	-	-	-	-	-	9	90.0	10	100.0
C62	Testis	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	5	83.3	-	-	-	-	-	-	-	-	1	16.7	6	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C70-72	Brain, Nervous System	3	37.5	-	-	-	-	-	-	-	-	5	62.5	8	100.0
C73	Thyroid	2	50.0	-	-	2	50.0	-	-	-	-	-	-	4	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	11	91.7	-	-	1	8.3	-	-	-	-	-	-	12	100.0
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	2	66.7	1	33.3	-	-	3	100.0
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	7	50.0	6	42.9	1	7.1	14	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	4	57.1	-	-	3	42.9	7	100.0
O&U	Other and Uns	1	1.4	-	-	17	23.9	-	-	-	-	53	74.6	71	100.0
	<b>All Sites</b>	<b>340</b>	<b>53.4</b>	<b>2</b>	<b>0.3</b>	<b>79</b>	<b>12.4</b>	<b>13</b>	<b>2.0</b>	<b>8</b>	<b>1.3</b>	<b>195</b>	<b>30.6</b>	<b>637</b>	<b>100.0</b>

**TABLE: AIZ-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis, 2005-2006- Females : Aizawl District**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C03-06	Mouth	6	85.7	-	-	-	-	-	-	-	-	1	14.3	7	100.0
C07-8	Salivary Gland	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C09	Tonsil	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	5	83.3	-	-	-	-	-	-	-	-	1	16.7	6	100.0
C12-13	Hypopharynx	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
C15	Oesophagus	7	87.5	-	-	-	-	-	-	-	-	1	12.5	8	100.0
C16	Stomach	44	69.8	-	-	2	3.2	-	-	-	-	17	27.0	63	100.0
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	5	55.6	-	-	1	11.1	-	-	-	-	3	33.3	9	100.0
C19-20	Rectum	13	92.9	-	-	-	-	-	-	-	-	1	7.1	14	100.0
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	8	72.7	-	-	-	-	3	27.3	11	100.0
C23-24	Gallbladder etc.	3	33.3	-	-	2	22.2	-	-	-	-	4	44.4	9	100.0
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	10	100.0	10	100.0
C30-31	Nose, Sinuses etc.	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C32	Larynx	3	60.0	-	-	-	-	-	-	-	-	2	40.0	5	100.0
C33-34	Lung etc.	16	21.9	-	-	24	32.9	-	-	-	-	33	45.2	73	100.0
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	2	40.0	-	-	-	-	-	-	-	-	3	60.0	5	100.0
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C50	Breast	27	51.9	-	-	17	32.7	-	-	-	-	8	15.4	52	100.0
C51	Vulva	2	40.0	-	-	-	-	-	-	-	-	3	60.0	5	100.0
C52	Vagina	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C53	Cervix Uteri	60	81.1	-	-	1	1.4	-	-	-	-	13	17.6	74	100.0
C54	Corpus Uteri	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	3	100.0	3	100.0
C56	Ovary etc.	8	88.9	-	-	-	-	-	-	-	-	1	11.1	9	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	2	100.0	2	100.0
C58	Placenta	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C64	Kidney etc.	-	-	-	-	1	25.0	-	-	-	-	3	75.0	4	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	2	66.7	-	-	-	-	-	-	-	-	1	33.3	3	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C70-72	Brain, Nervous System	1	20.0	-	-	-	-	-	-	-	-	4	80.0	5	100.0
C73	Thyroid	6	54.5	-	-	5	45.5	-	-	-	-	-	-	11	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	9	69.2	-	-	2	15.4	-	-	-	-	2	15.4	13	100.0
C90	Multiple Myeloma	-	-	-	-	1	50.0	-	-	1	50.0	-	-	2	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	3	75.0	1	25.0	-	-	4	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	1	33.3	2	66.7	3	100.0
O&U	Other and Uns	3	5.0	1	1.7	12	20.0	-	-	-	-	44	73.3	60	100.0
	<b>All Sites</b>	<b>237</b>	<b>48.0</b>	<b>1</b>	<b>0.2</b>	<b>80</b>	<b>16.2</b>	<b>3</b>	<b>0.6</b>	<b>4</b>	<b>0.8</b>	<b>169</b>	<b>34.2</b>	<b>494</b>	<b>100.0</b>

**TABLE AIZ-6 (a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):  
2005-2006 – Males**

*% = Relative Proportion of Cancers of All Sites.*

**Aizawl District**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	-	-	-	1	-	1	2	2	1	-	-	-	-	7	2.04
C03-06	Mouth	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	4	1.17
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	4	1.17
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	3	0.87
C12-13	Hypopharynx	-	-	-	-	-	-	-	-	2	3	5	2	-	-	3	2	-	17	4.96
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	3	0.87
C15	Oesophagus	-	-	-	-	-	1	-	1	6	7	6	4	4	4	4	2	1	40	11.66
C16	Stomach	-	-	-	-	-	1	-	3	4	4	12	10	6	12	11	19	-	82	23.91
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	4	1.17
C19-20	Rectum	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	3	-	9	2.62
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	-	1	1	1	-	-	1	1	1	2	-	8	2.33
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	5	1.46
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	4	1.17
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	3	0.87
C33-34	Lung etc.	-	1	-	-	-	-	-	-	-	2	2	5	5	2	12	19	-	48	13.99
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	0.58
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.29
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	2	-	6	1.75
C50	Breast	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.29
C60	Penis	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.29
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	0.87
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.29
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.29
C70-72	Brain, Nervous System	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	3	0.87
C73	Thyroid	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	0.58
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.29
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	4	1.17
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	Myeloid Leukaemia	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	0.58
C95	Leukaemia Uns	-	-	-	-	1	1	1	-	1	-	-	-	1	-	1	1	-	7	2.04
O&U	Other and Uns	1	-	-	1	-	-	-	4	4	4	11	5	4	7	7	19	-	67	19.53
	<b>All Sites</b>	<b>1</b>	<b>1</b>	<b>-</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>13</b>	<b>23</b>	<b>25</b>	<b>45</b>	<b>36</b>	<b>29</b>	<b>31</b>	<b>49</b>	<b>77</b>	<b>1</b>	<b>343</b>	<b>100.00</b>

**TABLE AIZ-6 (b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):  
2005-2006 – Females**

%= Relative Proportion of Cancers of All Sites.

**Aizawl District**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C03-06	Mouth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	0.90
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	0.90
C12-13	Hypopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.45
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	0.90
C15	Oesophagus	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	4	1.80
C16	Stomach	-	-	-	-	-	-	1	-	-	1	4	6	4	3	2	7	-	28	12.61
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	1.35
C19-20	Rectum	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	4	1.80
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.45
C22	Liver	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	5	2.25
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	0.90
C25	Pancreas	-	-	-	-	-	-	-	-	-	1	1	-	-	3	-	2	-	7	3.15
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.45
C33-34	Lung etc.	-	-	-	-	-	-	1	-	-	4	5	5	6	8	8	10	-	47	21.17
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.45
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	0.90
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	4	1.80
C50	Breast	-	-	-	-	-	-	-	1	4	2	1	1	-	-	-	2	-	11	4.95
C51	Vulva	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	0.90
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	Cervix Uteri	-	-	-	-	-	1	3	7	2	2	5	-	2	-	-	1	-	23	10.36
C54	Corpus Uteri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	Ovary etc.	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	1	-	5	2.25
C57	Other Female Genital	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	0.90
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	3	1.35
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.45
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	0.90
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	0.90
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	2	0.90
C95	Leukaemia Uns	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	0.90
O&U	Other and Uns	-	-	-	-	-	-	-	1	1	9	4	8	5	5	6	12	-	51	22.97
	<b>All Sites</b>	<b>2</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>2</b>	<b>6</b>	<b>10</b>	<b>10</b>	<b>22</b>	<b>25</b>	<b>28</b>	<b>21</b>	<b>27</b>	<b>20</b>	<b>47</b>	<b>1</b>	<b>222</b>	<b>100.00</b>

**TABLE: AIZ-7(a):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2005-2006- Males**  
**Aizawl District**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	-	-	-	3.4	-	6.2	14.0	24.3	15.8	-	-	-	1.9	2.9	1.14	9.3
C03-06	-	-	-	-	-	-	3.4	-	4.4	6.2	-	-	15.8	-	-	-	1.1	1.5	0.81	4.1
C07-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	6.2	7.0	12.1	-	-	23.0	-	1.1	1.7	0.84	3.9
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	4.4	-	7.0	-	-	18.6	-	-	0.8	1.2	0.71	2.0
C12-13	-	-	-	-	-	-	-	-	8.9	18.5	35.0	24.3	-	-	69.1	47.8	4.5	6.7	1.65	14.1
C14	-	-	-	-	-	-	-	-	4.4	-	7.0	12.1	-	-	-	-	0.8	1.1	0.66	3.6
C15	-	-	-	-	-	2.7	-	3.4	26.6	43.3	42.0	48.6	63.2	74.4	92.2	47.8	10.7	16.2	2.70	35.4
C16	-	-	-	-	-	2.7	-	10.3	17.7	24.7	84.1	121.4	94.8	223.3	253.5	453.8	21.8	37.1	4.20	51.7
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	7.0	-	-	18.6	23.0	23.9	1.1	1.8	0.94	1.1
C19-20	-	-	-	-	-	-	-	-	-	-	7.0	24.3	47.4	-	-	71.7	2.4	4.7	1.57	10.4
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	-	3.4	4.4	6.2	-	-	15.8	18.6	23.0	47.8	2.1	3.5	1.28	4.8
C23-24	-	-	-	-	-	-	-	-	-	-	-	12.1	15.8	18.6	46.1	-	1.3	2.6	1.17	3.6
C25	-	-	-	-	-	-	-	-	-	-	7.0	-	15.8	-	23.0	23.9	1.1	1.9	0.98	3.2
C30-31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	3.4	4.4	-	-	-	-	-	-	23.9	0.8	1.0	0.58	1.5
C33-34	-	2.7	-	-	-	-	-	-	-	12.4	14.0	60.7	79.0	37.2	276.6	453.8	12.8	23.0	3.35	22.7
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	-	-	-	-	-	-	-	4.4	-	-	-	15.8	-	-	-	0.5	0.9	0.69	2.9
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	3.4	-	-	-	-	-	-	-	-	0.3	0.2	0.21	0.7
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	3.4	-	-	-	-	-	-	-	69.1	47.8	1.6	2.5	1.07	-
C50	-	-	-	-	-	-	-	-	-	-	-	12.1	-	-	-	-	0.3	0.5	0.49	1.6
C60	-	-	-	-	-	-	-	-	-	-	7.0	-	-	-	-	-	0.3	0.4	0.35	1.1
C61	-	-	-	-	-	-	-	-	-	-	-	-	-	18.6	-	47.8	0.8	1.5	0.88	-
C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23.9	0.3	0.5	0.48	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23.0	-	0.3	0.5	0.46	-
C70-72	-	-	-	-	2.2	-	-	-	-	-	-	12.1	-	-	23.0	-	0.8	1.1	0.69	1.6
C73	-	-	-	-	-	-	-	3.4	-	-	-	-	-	-	-	23.9	0.5	0.7	0.52	0.7
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	-	-	-	-	-	-	-	6.2	-	-	-	-	-	-	0.3	0.4	0.37	1.2
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	-	-	-	-	-	3.4	-	-	-	-	12.1	-	18.6	-	23.9	1.1	1.7	0.90	1.6
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	-	-	-	4.7	-	-	-	-	-	-	-	-	-	-	-	-	0.5	0.4	0.30	-
C95	-	-	-	-	2.2	2.7	3.4	-	4.4	-	-	-	15.8	-	23.0	23.9	1.9	2.4	1.01	2.9
O&U	3.0	-	-	2.3	-	-	-	13.8	17.7	24.7	77.1	60.7	63.2	130.3	161.3	453.8	17.8	29.0	3.64	39.3
All	3.0	2.7	-	7.0	4.4	8.1	13.6	44.7	102.0	154.6	315.3	437.1	458.1	577.0	1129.3	1839.0	91.4	149.4	8.30	224.7

**TABLE: AIZ-7(b):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2005-2006- Females**  
**Aizawl District**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C03-06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38.7	0.6	0.8	0.55	-
C07-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	8.0	-	-	-	-	19.3	0.6	0.8	0.56	1.3
C12-13	-	-	-	-	-	-	-	-	-	-	-	-	-	18.6	-	-	0.3	0.6	0.56	-
C14	-	-	-	-	-	-	-	-	-	-	-	-	15.4	18.6	-	-	0.6	1.2	0.83	2.0
C15	-	-	-	-	-	-	-	-	-	-	16.1	13.3	-	-	-	19.3	1.1	1.7	0.87	4.3
C16	-	-	-	-	-	-	3.9	-	-	6.8	32.2	79.9	61.6	55.8	48.3	135.3	7.8	13.3	2.56	24.8
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	-	-	-	15.4	-	-	38.7	0.8	1.4	0.82	2.0
C19-20	-	-	-	-	-	-	-	-	6.8	-	13.3	-	-	-	-	38.7	1.1	1.7	0.87	3.0
C21	-	-	-	-	-	-	-	-	-	-	13.3	-	-	-	-	-	0.3	0.5	0.53	1.7
C22	3.1	-	-	-	-	-	-	-	-	-	8.0	13.3	15.4	-	-	19.3	1.4	2.3	1.06	5.0
C23-24	-	-	-	-	-	-	-	-	-	-	-	13.3	-	18.6	-	-	0.6	1.1	0.77	1.7
C25	-	-	-	-	-	-	-	-	6.8	8.0	-	-	-	55.8	-	38.7	1.9	3.3	1.25	2.6
C30-31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	-	-	15.4	-	-	-	0.3	0.6	0.62	2.0
C33-34	-	-	-	-	-	-	3.9	-	-	27.4	40.2	66.6	92.4	148.9	193.3	193.3	13.1	22.4	3.33	32.3
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	-	-	-	-	-	-	-	-	-	-	-	-	18.6	-	-	0.3	0.6	0.56	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.2	19.3	0.6	0.9	0.62	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	4.8	-	-	-	-	-	37.2	-	19.3	1.1	1.8	0.92	0.9
C50	-	-	-	-	-	-	-	3.7	19.1	13.7	8.0	13.3	-	-	-	38.7	3.1	3.9	1.21	10.1
C51	-	-	-	-	-	-	-	-	-	-	-	26.6	-	-	-	-	0.6	1.1	0.75	3.4
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	-	-	-	-	-	2.9	11.6	26.0	9.6	13.7	40.2	-	30.8	-	-	19.3	6.4	7.5	1.67	20.0
C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	-	-	-	-	-	2.9	-	-	-	6.8	8.0	13.3	-	-	-	19.3	1.4	2.0	0.90	4.3
C57	-	-	-	-	-	-	-	-	4.8	-	-	-	-	18.6	-	-	0.6	0.8	0.63	0.9
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	-	-	-	-	-	-	-	6.8	-	-	-	-	-	24.2	-	0.8	0.9	0.63	1.3
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	18.6	-	-	0.3	0.6	0.56	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	-	-	-	-	-	-	4.8	-	-	-	-	-	24.2	-	0.6	0.8	0.56	0.9
C78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24.2	19.3	0.6	0.9	0.62	-
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	-	-	-	-	-	-	3.9	3.7	-	-	-	-	-	-	-	-	0.6	0.5	0.32	0.7
C95	3.1	-	-	-	2.2	-	-	-	-	-	-	-	-	-	-	-	0.6	0.6	0.41	-
O&U	-	-	-	-	-	-	-	3.7	4.8	61.6	32.2	106.5	77.0	93.1	145.0	232.0	14.2	23.5	3.35	42.4
All	6.2	-	-	-	2.2	5.8	23.2	37.1	47.8	150.6	200.9	372.7	323.5	502.6	483.3	908.7	61.7	97.7	6.76	167.8

**TABLE: AIZ-8(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of Individual Sites (ICD-10) Based Age Specific Rates (from 0-64 Years and from 0-74 Years) : 2005-2006 - Males  
Aizawl District**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-02	Tongue	0.63	0.63	0.63	0.63
C03-06	Mouth	0.51	0.51	0.74	0.74
C07-8	SalivaryGland	0.08	0.08	0.08	0.08
C09	Tonsil	0.40	0.40	0.40	0.40
C10	Oth. Oropharynx	0.13	0.13	0.22	0.22
C11	Nasopharynx	0.42	0.42	0.95	0.95
C12-13	Hypopharynx	0.90	0.89	1.22	1.21
C14	Pharynx Unspecified	0.22	0.22	0.32	0.32
C15	Oesophagus	2.63	2.60	3.35	3.29
C16	Stomach	3.43	3.37	6.81	6.58
C17	Small Intestine	0.09	0.09	0.09	0.09
C18	Colon	0.25	0.25	0.44	0.44
C19-20	Rectum	0.40	0.40	0.40	0.40
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.39	0.39	0.70	0.69
C23-24	Gallbladder etc.	0.06	0.06	0.25	0.25
C25	Pancreas	0.02	0.02	0.55	0.55
C30-31	Nose, Sinuses etc.	0.02	0.02	0.02	0.02
C32	Larynx	0.34	0.34	0.55	0.55
C33-34	Lung etc.	2.35	2.32	5.03	4.91
C37-38	Other Thoracic Organs	-	-	-	-
C40-41	Bone	0.16	0.16	0.16	0.16
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	0.08	0.08	0.29	0.29
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.07	0.07	0.30	0.30
C50	Breast	-	-	0.09	0.09
C60	Penis	0.11	0.11	0.11	0.11
C61	Prostate	0.06	0.06	0.38	0.38
C62	Testis	0.04	0.04	0.04	0.04
C63	Other Male Genital	-	-	-	-
C64	Kidneyetc.	0.02	0.02	0.02	0.02
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.03	0.03	0.13	0.13
C68	Uns. Urinary Organs	-	-	-	-
C69	Eye	0.06	0.06	0.06	0.06
C70-72	Brain, Nervous System	0.06	0.06	0.38	0.38
C73	Thyroid	0.11	0.11	0.32	0.32
C74	Adrenal Gland	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-
C78	Sec Resp & Digestive	-	-	-	-
C79	Sec Others	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-85, C96	NHL	0.29	0.29	0.59	0.59
C90	Multiple Myeloma	-	-	-	-
C91	Lymphoid Leuk.	0.11	0.11	0.11	0.11
C92-94	Myeloid Leukaemia	0.26	0.26	0.38	0.37
C95	Leukaemia Uns	0.13	0.13	0.25	0.25
O&U	Other and Uns	1.45	1.44	3.21	3.16
	<b>All Sites</b>	<b>16.32</b>	<b>15.06</b>	<b>29.56</b>	<b>25.59</b>

**TABLE: AIZ-8(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of Individual Sites (ICD-10) Based Age Specific Rates (from 0-64 Years and from 0-74 Years) : 2005-2006 - Females  
Aizawl District**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	-	-	-	-
C01-02	Tongue	0.02	0.02	0.11	0.11
C03-06	Mouth	0.18	0.18	0.36	0.36
C07-8	SalivaryGland	0.02	0.02	0.12	0.12
C09	Tonsil	0.02	0.02	0.02	0.02
C10	Oth. Oropharynx	0.07	0.07	0.07	0.07
C11	Nasopharynx	0.18	0.18	0.36	0.36
C12-13	Hypopharynx	0.02	0.02	0.11	0.11
C14	Pharynx Unspecified	0.08	0.08	0.08	0.08
C15	Oesophagus	0.21	0.20	0.21	0.20
C16	Stomach	1.60	1.59	3.77	3.70
C17	Small Intestine	-	-	-	-
C18	Colon	0.25	0.25	0.25	0.25
C19-20	Rectum	0.45	0.45	1.09	1.08
C21	Anus & Anal Canal	-	-	-	-
C22	Liver	0.35	0.35	0.65	0.65
C23-24	Gallbladder etc.	0.22	0.22	0.52	0.52
C25	Pancreas	0.22	0.22	0.40	0.40
C30-31	Nose, Sinuses etc.	0.01	0.01	0.11	0.11
C32	Larynx	0.10	0.10	0.19	0.19
C33-34	Lung etc.	1.81	1.79	4.49	4.39
C37-38	Other Thoracic Organs	-	-	-	-
C40-41	Bone	0.07	0.07	0.25	0.25
C43	Melanoma of Skin	-	-	-	-
C44	Other Skin	-	-	0.09	0.09
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47 + C49	Conn. & Soft Tissue	0.08	0.08	0.08	0.08
C50	Breast	1.75	1.73	1.93	1.91
C51	Vulva	0.24	0.24	0.36	0.36
C52	Vagina	0.02	0.02	0.02	0.02
C53	Cervix Uteri	2.06	2.04	2.70	2.67
C54	Corpus Uteri	0.12	0.12	0.12	0.12
C55	Uterus Unspecified	0.09	0.09	0.09	0.09
C56	Ovary etc.	0.21	0.21	0.21	0.21
C57	Other Female Genital	0.02	0.02	0.12	0.12
C58	Placenta	0.03	0.03	0.03	0.03
C64	Kidneyetc.	0.13	0.13	0.13	0.13
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.12	0.12	0.12	0.12
C68	Uns.UrinaryOrgans	-	-	-	-
C69	Eye	0.08	0.08	0.08	0.08
C70-72	Brain,Nervous System	0.10	0.10	0.34	0.34
C73	Thyroid	0.11	0.11	0.35	0.35
C74	Adrenal Gland	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-
C78	Sec Resp& Digestive	-	-	-	-
C79	Sec Others	-	-	-	-
C81	Hodgkins Disease	-	-	-	-
C82-85,C96	NHL	0.35	0.35	0.59	0.59
C90	Multiple Myeloma	0.08	0.08	0.08	0.08
C91	Lymphoid Leuk.	0.01	0.01	0.01	0.01
C92-94	Myeloid Leukaemia	0.13	0.13	0.13	0.13
C95	Leukaemia Uns	0.04	0.04	0.04	0.04
O&U	Other and Uns	1.69	1.67	3.12	3.07
	<b>All Sites</b>	<b>13.31</b>	<b>12.46</b>	<b>23.92</b>	<b>21.28</b>