

POPULATION BASED CANCER REGISTRY, DIBRUGARH DISTRICT

Assam Medical College Hospital, Dibrugarh

Dr. U.C. Sharmah, Director of Medical Education, Assam

Dr. T. R. Borborah, Principal cum Chief Supdt, AMCH, P.I., HBCR,
Dibrugarh, Chief Project Coordinator, ICMR Projects at AMCH

Dr. M.S. Ali, Principal Investigator

The Population Based Cancer Registry (PBCR), covering the Dibrugarh district is one of the six North East demographic cancer registries established in 2003 under the NCRP (ICMR). PBCR, Dibrugarh has completed 5 years of its successful operation in December, 2007. In this edition of consolidated report published by the Coordinating Unit of NCRP (Bangalore), incidence and distribution of cancers for the years 2005 and 2006 have been presented.

The Registry area: Dibrugarh district

The district of Dibrugarh is one of the larger districts of the state of Assam. It is situated on the south bank of the mighty river Brahmaputra in the eastern part of Assam covering an area of 3381 sq km and having a population of 11,85,072 as per 2001 census report. There are 7 towns of which 2 are census towns and 1348 villages in the district. More than 80% of the populations of the district are rural. The district has 152 tea gardens having work force accounting 16.6 % of the total population.

Sources of Registration:

Assam Medical College Hospital (AMCH), Dibrugarh where PBCR is based, is a large 1400 bedded tertiary general Govt. hospital equipped with adequate facilities for diagnosis and treatment of cancer and accounts for nearly 40% of the resident incident cancer cases of the district. In addition to this, there are 30 private and public sector hospitals and nursing homes, 20 Govt. PHCs, CHCs & SHCs and 25 pathology laboratories and Imaging centres in the district. Peripheral Govt. health centres do not have diagnostic facilities and usually refer the cancer cases to AMCH.

Only 8 out of 25 pathology laboratories have histology, cytology and haematology facilities. AMCH being only a general hospital, quite a few cancer patients prefer to go to advanced cancer centres outside Dibrugarh and Assam.

The broad sources of registration for PBCR, Dibrugarh can be classified as follows:

1. AMCH, the base hospital
2. Other hospitals/ Nursing homes in PBCR area
3. Pathological laboratories/ Imaging centres.
4. Cancer centres outside Dibrugarh/ Assam.
5. Birth and Death registration centres.

Names and Designations of persons involved in PBCR, Dibrugarh.

1. Dr. U.C. Sharmah, Director of Medical Education, Assam.
2. Dr. T.R. Borborah, Principal cum Chief Supdt. AMCH PI, HBCR, Dibrugarh, Chief Project Coordinator, ICMR Projects at AMCH, Dibrugarh.
3. Joint Director of Health Services, Dibrugarh.
4. Deputy Director, Dept. of Economics and Statistics, Dibrugarh.
5. Director, Tata Referral Hospital & Research Centre, Chabua.
6. Dr. Udayan Bora, Director, OIL Hospital, Duliajan.
7. Dr. K.K. Das, Supdt. ENT, OIL Hospital, Duliajan.
8. Dr. A. Hazarika, consultant pathologist, TRH & RD, Chabua.
9. Dr. S.C Jain, Supdt. Aditya Diagnostic and Hospital.
10. Dr. P.K. Barua, Supdt, Sankardev Hospital & Research Centre.
11. Dr. R. K. Borkotoky, Supdt, Supdt, Sanjivani Diagnostic & Hospital.
12. Dr. D. Maheswari, Medical Supdt. Marwari Arogya Bhawan Hospital.
13. Dr. V.K. Bajaj, Managing Director, Sristhi Hospital.
14. Dr. T. Chetia, Supdt, Astha Hospital.
15. Dr. (Sr) Antonia, Medical Supdt, Vee Gee. Hospital.
16. Managing Director, Brahmaputra Diagnostic and Hospital.
17. Director, G.M. Hospital.
18. Dr. M.K. Barua, Proprietor, Madonna Laboratory.
19. Dr. B.C.Gogoi, Proprietor, Bhaskar Laboratory.
20. Dr. (Mrs) A. Dutta, Proprietor, Life Line Laboratory.

The Death Registration Centres are:

1. MRD, AMCH
2. Municipality Board, Dibrugarh
3. Tengakhat PHC
4. Lahoal PHC
5. Khowang PHC
6. Kacharipathar PHC
7. Barbaruah PHC
8. Naharani PHC
9. Rohmorla PHC
10. Rajgarh CHC

11. Kajikhowa PHC

12. Moran CHC

Method of Data Collection:

Registration of incident cancer cases is done by active method in that the Social Investigators (SI) personally visit the potential sources and collect the core information either by interviewing the patients/ attendants or from the case records of the patients.

An HBCR has been in operation at AMCH since 1982. The S.I.s of HBCR routinely collect the permanent and local addresses of all cancer patients. After the commencement of PBCR, the social investigators of HBCR have been specially instructed to routinely collect the residential addresses and duration of stay of all cancer patients irrespective of the district they hail from. This has helped increase the coverage of Cancer Atlas Project. The resident incident cases recorded in HBCR are checked for duplication with the cases collected from other sources and the unmatched resident cases are then re-abstracted in PBCR core proforma.

For other hospitals, nursing homes and diagnostic laboratories a weekly roster have been prepared indicating the day to day postings of S.I.s and the frequency of visits to these centres are determined by the strength of cancer patients attendance in the respective centres. All these centres have been provided with modified version of the core-proforma. Medical Officers/Supdts/Proprietors of these centres have been individually visited and requested to ensure that the residential addresses and duration of stay are recorded in the patient's case file. As the cancer data are collected from different sources, one and the same patient may sometimes be registered at two or more sources. Care has been taken not to have multiple entries of the same patient. However, in many instances, complete information's are obtained by comparing data from two or more sources of one and the same patient.

After collecting the core information of incident cancer cases from all the collaborating and outstation sources, the cases are finally re-checked from the diagnostic point of view. Suspected cases are deleted from subsequent analysis. The proved cancer cases are further checked for the residential status and duration of stay. For cancer patients with uncertain residential status and duration of stay, electoral rolls are checked and, if found enrolled, are considered as residents.

Mortality data in Dibrugarh District

Dibrugarh district has 7 urban towns and 1348 villages. The Medical Officer of Dibrugarh Municipality Board is the Registrar of Birth and Death Registration for Dibrugarh district. Death certificates from all the health care centres of Dibrugarh town are sent to Municipality Board. AMCH maintains separate mortality register. There are ten more Birth and death Registration centres located at different State Govt. PHCs and CHCs each having a specified geographical boundary. Death reports of those areas are to be submitted to the respective centres.

Death records from the peripheral centres are sent to the Registrar on monthly basis. Cremation/Burial grounds do maintain death records but without the cause of death in most of the cases. Moreover death certificate is not being insisted upon for all deaths at the time of disposal of the body. Institutional deaths are invariably reported to the respective death registration centres. Except the Medical College, which

uses form 4 for death reporting, all other deaths that occurred at the place of residence or at any health institution are to be reported in form 4A and Form 2 duly certified by the Medical officer.

Death registers are not being maintained in the death registration centres. The death certificates along with the death reports from the informants of the deceased are packed in a bundle from where the investigators have to search out the death certificates where the cause of death is mentioned as ‘Tumor’ or ‘Cancer’. The information available in the death certificates are then abstracted on the standardized mortality proforma. The mortality data are checked for matching with the morbidity of cancer cases registered in PBCR as well as in HBCR using index cards and also by using computer programs. Those which do not match with any of the existing cases in our database are taken as “Death Certificate Only”. DCOs fulfilling the residential criterion are registered in the morbidity database of PBCR and the matched cases are updated with the death information.

Coverage and completeness:

Care has been taken to ensure that all possible and potential sources of registration of cancer cases have been identified and search made of all cancer cases diagnosed during the year under reference. Date of diagnosis and residential status of each patient have been strictly scrutinized so that the cases diagnosed in previous years and non-resident cases are not included in the registry. PBCR, Dibrugarh has been able to improve upon its coverage, completeness and reliability over the years.

Registry Staff (PBCR)

Sri Chakrapani Hazarika, M.Sc.	:	Statistician
Sri S.K. Bhuyan, MIT	:	Computer Programmer.
Sri Saronga Baruah, M.A.	:	Social Investigator
Mrs. Rashmi Mahanta, M.Sc.	:	Social Investigator
Sri C. Chetia, M.Sc.	:	Social Investigator
Ms. D. Dekabaruah, M.C.A.	:	Computer Operator.

Figure DIB-1
Population Pyramid showing Age Distribution: 2005-2006
Dibrugarh District




TABLE: DIB - 1**Population by Five Year Age Group and Gender: 2005-2006***Number and Relative Proportion (%)***Dibrugarh District**

Age Group	MALES		FEMALES		TOTAL	
	Number	%	Number	%	Number	%
0-4	111421	8.59	105619	8.62	217040	8.61
5-9	150085	11.57	143067	11.68	293152	11.62
10-14	156689	12.08	148778	12.14	305467	12.11
15-19	125073	9.64	123288	10.06	248361	9.85
20-24	118953	9.17	119402	9.75	238355	9.45
25-29	110290	8.50	117949	9.63	228239	9.05
30-34	100035	7.71	102621	8.38	202656	8.04
35-39	109698	8.46	99452	8.12	209150	8.29
40-44	81490	6.28	66795	5.45	148286	5.88
45-49	68949	5.32	57231	4.67	126180	5.00
50-54	51498	3.97	39603	3.23	91100	3.61
55-59	35697	2.75	29436	2.40	65133	2.58
60-64	28887	2.23	28305	2.31	57192	2.27
65-69	18648	1.44	19184	1.57	37833	1.50
70-74	14694	1.13	12464	1.02	27158	1.08
75+	14746	1.14	11880	0.97	26626	1.06
Total	1296852	100.00	1225072	100.00	2521925	100.00

TABLE : DIB- 2
Main Sources of Registration of Incident Cases of Cancer : 2005-2006
Dibrugarh District

Name of the Institution (Source Code)	Number	%
AMCH, Dibrugarh (1)	604	36.78
Aditya Diagnostic Laboratory (34)	157	9.56
Madona Laboratory (35)	115	7.00
Death Certificate only (DCO) (99)	98	5.97
Sankardev Hospital & Research Centre (19)	79	4.81
Bhaskar Laboratory (37)	77	4.69
Tata Referral Hospital & Research Centre, Chabua, Dibrugarh (11)	68	4.14
OIL Hospital, Duliajan (22)	59	3.59
BBCI, Guwahati (25)	53	3.23
Aditya Diagnostic & Hospital, Bordoloi Road, Dibrugarh (12)	44	2.68
Municipality Board, Dibrugarh (41)	38	2.31
Marwari Arogya Bhawan Hospital, Jyoti Nagar, Dibrugarh (3)	33	2.01
Brahmaputra Diagnostic & Hospital (21)	21	1.28
Tengakhata PHC (43)	14	0.85
Life Line Laboratory (36)	13	0.79
Astha Hospital, Tinkunia, Dibrugarh (18)	12	0.73
V.G.Hospital, Convoy Road, Dibrugarh (5)	12	0.73
Khawang PHC (45)	9	0.55
Shrishti Hospital & Research Centre (P) Ltd., Paltan Bazar, Dibrugarh (15)	8	0.49
Dr.Damani's Nursing Home, Circuit House Road, Dibrugarh (2)	6	0.37
Lahoal PHC (42)	6	0.37
Naharani CHC (46)	6	0.37
Sanjivani Diagnostic & Hospital (20)	6	0.37
Urovision (39)	6	0.37
G.M.Hospital, AMC Road, Dibrugarh (4)	5	0.30
Moran Medical Centre, A.T. Road, Moranhat, Dibrugarh (9)	5	0.30
J.J.M.Hospital, Circuit House Road, Dibrugarh (7)	4	0.24
TMH, Mumbai (28)	4	0.24
others (999)	80	4.87
Total	1642	100.00

The numbers and proportion listed are the minimum number of cases. Institutions could have registered / reported more cases, since duplicate registrations and non-resident/registry cases are not included.

**TABLE DIB-3 (a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2005-2006 – Males**

% = Relative Proportion of Cancers of All Sites.

Dibrugarh District

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	1	-	3	-	1	-	-	2	2	-	9	0.95
C01-02	Tongue	-	-	-	-	-	1	1	1	4	8	6	2	5	3	4	2	-	37	3.92
C03-06	Mouth	-	-	-	-	-	3	3	2	1	13	7	10	9	5	7	6	-	66	6.99
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	3	-	-	1	1	-	-	5	0.53
C09	Tonsil	-	-	-	-	-	-	-	1	1	1	1	1	2	1	3	1	-	12	1.27
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	2	2	1	1	1	-	-	-	8	0.85
C11	Nasopharynx	-	-	-	1	-	1	-	-	2	-	1	-	-	-	-	-	-	5	0.53
C12-13	Hypopharynx	-	-	-	-	-	2	1	5	8	18	17	13	8	23	14	7	-	116	12.29
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	2	2	2	3	2	2	2	-	15	1.59
C15	Oesophagus	-	-	-	-	-	-	-	7	13	26	22	20	28	20	19	14	-	169	17.90
C16	Stomach	-	-	-	-	1	1	3	1	2	8	13	8	6	11	5	6	-	65	6.89
C17	Small Intestine	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.11
C18	Colon	-	-	-	-	-	1	1	1	2	4	2	3	3	3	1	2	-	23	2.44
C19-20	Rectum	-	-	-	1	2	-	2	1	1	6	1	2	2	1	2	1	-	22	2.33
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	3	0.32
C22	Liver	-	-	-	-	-	-	-	3	2	5	4	8	5	1	3	2	-	33	3.50
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	3	-	2	5	4	3	2	2	1	-	22	2.33
C25	Pancreas	-	-	-	-	-	-	-	-	1	1	3	2	2	-	-	-	-	9	0.95
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.11
C32	Larynx	-	-	-	-	-	-	1	1	4	2	7	8	4	2	3	9	-	41	4.34
C33-34	Lung etc.	-	-	-	-	-	-	2	2	-	5	6	7	8	7	10	5	-	52	5.51
C37-38	Other Thoracic Organs	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	4	0.42
C40-41	Bone	-	-	1	2	-	1	-	-	-	-	1	-	-	-	-	1	-	6	0.64
C43	Melanoma of Skin	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	0.21
C44	Other Skin	-	-	-	-	-	-	-	-	1	2	2	-	1	2	-	-	-	8	0.85
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	1	-	-	-	-	1	-	-	2	-	1	-	-	5	0.53
C50	Breast	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2	0.21
C60	Penis	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	5	0.53
C61	Prostate	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	7	-	12	1.27
C62	Testis	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	3	0.32
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.11
C64	Kidney etc.	1	1	-	-	-	-	1	-	-	2	1	1	2	-	-	1	-	10	1.06
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	1	-	-	1	2	1	-	1	3	3	6	-	18	1.91
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	0.21
C70-72	Brain, Nervous System	-	-	-	-	-	1	2	2	-	2	-	3	1	1	-	1	-	13	1.38
C73	Thyroid	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	3	0.32
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	1	-	2	1	4	3	10	5	9	8	8	8	6	-	65	6.89
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	4	0.42
C79	Sec Others	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	0.21
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	-	-	-	-	1	1	1	4	2	3	1	1	-	-	-	-	14	1.48
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.11
C91	Lymphoid Leuk.	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	0.42
C92-94	Myeloid Leukaemia	-	2	2	1	-	2	5	2	5	1	1	-	2	-	1	1	-	25	2.65
C95	Leukaemia Uns	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	3	0.32
O&U	Other and Uns	-	-	-	-	-	1	-	1	-	1	4	4	3	2	2	-	-	18	1.91
	All Sites	3	5	4	8	5	20	26	42	58	134	124	115	118	104	95	83	-	944	100.00

**TABLE DIB-3 (b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):
2005-2006 – Females**

%= Relative Proportion of Cancers of All Sites.

Dibrugarh District

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	4	0.57
C01-02	Tongue	-	-	-	-	-	1	-	-	-	-	1	-	-	3	1	-	-	6	0.86
C03-06	Mouth	-	-	-	-	-	2	2	2	4	3	2	2	2	4	1	1	-	25	3.58
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	4	0.57
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	3	0.43
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.14
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.14
C12-13	Hypopharynx	-	-	-	-	-	-	2	1	7	7	4	2	1	-	5	1	-	30	4.30
C14	Pharynx Unspecified	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	0.29
C15	Oesophagus	-	-	-	-	-	1	-	5	5	8	23	14	12	13	11	5	-	97	13.90
C16	Stomach	-	-	-	-	-	1	6	7	6	3	5	4	4	3	-	2	-	41	5.87
C17	Small Intestine	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	0.29
C18	Colon	-	-	-	-	-	1	2	1	1	2	1	-	-	5	3	1	-	17	2.44
C19-20	Rectum	-	-	-	-	-	2	1	-	1	-	1	-	5	-	1	-	-	11	1.58
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.14
C22	Liver	-	-	-	-	-	-	2	-	1	3	1	3	2	3	2	1	-	18	2.58
C23-24	Gallbladder etc.	-	-	-	-	1	1	1	-	5	12	5	7	7	8	6	1	-	54	7.74
C25	Pancreas	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	5	0.72
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	2	0.29
C32	Larynx	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	3	0.43
C33-34	Lung etc.	-	-	-	-	-	-	1	-	1	7	1	1	1	-	-	3	-	15	2.15
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	0.14
C40-41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	5	0.72
C43	Melanoma of Skin	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.14
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	0.29
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	1	-	1	1	1	2	-	-	-	4	-	1	-	1	-	-	12	1.72
C50	Breast	-	-	-	-	-	1	5	15	12	21	15	11	4	9	1	2	-	96	13.75
C51	Vulva	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	3	0.43
C52	Vagina	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	3	0.43
C53	Cervix Uteri	-	-	-	-	-	2	-	4	11	8	6	7	4	4	-	-	-	46	6.59
C54	Corpus Uteri	-	-	-	-	-	1	1	3	5	1	1	2	1	-	-	1	-	16	2.29
C55	Uterus Unspecified	-	-	-	-	-	-	2	-	-	3	3	-	1	1	-	-	-	10	1.43
C56	Ovary etc.	-	-	5	1	5	4	6	8	6	7	11	2	3	2	1	-	-	61	8.74
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.14
C64	Kidney etc.	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4	0.57
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.14
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	1	-	5	-	2	2	-	-	-	-	1	-	11	1.58
C73	Thyroid	-	-	-	-	-	-	-	1	-	2	-	1	-	-	1	-	-	5	0.72
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.14
C77	Sec Lymph Nodes	-	-	-	-	1	-	1	-	-	5	3	5	2	1	1	1	-	20	2.87
C78	Sec Resp & Digestive	-	-	-	-	-	-	1	-	-	3	-	-	-	1	-	-	-	5	0.72
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	3	0.43
C81	Hodgkins Disease	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.14
C82-85,C96	NHL	-	-	-	-	2	-	-	-	2	-	1	1	3	-	1	-	-	10	1.43
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	2	2	3	-	-	1	-	8	1.15
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	Myeloid Leukaemia	2	-	1	1	-	-	-	1	2	5	2	-	-	2	-	-	-	16	2.29
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.14
O&U	Other and Uns	-	-	-	-	-	1	1	-	2	3	2	-	1	2	1	-	-	13	1.86
	All Sites	5	1	6	4	11	22	36	57	76	112	100	71	63	70	40	24	-	698	100.00

TABLE: DIB-4(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and
Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2005-2006 - Males
Dibrugarh District

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	0.9	-	4.4	-	2.8	-	-	13.6	13.6	0.7	1.0	0.33	1.4
C01-02	-	-	-	-	-	0.9	1.0	0.9	4.9	11.6	11.7	5.6	17.3	16.1	27.2	13.6	2.9	4.0	0.68	8.2
C03-06	-	-	-	-	-	2.7	3.0	1.8	1.2	18.9	13.6	28.0	31.2	26.8	47.6	40.7	5.1	7.3	0.93	14.1
C07-8	-	-	-	-	-	-	-	-	-	-	5.8	-	-	5.4	6.8	-	0.4	0.6	0.27	0.9
C09	-	-	-	-	-	-	-	0.9	1.2	1.5	1.9	2.8	6.9	5.4	20.4	6.8	0.9	1.4	0.42	2.3
C10	-	-	-	-	-	-	-	-	1.2	2.9	3.9	2.8	3.5	5.4	-	-	0.6	0.9	0.31	2.2
C11	-	-	-	0.8	-	0.9	-	-	2.5	-	1.9	-	-	-	-	-	0.4	0.4	0.18	0.8
C12-13	-	-	-	-	-	1.8	1.0	4.6	9.8	26.1	33.0	36.4	27.7	123.3	95.3	47.5	8.9	13.4	1.29	21.4
C14	-	-	-	-	-	-	-	-	-	2.9	3.9	5.6	10.4	10.7	13.6	13.6	1.2	1.9	0.49	3.3
C15	-	-	-	-	-	-	-	6.4	16.0	37.7	42.7	56.0	96.9	107.3	129.3	94.9	13.0	19.6	1.55	38.2
C16	-	-	-	-	0.8	0.9	3.0	0.9	2.5	11.6	25.2	22.4	20.8	59.0	34.0	40.7	5.0	7.5	0.96	12.5
C17	-	-	-	-	-	-	-	-	-	1.5	-	-	-	-	-	-	0.1	0.1	0.09	0.3
C18	-	-	-	-	-	0.9	1.0	0.9	2.5	5.8	3.9	8.4	10.4	16.1	6.8	13.6	1.8	2.5	0.55	4.8
C19-20	-	-	-	0.8	1.7	-	2.0	0.9	1.2	8.7	1.9	5.6	6.9	5.4	13.6	6.8	1.7	2.1	0.48	4.0
C21	-	-	-	-	-	-	-	-	-	-	-	2.8	6.9	-	-	-	0.2	0.4	0.23	1.3
C22	-	-	-	-	-	-	-	2.7	2.5	7.3	7.8	22.4	17.3	5.4	20.4	13.6	2.5	3.6	0.64	8.8
C23-24	-	-	-	-	-	-	-	2.7	-	2.9	9.7	11.2	10.4	10.7	13.6	6.8	1.7	2.4	0.53	5.4
C25	-	-	-	-	-	-	-	-	1.2	1.5	5.8	5.6	6.9	-	-	-	0.7	1.0	0.32	3.1
C30-31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.8	-	0.1	0.1	0.14	-
C32	-	-	-	-	-	-	1.0	0.9	4.9	2.9	13.6	22.4	13.8	10.7	20.4	61.0	3.2	4.7	0.75	8.6
C33-34	-	-	-	-	-	-	2.0	1.8	-	7.3	11.7	19.6	27.7	37.5	68.1	33.9	4.0	6.3	0.90	9.7
C37-38	-	-	-	-	-	-	1.0	0.9	-	-	-	-	6.9	-	-	-	0.3	0.4	0.21	1.1
C40-41	-	-	0.6	1.6	-	0.9	-	-	-	-	1.9	-	-	-	-	6.8	0.5	0.5	0.22	0.3
C43	-	-	-	-	-	0.9	-	-	-	-	-	-	3.5	-	-	-	0.2	0.2	0.16	0.4
C44	-	-	-	-	-	-	-	-	1.2	2.9	3.9	-	3.5	10.7	-	-	0.6	0.9	0.33	1.9
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	0.8	-	-	-	-	1.5	-	-	6.9	-	6.8	-	0.4	0.6	0.26	1.2
C50	-	-	-	-	0.8	-	-	0.9	-	-	-	-	-	-	-	-	0.2	0.1	0.09	0.2
C60	-	-	-	-	-	0.9	-	-	-	-	1.9	2.8	3.5	5.4	-	-	0.4	0.6	0.27	1.1
C61	-	-	-	-	-	-	-	-	-	1.5	-	2.8	3.5	5.4	6.8	47.5	0.9	1.6	0.46	1.1
C62	-	-	-	-	-	-	-	-	1.2	-	1.9	2.8	-	-	-	-	0.2	0.3	0.17	0.9
C63	-	-	-	-	-	-	-	-	-	-	-	-	3.5	-	-	-	0.1	0.1	0.14	0.4
C64	0.9	0.7	-	-	-	-	1.0	-	-	2.9	1.9	2.8	6.9	-	-	6.8	0.8	1.0	0.34	2.1
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	0.9	-	-	1.2	2.9	1.9	-	3.5	16.1	20.4	40.7	1.4	2.3	0.55	1.6
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	0.9	-	-	-	-	-	-	-	-	-	1.9	-	-	-	-	-	0.2	0.2	0.15	0.3
C70-72	-	-	-	-	-	0.9	2.0	1.8	-	2.9	-	8.4	3.5	5.4	-	6.8	1.0	1.2	0.37	2.4
C73	-	-	-	-	-	-	1.0	0.9	-	1.5	-	-	-	-	-	-	0.2	0.2	0.12	0.5
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	-	0.8	-	1.8	1.0	3.6	3.7	14.5	9.7	25.2	27.7	42.9	54.4	40.7	5.0	7.4	0.95	12.6
C78	-	-	-	-	-	-	-	-	1.2	1.5	-	-	-	10.7	-	-	0.3	0.5	0.25	0.5
C79	-	-	-	-	-	-	-	-	-	1.5	1.9	-	-	-	-	-	0.2	0.2	0.13	0.6
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	-	-	-	-	0.9	1.0	0.9	4.9	2.9	5.8	2.8	3.5	-	-	-	1.1	1.2	0.33	3.4
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	5.4	-	-	0.1	0.2	0.16	-
C91	0.9	0.7	0.6	0.8	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.16	-
C92-94	-	1.3	1.3	0.8	-	1.8	5.0	1.8	6.1	1.5	1.9	-	6.9	-	6.8	6.8	1.9	2.0	0.42	3.0
C95	-	0.7	-	0.8	-	-	-	-	-	-	-	2.8	-	-	-	-	0.2	0.3	0.15	0.4
O&U	-	-	-	-	-	0.9	-	0.9	-	1.5	7.8	11.2	10.4	10.7	13.6	-	1.4	2.1	0.50	4.5
All	2.7	3.3	2.6	6.4	4.2	18.1	26.0	38.3	71.2	194.3	240.8	322.2	408.5	557.7	646.5	562.9	72.8	105.2	3.55	191.9

TABLE: DIB-4(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and
Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2005-2006 - Females
Dibrugarh District

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	1.0	-	1.7	-	-	3.5	-	-	8.4	0.3	0.5	0.25	1.0
C01-02	-	-	-	-	-	0.8	-	-	-	-	2.5	-	-	15.6	8.0	-	0.5	0.8	0.35	0.4
C03-06	-	-	-	-	-	1.7	1.9	2.0	6.0	5.2	5.1	6.8	7.1	20.9	8.0	8.4	2.0	2.8	0.59	5.2
C07-8	-	-	-	-	-	-	-	-	1.5	-	-	3.4	-	10.4	-	-	0.3	0.5	0.27	0.7
C09	-	-	-	-	-	-	-	-	-	1.7	-	-	-	10.4	-	-	0.2	0.4	0.24	0.3
C10	-	-	-	-	-	-	-	-	1.5	-	-	-	-	-	-	-	0.1	0.1	0.09	0.3
C11	-	-	-	-	-	-	-	-	-	-	-	-	3.5	-	-	-	0.1	0.1	0.14	0.5
C12-13	-	-	-	-	-	-	1.9	1.0	10.5	12.2	10.1	6.8	3.5	-	40.1	8.4	2.4	3.4	0.65	7.6
C14	-	-	-	-	-	-	-	1.0	1.5	-	-	-	-	-	-	-	0.2	0.2	0.11	0.5
C15	-	-	-	-	-	0.8	-	5.0	7.5	14.0	58.1	47.6	42.4	67.8	88.3	42.1	7.9	12.8	1.33	26.1
C16	-	-	-	-	-	0.8	5.8	7.0	9.0	5.2	12.6	13.6	14.1	15.6	-	16.8	3.3	4.2	0.70	9.7
C17	-	-	-	-	-	-	-	-	-	3.5	-	-	-	-	-	-	0.2	0.2	0.15	0.7
C18	-	-	-	-	-	0.8	1.9	1.0	1.5	3.5	2.5	-	-	26.1	24.1	8.4	1.4	2.1	0.54	1.6
C19-20	-	-	-	-	-	1.7	1.0	-	1.5	-	2.5	-	17.7	-	8.0	-	0.9	1.3	0.40	3.0
C21	-	-	-	-	-	-	-	-	-	1.7	-	-	-	-	-	-	0.1	0.1	0.10	0.3
C22	-	-	-	-	-	-	1.9	-	1.5	5.2	2.5	10.2	7.1	15.6	16.0	8.4	1.5	2.3	0.56	3.9
C23-24	-	-	-	-	0.8	0.8	1.0	-	7.5	21.0	12.6	23.8	24.7	41.7	48.1	8.4	4.4	6.9	0.95	13.8
C25	-	-	-	-	-	-	-	-	-	1.7	2.5	6.8	3.5	-	-	-	0.4	0.6	0.29	2.1
C30-31	-	-	-	-	-	-	-	-	-	1.7	-	3.4	-	-	-	-	0.2	0.2	0.17	0.8
C32	-	-	-	-	-	-	-	-	-	-	2.5	-	-	5.2	8.0	-	0.2	0.4	0.26	0.4
C33-34	-	-	-	-	-	-	1.0	-	1.5	12.2	2.5	3.4	3.5	-	-	25.3	1.2	1.8	0.48	4.0
C37-38	-	-	-	-	-	-	-	-	1.5	-	-	-	-	-	-	-	0.1	0.1	0.09	0.3
C40-41	-	-	-	-	-	-	-	-	-	-	-	-	7.1	-	16.0	8.4	0.4	0.8	0.35	0.9
C43	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.07	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	10.4	-	-	0.2	0.3	0.22	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	0.7	-	0.8	0.8	0.8	1.9	-	-	-	10.1	-	3.5	-	8.0	-	1.0	1.2	0.37	2.1
C50	-	-	-	-	-	0.8	4.9	15.1	18.0	36.7	37.9	37.4	14.1	46.9	8.0	16.8	7.8	10.4	1.11	26.3
C51	-	-	-	-	0.8	-	-	-	-	-	2.5	-	-	5.2	-	-	0.2	0.3	0.21	0.4
C52	-	-	-	-	-	-	-	1.0	-	-	-	3.4	-	-	-	8.4	0.2	0.4	0.22	0.6
C53	-	-	-	-	-	1.7	-	4.0	16.5	14.0	15.2	23.8	14.1	20.9	-	-	3.8	5.1	0.78	14.0
C54	-	-	-	-	-	0.8	1.0	3.0	7.5	1.7	2.5	6.8	3.5	-	-	8.4	1.3	1.6	0.41	4.1
C55	-	-	-	-	-	-	1.9	-	-	5.2	7.6	-	3.5	5.2	-	-	0.8	1.1	0.36	2.7
C56	-	-	3.4	0.8	4.2	3.4	5.8	8.0	9.0	12.2	27.8	6.8	10.6	10.4	8.0	-	5.0	5.6	0.77	12.4
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.07	-
C64	2.8	-	-	-	-	-	-	-	1.5	-	-	-	-	-	-	-	0.3	0.4	0.22	0.3
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	1.0	-	-	-	-	-	-	-	-	0.1	0.1	0.06	0.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	-	-	-	-	0.8	-	5.0	-	3.5	5.1	-	-	-	-	8.4	0.9	1.0	0.32	2.5
C73	-	-	-	-	-	-	-	1.0	-	3.5	-	3.4	-	-	8.0	-	0.4	0.6	0.26	1.3
C74	-	-	-	-	-	-	-	-	-	-	-	3.4	-	-	-	-	0.1	0.1	0.14	0.4
C77	-	-	-	-	0.8	-	1.0	-	-	8.7	7.6	17.0	7.1	5.2	8.0	8.4	1.6	2.5	0.57	6.0
C78	-	-	-	-	-	-	1.0	-	-	5.2	-	-	-	5.2	-	-	0.4	0.5	0.25	1.0
C79	-	-	-	-	-	-	-	-	-	-	-	3.4	3.5	5.2	-	-	0.2	0.4	0.25	0.9
C81	-	-	-	0.8	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.07	-
C82-85,C96	-	-	-	-	1.7	-	-	-	3.0	-	2.5	3.4	10.6	-	8.0	-	0.8	1.2	0.38	2.8
C90	-	-	-	-	-	-	-	-	-	-	5.1	6.8	10.6	-	-	8.4	0.7	1.1	0.40	3.1
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	1.9	-	0.7	0.8	-	-	-	1.0	3.0	8.7	5.1	-	-	10.4	-	-	1.3	1.7	0.44	3.3
C95	-	-	-	-	-	-	-	-	-	-	2.5	-	-	-	-	-	0.1	0.1	0.13	0.4
O&U	-	-	-	-	-	0.8	1.0	-	3.0	5.2	5.1	-	3.5	10.4	8.0	-	1.1	1.5	0.43	2.9
All	4.7	0.7	4.0	3.2	9.2	18.7	35.1	57.3	113.8	195.7	252.5	241.2	222.6	364.9	321.0	202.0	57.0	80.2	3.16	171.6

**TABLE: DIB-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2005-2006 - Males
Dibrugarh District**

ICD-10	Site	Microscopic		X-Ray / imaging		Clinical		Others		D.C.O		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	9	100.0	-	-	-	-	-	-	-	-	9	100.0
C01-02	Tongue	35	94.6	-	-	-	-	-	-	2	5.4	37	100.0
C03-06	Mouth	59	89.4	-	-	-	-	1	1.5	6	9.1	66	100.0
C07-8	Salivary Gland	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C09	Tonsil	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C10	Oth. Oropharynx	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C11	Nasopharynx	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C12-13	Hypopharynx	113	97.4	-	-	-	-	1	0.9	2	1.7	116	100.0
C14	Pharynx Unspecified	14	93.3	-	-	-	-	-	-	1	6.7	15	100.0
C15	Oesophagus	141	83.4	2	1.2	-	-	1	0.6	25	14.8	169	100.0
C16	Stomach	50	76.9	1	1.5	-	-	3	4.6	11	16.9	65	100.0
C17	Small Intestine	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C18	Colon	19	82.6	-	-	-	-	1	4.3	3	13.0	23	100.0
C19-20	Rectum	21	95.5	-	-	-	-	-	-	1	4.5	22	100.0
C21	Anus & Anal Canal	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C22	Liver	18	54.5	-	-	-	-	-	-	15	45.5	33	100.0
C23-24	Gallbladder etc.	18	81.8	-	-	-	-	3	13.6	1	4.5	22	100.0
C25	Pancreas	5	55.6	-	-	-	-	1	11.1	3	33.3	9	100.0
C30-31	Nose, Sinuses etc.	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C32	Larynx	35	85.4	-	-	-	-	1	2.4	5	12.2	41	100.0
C33-34	Lung etc.	38	73.1	4	7.7	-	-	-	-	10	19.2	52	100.0
C37-38	Other Thoracic Organs	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C40-41	Bone	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C43	Melanoma of Skin	1	50.0	-	-	-	-	-	-	1	50.0	2	100.0
C44	Other Skin	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C50	Breast	1	50.0	-	-	-	-	-	-	1	50.0	2	100.0
C60	Penis	4	80.0	-	-	-	-	-	-	1	20.0	5	100.0
C61	Prostate	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C62	Testis	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C63	Other Male Genital	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	6	60.0	-	-	-	-	2	20.0	2	20.0	10	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	16	88.9	-	-	-	-	-	-	2	11.1	18	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	50.0	-	-	-	-	1	50.0	-	-	2	100.0
C70-72	Brain, Nervous System	6	46.2	5	38.5	-	-	1	7.7	1	7.7	13	100.0
C73	Thyroid	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	50	76.9	-	-	-	-	-	-	15	23.1	65	100.0
C78	Sec Resp & Digestive	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C79	Sec Others	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	14	100.0	-	-	-	-	-	-	-	-	14	100.0
C90	Multiple Myeloma	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C91	Lymphoid Leuk.	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C92-94	Myeloid Leukaemia	21	84.0	-	-	-	-	-	-	4	16.0	25	100.0
C95	Leukaemia Uns	1	33.3	-	-	-	-	-	-	2	66.7	3	100.0
O&U	Other and Uns	15	83.3	-	-	-	-	-	-	3	16.7	18	100.0
	All Sites	799	84.6	12	1.3	-	-	16	1.7	117	12.4	944	100.0

**TABLE: DIB-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2005-2006 - Females
Dibrugarh District**

ICD-10	Site	Microscopic		X-Ray / imaging		Clinical		Others		D.C.O		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C01-02	Tongue	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C03-06	Mouth	25	100.0	-	-	-	-	-	-	-	-	25	100.0
C07-8	Salivary Gland	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C09	Tonsil	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C12-13	Hypopharynx	27	90.0	-	-	1	3.3	1	3.3	1	3.3	30	100.0
C14	Pharynx Unspecified	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C15	Oesophagus	87	89.7	1	1.0	-	-	-	-	9	9.3	97	100.0
C16	Stomach	35	85.4	1	2.4	-	-	1	2.4	4	9.8	41	100.0
C17	Small Intestine	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C18	Colon	16	94.1	-	-	-	-	-	-	1	5.9	17	100.0
C19-20	Rectum	10	90.9	-	-	-	-	-	-	1	9.1	11	100.0
C21	Anus & Anal Canal	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C22	Liver	6	33.3	-	-	-	-	2	11.1	10	55.6	18	100.0
C23-24	Gallbladder etc.	42	77.8	2	3.7	-	-	3	5.6	7	13.0	54	100.0
C25	Pancreas	3	60.0	-	-	-	-	2	40.0	-	-	5	100.0
C30-31	Nose, Sinuses etc.	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C32	Larynx	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C33-34	Lung etc.	6	40.0	1	6.7	-	-	-	-	8	53.3	15	100.0
C37-38	Other Thoracic Organs	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C40-41	Bone	3	60.0	-	-	-	-	-	-	2	40.0	5	100.0
C43	Melanoma of Skin	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C44	Other Skin	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	12	100.0	-	-	-	-	-	-	-	-	12	100.0
C50	Breast	90	93.8	-	-	1	1.0	-	-	5	5.2	96	100.0
C51	Vulva	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C52	Vagina	2	66.7	-	-	-	-	-	-	1	33.3	3	100.0
C53	Cervix Uteri	44	95.7	-	-	-	-	1	2.2	1	2.2	46	100.0
C54	Corpus Uteri	12	75.0	-	-	-	-	3	18.8	1	6.3	16	100.0
C55	Uterus Unspecified	9	90.0	-	-	-	-	1	10.0	-	-	10	100.0
C56	Ovary etc.	51	83.6	1	1.6	2	3.3	5	8.2	2	3.3	61	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	7	63.6	3	27.3	-	-	-	-	1	9.1	11	100.0
C73	Thyroid	5	100.0	-	-	-	-	-	-	-	-	5	100.0
C74	Adrenal Gland	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C77	Sec Lymph Nodes	17	85.0	-	-	-	-	-	-	3	15.0	20	100.0
C78	Sec Resp & Digestive	3	60.0	-	-	-	-	1	20.0	1	20.0	5	100.0
C79	Sec Others	2	66.7	-	-	-	-	1	33.3	-	-	3	100.0
C81	Hodgkins Disease	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C82-85,C96	NHL	10	100.0	-	-	-	-	-	-	-	-	10	100.0
C90	Multiple Myeloma	8	100.0	-	-	-	-	-	-	-	-	8	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	Myeloid Leukaemia	14	87.5	-	-	-	-	-	-	2	12.5	16	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	1	100.0	1	100.0
O&U	Other and Uns	11	84.6	-	-	-	-	-	-	2	15.4	13	100.0
	All Sites	601	86.1	9	1.3	4	0.6	21	3.0	63	9.0	698	100.0

TABLE: DIB-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis, 2005-2006 - Males : Dibrugarh District

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	9	100.0	-	-	-	-	-	-	-	-	-	-	9	100.0
C01-02	Tongue	21	56.8	3	8.1	11	29.7	-	-	-	-	2	5.4	37	100.0
C03-06	Mouth	53	80.3	1	1.5	5	7.6	-	-	-	-	7	10.6	66	100.0
C07-8	Salivary Gland	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C09	Tonsil	7	58.3	3	25.0	2	16.7	-	-	-	-	-	-	12	100.0
C10	Oth. Oropharynx	7	87.5	1	12.5	-	-	-	-	-	-	-	-	8	100.0
C11	Nasopharynx	3	60.0	1	20.0	1	20.0	-	-	-	-	-	-	5	100.0
C12-13	Hypopharynx	96	82.8	6	5.2	11	9.5	-	-	-	-	3	2.6	116	100.0
C14	Pharynx Unspecified	13	86.7	-	-	1	6.7	-	-	-	-	1	6.7	15	100.0
C15	Oesophagus	139	82.2	1	0.6	1	0.6	-	-	-	-	28	16.6	169	100.0
C16	Stomach	49	75.4	1	1.5	-	-	-	-	-	-	15	23.1	65	100.0
C17	Small Intestine	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C18	Colon	19	82.6	-	-	-	-	-	-	-	-	4	17.4	23	100.0
C19-20	Rectum	21	95.5	-	-	-	-	-	-	-	-	1	4.5	22	100.0
C21	Anus & Anal Canal	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C22	Liver	9	27.3	-	-	9	27.3	-	-	-	-	15	45.5	33	100.0
C23-24	Gallbladder etc.	17	77.3	-	-	-	-	-	-	1	4.5	4	18.2	22	100.0
C25	Pancreas	5	55.6	-	-	-	-	-	-	-	-	4	44.4	9	100.0
C30-31	Nose, Sinuses etc.	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C32	Larynx	31	75.6	1	2.4	3	7.3	-	-	-	-	6	14.6	41	100.0
C33-34	Lung etc.	9	17.3	2	3.8	27	51.9	-	-	-	-	14	26.9	52	100.0
C37-38	Other Thoracic Organs	1	25.0	1	25.0	2	50.0	-	-	-	-	-	-	4	100.0
C40-41	Bone	3	50.0	1	16.7	2	33.3	-	-	-	-	-	-	6	100.0
C43	Melanoma of Skin	-	-	-	-	1	50.0	-	-	-	-	1	50.0	2	100.0
C44	Other Skin	8	100.0	-	-	-	-	-	-	-	-	-	-	8	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	5	100.0	-	-	-	-	-	-	-	-	-	-	5	100.0
C50	Breast	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C60	Penis	3	60.0	1	20.0	-	-	-	-	-	-	1	20.0	5	100.0
C61	Prostate	11	91.7	-	-	1	8.3	-	-	-	-	-	-	12	100.0
C62	Testis	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C63	Other Male Genital	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	5	50.0	-	-	1	10.0	-	-	-	-	4	40.0	10	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	14	77.8	-	-	2	11.1	-	-	-	-	2	11.1	18	100.0
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C70-72	Brain, Nervous System	4	30.8	-	-	2	15.4	-	-	-	-	7	53.8	13	100.0
C73	Thyroid	1	33.3	-	-	2	66.7	-	-	-	-	-	-	3	100.0
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	1	1.5	20	30.8	29	44.6	-	-	-	-	15	23.1	65	100.0
C78	Sec Resp & Digestive	-	-	1	25.0	3	75.0	-	-	-	-	-	-	4	100.0
C79	Sec Others	-	-	-	-	2	100.0	-	-	-	-	-	-	2	100.0
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	8	57.1	-	-	6	42.9	-	-	-	-	-	-	14	100.0
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	1	100.0	-	-	1	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	4	100.0	-	-	4	100.0
C92-94	Myeloid Leukaemia	1	4.0	-	-	-	-	-	-	20	80.0	4	16.0	25	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	1	33.3	2	66.7	3	100.0
O&U	Other and Uns	15	83.3	-	-	-	-	-	-	-	-	3	16.7	18	100.0
	All Sites	603	63.9	44	4.7	125	13.2	-	-	27	2.9	145	15.4	944	100.0

TABLE: DIB-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis, 2005-2006 - Females : Dibrugarh District

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	75.0	-	-	1	25.0	-	-	-	-	-	-	4	100.0
C01-02	Tongue	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C03-06	Mouth	18	72.0	-	-	7	28.0	-	-	-	-	-	-	25	100.0
C07-8	Salivary Gland	3	75.0	-	-	1	25.0	-	-	-	-	-	-	4	100.0
C09	Tonsil	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C10	Oth. Oropharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C11	Nasopharynx	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C12-13	Hypopharynx	26	86.7	1	3.3	-	-	-	-	-	-	3	10.0	30	100.0
C14	Pharynx Unspecified	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C15	Oesophagus	87	89.7	-	-	-	-	-	-	-	-	10	10.3	97	100.0
C16	Stomach	33	80.5	1	2.4	1	2.4	-	-	-	-	6	14.6	41	100.0
C17	Small Intestine	1	50.0	-	-	1	50.0	-	-	-	-	-	-	2	100.0
C18	Colon	16	94.1	-	-	-	-	-	-	-	-	1	5.9	17	100.0
C19-20	Rectum	10	90.9	-	-	-	-	-	-	-	-	1	9.1	11	100.0
C21	Anus & Anal Canal	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C22	Liver	3	16.7	-	-	3	16.7	-	-	-	-	12	66.7	18	100.0
C23-24	Gallbladder etc.	36	66.7	1	1.9	5	9.3	-	-	-	-	12	22.2	54	100.0
C25	Pancreas	3	60.0	-	-	-	-	-	-	-	-	2	40.0	5	100.0
C30-31	Nose, Sinuses etc.	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C32	Larynx	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C33-34	Lung etc.	-	-	-	-	6	40.0	-	-	-	-	9	60.0	15	100.0
C37-38	Other Thoracic Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C40-41	Bone	3	60.0	-	-	-	-	-	-	-	-	2	40.0	5	100.0
C43	Melanoma of Skin	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C44	Other Skin	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	9	75.0	1	8.3	2	16.7	-	-	-	-	-	-	12	100.0
C50	Breast	52	54.2	1	1.0	37	38.5	-	-	-	-	6	6.3	96	100.0
C51	Vulva	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C52	Vagina	1	33.3	-	-	1	33.3	-	-	-	-	1	33.3	3	100.0
C53	Cervix Uteri	41	89.1	-	-	3	6.5	-	-	-	-	2	4.3	46	100.0
C54	Corpus Uteri	12	75.0	-	-	-	-	-	-	-	-	4	25.0	16	100.0
C55	Uterus Unspecified	9	90.0	-	-	-	-	-	-	-	-	1	10.0	10	100.0
C56	Ovary etc.	48	78.7	-	-	3	4.9	-	-	-	-	10	16.4	61	100.0
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C64	Kidney etc.	2	50.0	-	-	2	50.0	-	-	-	-	-	-	4	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	6	54.5	-	-	1	9.1	-	-	-	-	4	36.4	11	100.0
C73	Thyroid	3	60.0	-	-	2	40.0	-	-	-	-	-	-	5	100.0
C74	Adrenal Gland	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C77	Sec Lymph Nodes	1	5.0	3	15.0	13	65.0	-	-	-	-	3	15.0	20	100.0
C78	Sec Resp & Digestive	-	-	1	20.0	2	40.0	-	-	-	-	2	40.0	5	100.0
C79	Sec Others	1	33.3	1	33.3	-	-	-	-	-	-	1	33.3	3	100.0
C81	Hodgkins Disease	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C82-85,C96	NHL	4	40.0	-	-	6	60.0	-	-	-	-	-	-	10	100.0
C90	Multiple Myeloma	1	12.5	-	-	-	-	-	-	7	87.5	-	-	8	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	Myeloid Leukaemia	1	6.3	1	6.3	-	-	-	-	12	75.0	2	12.5	16	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	1	100.0	1	100.0
O&U	Other and Uns	8	61.5	1	7.7	2	15.4	-	-	-	-	2	15.4	13	100.0
	All Sites	471	67.5	12	1.7	99	14.2	-	-	19	2.7	97	13.9	698	100.0

**TABLE DIB-7 (a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2005-2006 – Males**

%= Relative Proportion of Cancers of All Sites.

Dibrugarh District

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	-	-	-	-	2	2	-	-	-	1	2	2	-	9	3.07
C03-06	Mouth	-	-	-	-	-	-	1	-	1	1	-	1	1	1	1	1	-	8	2.73
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.34
C09	Tonsil	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.34
C11	Nasopharynx	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	2	0.68
C12-13	Hypopharynx	-	-	-	-	-	-	-	1	-	2	1	2	-	5	1	1	-	13	4.44
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	0.68
C15	Oesophagus	-	-	-	1	-	-	-	1	7	11	10	10	6	6	7	9	-	68	23.21
C16	Stomach	-	-	-	-	-	1	-	2	-	4	1	4	2	6	2	1	-	23	7.85
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	-	-	2	-	2	2	-	1	-	-	7	2.39
C19-20	Rectum	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	0.68
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	1	-	-	2	1	4	4	6	9	1	1	2	-	31	10.58
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	4	1.37
C25	Pancreas	-	-	-	-	-	-	-	-	-	2	1	2	4	-	-	-	-	9	3.07
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	2	2	-	2	1	-	-	-	-	-	7	2.39
C33-34	Lung etc.	-	-	-	1	-	1	3	1	-	-	5	2	2	4	6	4	-	29	9.90
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.34
C43	Melanoma of Skin	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	0.34
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	Breast	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.34
C60	Penis	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	0.68
C61	Prostate	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.34
C62	Testis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	3	1.02
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	2	-	5	1.71
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	4	1.37
C73	Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.34
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	1	-	3	1	5	1	2	2	4	5	5	-	29	9.90
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.34
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	NHL	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	4	1.37
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	Myeloid Leukaemia	-	-	-	1	-	-	1	1	2	2	-	-	1	-	1	1	-	10	3.41
C95	Leukaemia Uns	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1.02
O&U	Other and Uns	-	-	-	-	-	-	1	-	-	3	1	4	1	1	-	-	-	11	3.75
	All Sites	-	1	1	4	3	6	7	15	18	42	30	41	33	34	30	28	-	293	100.00

**TABLE DIB-7 (b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):
2005-2006 – Females**

%= Relative Proportion of Cancers of All Sites.

Dibrugarh District

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	Tongue	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	0.69
C03-06	Mouth	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	3	2.07
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	0.69
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-13	Hypopharynx	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	1.38
C14	Pharynx Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	Oesophagus	-	-	-	-	-	-	-	1	-	2	2	2	2	2	5	2	-	18	12.41
C16	Stomach	-	-	-	-	-	-	-	1	-	-	1	-	3	1	-	1	-	7	4.83
C17	Small Intestine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	Colon	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	3	2.07
C19-20	Rectum	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	3	2.07
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	Liver	-	-	-	-	-	-	2	-	1	2	1	1	-	1	-	1	-	9	6.21
C23-24	Gallbladder etc.	-	-	-	-	1	-	-	-	1	3	2	3	6	2	2	1	-	21	14.48
C25	Pancreas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-31	Nose, Sinuses etc.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	Larynx	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	3	2.07
C33-34	Lung etc.	-	-	-	-	-	-	-	-	4	4	1	2	2	1	2	2	-	18	12.41
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	Bone	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1.38
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.69
C50	Breast	-	-	-	-	-	-	-	2	3	1	2	2	-	2	-	1	-	13	8.97
C51	Vulva	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.69
C52	Vagina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.69
C53	Cervix Uteri	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	1.38
C54	Corpus Uteri	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	1.38
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1.38
C56	Ovary etc.	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	4	2.76
C57	Other Female Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.69
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	2	1.38
C73	Thyroid	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	2	1.38
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	1	-	1	-	-	-	-	3	1	1	-	-	1	1	-	9	6.21
C78	Sec Resp & Digestive	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	1.38
C79	Sec Others	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	Hodgkins Disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85, C96	NHL	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	0.69
C90	Multiple Myeloma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	Lymphoid Leuk.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	Myeloid Leukaemia	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	4	2.76
C95	Leukaemia Uns	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	0.69
O&U	Other and Uns	-	-	-	-	1	1	1	-	-	1	-	-	1	-	1	-	-	6	4.14
	All Sites	1	-	2	1	4	3	6	8	11	24	13	13	18	13	16	12	-	145	100.00

TABLE: DIB-8(a):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2005-2006 - Males
Dibrugarh District

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	-	-	-	-	2.5	2.9	-	-	-	5.4	13.6	13.6	0.7	1.0	0.35	1.0
C03-06	-	-	-	-	-	-	1.0	-	1.2	1.5	-	2.8	3.5	5.4	6.8	6.8	0.6	0.9	0.33	1.3
C07-8	-	-	-	-	-	-	-	-	-	-	1.9	-	-	-	-	-	0.1	0.1	0.10	0.3
C09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C10	-	-	-	-	-	-	-	-	-	-	-	-	3.5	-	-	-	0.1	0.1	0.14	0.4
C11	-	-	-	-	-	0.9	-	-	1.2	-	-	-	-	-	-	-	0.2	0.1	0.10	0.2
C12-13	-	-	-	-	-	-	-	0.9	-	2.9	1.9	5.6	-	26.8	6.8	6.8	1.0	1.6	0.47	1.8
C14	-	-	-	-	-	-	-	-	-	1.5	-	-	-	5.4	-	-	0.2	0.2	0.18	0.3
C15	-	-	-	0.8	-	-	-	0.9	8.6	16.0	19.4	28.0	20.8	32.2	47.6	61.0	5.2	7.7	0.96	14.4
C16	-	-	-	-	-	0.9	-	1.8	-	5.8	1.9	11.2	6.9	32.2	13.6	6.8	1.8	2.7	0.59	4.1
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	-	-	2.9	-	5.6	6.9	-	6.8	-	0.5	0.8	0.31	2.2
C19-20	-	-	-	-	-	-	1.0	-	-	-	-	-	-	5.4	-	-	0.2	0.2	0.17	-
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	0.8	-	-	1.8	1.2	5.8	7.8	16.8	31.2	5.4	6.8	13.6	2.4	3.5	0.64	9.2
C23-24	-	-	-	-	-	-	-	-	-	-	1.9	2.8	-	5.4	6.8	-	0.3	0.5	0.26	0.7
C25	-	-	-	-	-	-	-	-	-	2.9	1.9	5.6	13.8	-	-	-	0.7	1.0	0.36	3.4
C30-31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	1.8	2.5	-	3.9	2.8	-	-	-	-	0.5	0.6	0.22	1.8
C33-34	-	-	-	0.8	-	0.9	3.0	0.9	-	-	9.7	5.6	6.9	21.5	40.8	27.1	2.2	3.4	0.65	3.4
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	-	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.06	-
C43	-	-	-	-	-	0.9	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.07	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C50	-	-	-	-	-	-	-	0.9	-	-	-	-	-	-	-	-	0.1	0.1	0.05	0.2
C60	-	-	-	-	-	-	-	-	-	-	-	-	6.9	-	-	-	0.2	0.3	0.20	0.9
C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6.8	-	0.1	0.1	0.14	-
C62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	-	-	-	-	-	-	-	1.5	1.9	2.8	-	-	-	-	-	0.2	0.3	0.17	1.0
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	0.9	-	-	-	-	-	2.8	-	-	6.8	13.6	0.4	0.6	0.27	0.4
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	-	-	-	0.8	-	-	0.9	-	-	-	2.8	-	5.4	-	-	0.3	0.4	0.21	0.5
C73	-	-	-	-	-	-	-	-	-	-	-	-	-	5.4	-	-	0.1	0.2	0.16	-
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	-	-	-	0.9	-	2.7	1.2	7.3	1.9	5.6	6.9	21.5	34.0	33.9	2.2	3.3	0.65	4.1
C78	-	-	-	-	-	-	-	-	-	1.5	-	-	-	-	-	-	0.1	0.1	0.09	0.3
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	-	-	-	0.8	-	-	-	1.2	1.5	1.9	-	-	-	-	-	0.3	0.3	0.16	0.8
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	-	-	-	0.8	-	-	1.0	0.9	2.5	2.9	-	-	3.5	-	6.8	6.8	0.8	0.9	0.31	1.7
C95	-	0.7	-	0.8	-	-	-	-	-	-	-	2.8	-	-	-	-	0.2	0.3	0.15	0.4
O&U	-	-	-	-	-	-	1.0	-	-	4.4	1.9	11.2	3.5	5.4	-	-	0.8	1.2	0.36	3.0
All	-	0.7	0.6	3.2	2.5	5.4	7.0	13.7	22.1	60.9	58.3	114.9	114.2	182.3	204.2	189.9	22.6	32.7	1.98	57.7

TABLE: DIB-8(b):
Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and
Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2005-2006 - Females
Dibrugarh District

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C01-02	-	-	-	-	-	-	1.0	-	-	-	-	-	-	-	-	-	0.1	0.1	0.06	-
C03-06	-	-	-	-	-	0.8	-	-	-	-	-	3.4	-	-	-	8.4	0.2	0.4	0.23	0.4
C07-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C09	-	-	-	-	-	-	-	-	-	1.7	-	-	-	-	-	-	0.1	0.1	0.10	0.3
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C12-13	-	-	-	-	-	-	-	-	1.5	1.7	-	-	-	-	-	-	0.2	0.2	0.14	0.6
C14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C15	-	-	-	-	-	-	-	1.0	-	3.5	5.1	6.8	7.1	10.4	40.1	16.8	1.5	2.5	0.61	3.5
C16	-	-	-	-	-	-	-	1.0	-	-	2.5	-	10.6	5.2	-	8.4	0.6	0.9	0.36	2.0
C17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C18	-	-	-	-	-	-	-	1.0	-	1.7	-	-	-	-	8.0	-	0.2	0.3	0.20	0.5
C19-20	-	-	-	-	-	-	-	-	-	-	-	-	7.1	-	8.0	-	0.2	0.4	0.26	0.9
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C22	-	-	-	-	-	-	1.9	-	1.5	3.5	2.5	3.4	-	5.2	-	8.4	0.7	1.0	0.35	1.8
C23-24	-	-	-	-	0.8	-	-	-	1.5	5.2	5.1	10.2	21.2	10.4	16.0	8.4	1.7	2.8	0.62	6.2
C25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C30-31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C32	-	-	-	-	-	-	-	-	-	-	-	3.4	3.5	-	8.0	-	0.2	0.4	0.25	0.9
C33-34	-	-	-	-	-	-	-	-	6.0	7.0	2.5	6.8	7.1	5.2	16.0	16.8	1.5	2.3	0.55	4.7
C37-38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C40-41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.0	8.4	0.2	0.3	0.23	-
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	-	-	-	-	-	-	-	-	5.2	-	-	0.1	0.2	0.16	-
C50	-	-	-	-	-	-	-	2.0	4.5	1.7	5.1	6.8	-	10.4	-	8.4	1.1	1.5	0.43	3.3
C51	-	-	-	-	0.8	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.07	-
C52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.4	0.1	0.2	0.17	-
C53	-	-	-	-	-	-	-	-	-	1.7	2.5	-	-	-	-	-	0.2	0.2	0.16	0.7
C54	-	-	-	-	-	-	-	-	1.5	1.7	-	-	-	-	-	-	0.2	0.2	0.14	0.6
C55	-	-	-	-	-	-	-	-	-	-	-	-	-	10.4	-	-	0.2	0.3	0.22	-
C56	-	-	-	-	-	-	1.0	1.0	-	3.5	-	-	-	-	-	-	0.3	0.3	0.17	0.9
C57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	0.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1	0.1	0.11	-
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	-	-	-	-	0.8	-	1.0	-	-	-	-	-	-	-	-	0.2	0.1	0.09	0.2
C73	-	-	-	-	-	-	-	1.0	-	-	-	-	-	-	8.0	-	0.2	0.2	0.17	0.2
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	0.7	-	0.8	-	-	-	-	5.2	2.5	3.4	-	-	8.0	8.4	0.7	1.0	0.36	1.9
C78	-	-	-	-	-	-	1.0	-	-	-	-	-	-	5.2	-	-	0.2	0.2	0.17	-
C79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C82-85,C96	-	-	-	-	-	-	-	-	-	-	-	-	3.5	-	-	-	0.1	0.1	0.14	0.5
C90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C92-94	-	-	0.7	0.8	-	-	-	-	-	1.7	2.5	-	-	-	-	-	0.3	0.4	0.19	0.7
C95	-	-	-	-	-	-	-	-	-	-	2.5	-	-	-	-	-	0.1	0.1	0.13	0.4
O&U	-	-	-	-	0.8	0.8	1.0	-	-	1.7	-	-	3.5	-	8.0	-	0.5	0.6	0.26	0.8
All	0.9	-	1.3	0.8	3.4	2.5	5.8	8.0	16.5	41.9	32.8	44.2	63.6	67.8	128.4	101.0	11.8	17.7	1.53	32.1

**TABLE: DIB-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of Individual Sites (ICD-10) Based Age Specific Rates (from 0-64 Years and from 0-74 Years) : 2005-2006 - Males
Dibrugarh District**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.04	0.04	0.11	0.11
C01-02	Tongue	0.27	0.27	0.49	0.48
C03-06	Mouth	0.50	0.50	0.87	0.87
C07-8	SalivaryGland	0.03	0.03	0.09	0.09
C09	Tonsil	0.08	0.08	0.21	0.20
C10	Oth. Oropharynx	0.07	0.07	0.10	0.10
C11	Nasopharynx	0.03	0.03	0.03	0.03
C12-13	Hypopharynx	0.70	0.70	1.80	1.78
C14	Pharynx Unspecified	0.11	0.11	0.24	0.24
C15	Oesophagus	1.28	1.27	2.46	2.43
C16	Stomach	0.44	0.44	0.91	0.90
C17	Small Intestine	0.01	0.01	0.01	0.01
C18	Colon	0.17	0.17	0.28	0.28
C19-20	Rectum	0.15	0.15	0.24	0.24
C21	Anus & Anal Canal	0.05	0.05	0.05	0.05
C22	Liver	0.30	0.30	0.43	0.43
C23-24	Gallbladder etc.	0.18	0.18	0.31	0.31
C25	Pancreas	0.11	0.11	0.11	0.11
C30-31	Nose, Sinuses etc.	-	-	0.03	0.03
C32	Larynx	0.30	0.30	0.45	0.45
C33-34	Lung etc.	0.35	0.35	0.88	0.87
C37-38	Other Thoracic Organs	0.04	0.04	0.04	0.04
C40-41	Bone	0.03	0.03	0.03	0.03
C43	Melanoma of Skin	0.02	0.02	0.02	0.02
C44	Other Skin	0.06	0.06	0.11	0.11
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.05	0.05	0.08	0.08
C50	Breast	0.01	0.01	0.01	0.01
C60	Penis	0.05	0.05	0.07	0.07
C61	Prostate	0.04	0.04	0.10	0.10
C62	Testis	0.03	0.03	0.03	0.03
C63	Other Male Genital	0.02	0.02	0.02	0.02
C64	Kidneyetc.	0.09	0.09	0.09	0.09
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.05	0.05	0.23	0.23
C68	Uns. Urinary Organs	-	-	-	-
C69	Eye	0.01	0.01	0.01	0.01
C70-72	Brain, Nervous System	0.10	0.10	0.12	0.12
C73	Thyroid	0.02	0.02	0.02	0.02
C74	Adrenal Gland	-	-	-	-
C77	Sec Lymph Nodes	0.44	0.44	0.93	0.92
C78	Sec Resp & Digestive	0.01	0.01	0.07	0.07
C79	Sec Others	0.02	0.02	0.02	0.02
C81	Hodgkins Disease	-	-	-	-
C82-85, C96	NHL	0.11	0.11	0.11	0.11
C90	Multiple Myeloma	-	-	0.03	0.03
C91	Lymphoid Leuk.	0.02	0.02	0.02	0.02
C92-94	Myeloid Leukaemia	0.14	0.14	0.18	0.18
C95	Leukaemia Uns	0.02	0.02	0.02	0.02
O&U	Other and Uns	0.16	0.16	0.28	0.28
	All Sites	6.69	6.47	12.71	11.94

**TABLE: DIB-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of Individual Sites (ICD-10) Based Age Specific Rates (from 0-64 Years and from 0-74 Years) : 2005-2006 - Females
Dibrugarh District**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.03	0.03	0.03	0.03
C01-02	Tongue	0.02	0.02	0.14	0.14
C03-06	Mouth	0.18	0.18	0.32	0.32
C07-8	SalivaryGland	0.02	0.02	0.08	0.08
C09	Tonsil	0.01	0.01	0.06	0.06
C10	Oth. Oropharynx	0.01	0.01	0.01	0.01
C11	Nasopharynx	0.02	0.02	0.02	0.02
C12-13	Hypopharynx	0.23	0.23	0.43	0.43
C14	Pharynx Unspecified	0.01	0.01	0.01	0.01
C15	Oesophagus	0.88	0.87	1.66	1.64
C16	Stomach	0.34	0.34	0.42	0.42
C17	Small Intestine	0.02	0.02	0.02	0.02
C18	Colon	0.06	0.06	0.31	0.31
C19-20	Rectum	0.12	0.12	0.16	0.16
C21	Anus & Anal Canal	0.01	0.01	0.01	0.01
C22	Liver	0.14	0.14	0.30	0.30
C23-24	Gallbladder etc.	0.46	0.46	0.91	0.91
C25	Pancreas	0.07	0.07	0.07	0.07
C30-31	Nose, Sinuses etc.	0.03	0.03	0.03	0.03
C32	Larynx	0.01	0.01	0.08	0.08
C33-34	Lung etc.	0.12	0.12	0.12	0.12
C37-38	Other Thoracic Organs	0.01	0.01	0.01	0.01
C40-41	Bone	0.04	0.04	0.12	0.12
C43	Melanoma of Skin	0.00	0.00	0.00	0.00
C44	Other Skin	-	-	0.05	0.05
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47 + C49	Conn. & Soft Tissue	0.09	0.09	0.13	0.13
C50	Breast	0.82	0.82	1.10	1.09
C51	Vulva	0.02	0.02	0.04	0.04
C52	Vagina	0.02	0.02	0.02	0.02
C53	Cervix Uteri	0.45	0.45	0.55	0.55
C54	Corpus Uteri	0.13	0.13	0.13	0.13
C55	Uterus Unspecified	0.09	0.09	0.12	0.12
C56	Ovary etc.	0.46	0.46	0.55	0.55
C57	Other Female Genital	-	-	-	-
C58	Placenta	0.00	0.00	0.00	0.00
C64	Kidneyetc.	0.02	0.02	0.02	0.02
C65	Renal Pelvis	-	-	-	-
C66	Ureter	-	-	-	-
C67	Bladder	0.01	0.01	0.01	0.01
C68	Uns. UrinaryOrgans	-	-	-	-
C69	Eye	-	-	-	-
C70-72	Brain, Nervous System	0.07	0.07	0.07	0.07
C73	Thyroid	0.04	0.04	0.08	0.08
C74	Adrenal Gland	0.02	0.02	0.02	0.02
C77	Sec Lymph Nodes	0.21	0.21	0.28	0.28
C78	Sec Resp & Digestive	0.03	0.03	0.06	0.06
C79	Sec Others	0.03	0.03	0.06	0.06
C81	Hodgkins Disease	0.00	0.00	0.00	0.00
C82-85, C96	NHL	0.11	0.11	0.15	0.15
C90	Multiple Myeloma	0.11	0.11	0.11	0.11
C91	Lymphoid Leuk.	-	-	-	-
C92-94	Myeloid Leukaemia	0.11	0.11	0.16	0.16
C95	Leukaemia Uns	0.01	0.01	0.01	0.01
O&U	Other and Uns	0.09	0.09	0.19	0.19
	All Sites	5.79	5.63	9.22	8.81