

# POPULATION BASED CANCER REGISTRY, BANGALORE

## Kidwai Memorial Institute of Oncology, Bangalore

**Dr Bapsy Padmanabhan**, Former Director I/C

**Dr Ashok M. Shenoy**, Director I/C

**Dr K. Ramachandra Reddy**, Prof. & Head, Epidemiology & Biostatistics

The Population Based Cancer Registry (erstwhile Bangalore Cancer Registry) was established at Kidwai Memorial Institute of Oncology (KMIO) Bangalore during June 1981 with the main objective of assessing the magnitude and type of various cancers in Bangalore, to provide base line information for control of cancer in the community and to carry out epidemiological research in cancer. This registry was included under the network of the National Cancer Registry Programme (NCRP) of the Indian Council of Medical Research (ICMR) and the actual registration of cancer cases was commenced from 1st January 1982.

Bangalore is one of the fastest growing cities in India. It is located 931 meters above the sea level, and lies at 13° N and 78° E. It was founded by Kempegowda, a Chieftain of Vijayanagar empire in 1537 AD as a small township which grew further under the enlightened influence of rulers like Tippu Sultan and the Wodeyars.

Bangalore today has evolved as a most favoured Health- Tourism destination in India, and is a home for international R & D Centers, Educational Institutes like Indian Institute of Management, Indian Institute of Science, National Law School and Multi- speciality Hospitals with state of art technology.

The PBCR covers Bangalore Urban Agglomeration which has an area of 741 sq kms consisting of 145 wards including City Municipal Corporation and a Town Municipal Corporation and an estimated population of 6.4 million and 6.6 million in 2004 and 2005 respectively.

The decadal population growth of Bangalore during 1991-2001 was 35%. As per the census report of 2001, the literacy rate was 84% (male 88% and Female 79%) and Kannada was the predominantly spoken language. The majority of population is Hindus (79%) followed by Muslims (13%), Christians (6%) and the rest belong to other religious groups.

### Method of Cancer Registration:

The registry staff visit various sources of registration namely, Government Hospitals, Private Hospitals, Nursing Homes, Diagnostic Labs besides Base Institution (KMIO) and Death Registration Units in the defined area and actively pursue and collect information on cancer cases reported and interview the patients wherever possible. At KMIO each and every patient registered will be interviewed at their first presentation to the hospital and collect socio-demographic details in the first stage. Later, the case records of these patients are obtained to the registry to extract information on clinical items such as method of diagnosis, stage of the disease, site of cancer, treatment details, etc. The inclusion criteria for registration of cases is that patients who have lived in the defined areas of Bangalore Urban Agglomeration for a minimum period

of one year at the time of first diagnosis of cancer. Only invasive cancers (5th digit morphology code of 3 or 6) are reported. Benign tumors and in-situ cancers are not included for analysis.

Reliability of data and quality of registration are regularly monitored by the senior staff of the registry. Consistency / range checks are performed using NCRP software application programmes.

#### *Registry Staff (PBCR)*

<b>Mr. K. Puttaswamy</b>	:	Senior Biostatistician
<b>Mr. K.V. Krishna Reddy</b>	:	Junior Biostatistician
<b>Mr. B.R. Gopala Krishnappa</b>	:	Field Supervisor
<b>Mr. T. Venkatesh</b>	:	Supervisor (Deputation from ATC)
<b>Mr. N.M. Srirama Reddy</b>	:	Asst. Social Scientist
<b>Mr. Rajanna</b>	:	Asst. Social Scientist
<b>Mr. T.C. Venugopal</b>	:	Asst. Social Scientist
<b>Mrs. A.T. Vinutha</b>	:	Asst. Social Scientist
<b>Mr. Srinivas</b>	:	Asst. Social Scientist
<b>Mr. C.S. Dayananda</b>	:	Asst. Social Scientist
<b>Mr. P. Manjunatha</b>	:	Asst. Social Scientist (Deputation from ATC)
<b>Mr. B.M. Gangaiah</b>	:	Data Entry Operator
<b>Mr. K. Kanthu</b>	:	Attender


TABLE: BLR - 1

**Population by Five Year Age Group and Gender: 2004-2005**  
*Number and Relative Proportion (%)*

**Bangalore Urban Agglomeration**

Age Group	MALES		FEMALES	
	Number	%	Number	%
<b>0-4</b>	512849	7.57	477603	7.75
<b>5-9</b>	547164	8.07	524182	8.51
<b>10-14</b>	601333	8.87	566619	9.20
<b>15-19</b>	649733	9.59	609825	9.90
<b>20-24</b>	825648	12.18	725378	11.78
<b>25-29</b>	772925	11.40	719810	11.69
<b>30-34</b>	607709	8.97	514422	8.35
<b>35-39</b>	553963	8.17	516004	8.38
<b>40-44</b>	430924	6.36	357841	5.81
<b>45-49</b>	385618	5.69	331783	5.39
<b>50-54</b>	293185	4.33	244789	3.97
<b>55-59</b>	182747	2.70	161656	2.62
<b>60-64</b>	157089	2.32	145031	2.35
<b>65-69</b>	101162	1.49	104949	1.70
<b>70-74</b>	75784	1.12	74038	1.20
<b>75+</b>	80394	1.19	85158	1.38
<b>Total</b>	<b>6778226</b>	<b>100.00</b>	<b>6159087</b>	<b>100.00</b>

**Figure : BLR - 1**  
**Population Pyramid showing Age Distribution: 2004-2005**  
**Bangalore Urban Agglomeration**



**TABLE : BLE - 2**  
**Main Sources of Registration of Incident Cases of Cancer : 2004-2005**  
**Bangalore PBCR**

Name of the Institution	Number	%
Kidwai Memorial Institute of Oncology	3357	32.76
Bangalore Institute of Oncology	1828	17.84
Curie Institute of Oncology	588	5.74
Karunashraya AUSP Centre	587	5.73
St. John Medical College & Hospital	535	5.22
Manipal Hospital	516	5.04
M S Ramaiah Medical College	384	3.75
St. Marthas Hospital	224	2.19
Kannan J. Gharpure LAB ( Dr)	203	1.98
St. Philomenas Hospital	181	1.77
Bangalore Hospital	140	1.37
Mallya Hospital	126	1.23
Kempegowda Institute of Medical	106	1.03
Bangalore Baptist Hospital	93	0.91
Victoria Hospital	74	0.72
Others	1304	12.73
<b>Total</b>	<b>10246</b>	<b>100.00</b>

1. *Institutions listed have registered at least one percent of all cases in the registry for the combined years 2004-2005.*
2. *The numbers and proportion listed are the minimum number of cases. Institutions could have registered / reported more cases, since duplicate registrations and non-resident / registry cases are not included.*

**TABLE BLR-3 (a): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):  
2004-2005 – Males**

%= Relative Proportion of Cancers of All Sites.

**Bangalore**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	3	0.06
C01-02	Tongue	-	-	-	-	1	-	6	6	9	14	20	29	17	17	12	15	-	146	3.16
C03-06	Mouth	1	-	-	-	-	1	5	7	8	20	23	15	18	14	14	7	-	133	2.88
C07-8	Salivary Gland	1	-	-	-	-	1	-	1	-	2	5	5	4	5	3	2	-	29	0.63
C09	Tonsil	-	-	-	-	1	-	2	1	1	7	8	9	7	4	4	4	-	48	1.04
C10	Oth. Oropharynx	-	-	-	-	-	-	-	1	4	6	10	6	6	5	9	11	-	58	1.26
C11	Nasopharynx	-	-	2	3	1	1	-	-	-	3	2	1	5	-	-	-	-	18	0.39
C12-13	Hypopharynx	-	-	-	1	1	-	4	2	5	23	28	20	31	19	24	21	-	179	3.88
C14	Pharynx Unspecified	-	-	-	-	-	-	-	2	-	4	9	7	8	13	4	9	-	56	1.21
C15	Oesophagus	-	-	-	-	-	1	1	3	10	26	34	48	45	59	28	47	1	303	6.56
C16	Stomach	-	-	-	-	1	2	9	19	21	37	52	66	56	50	47	64	-	424	9.18
C17	Small Intestine	-	-	-	-	1	1	-	1	1	-	3	5	1	1	2	3	-	19	0.41
C18	Colon	-	-	-	1	2	4	2	8	4	11	15	14	22	20	16	28	1	148	3.20
C19-20	Rectum	-	-	-	-	3	4	2	7	6	10	18	19	19	14	20	21	-	143	3.10
C21	Anus & Anal Canal	-	-	-	-	-	1	-	-	-	4	2	4	1	1	2	3	-	18	0.39
C22	Liver	3	2	-	-	-	3	3	4	4	6	19	27	27	33	28	30	-	189	4.09
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	2	3	4	10	9	10	4	2	6	-	50	1.08
C25	Pancreas	-	-	-	-	-	-	-	1	2	5	7	13	11	8	4	8	-	59	1.28
C30-31	Nose, Sinuses etc.	-	-	-	-	-	1	-	1	2	1	3	4	1	2	4	2	-	21	0.45
C32	Larynx	-	-	-	-	1	-	2	3	8	11	20	23	27	25	21	26	1	168	3.64
C33-34	Lung etc.	-	-	-	-	1	4	9	10	10	25	41	53	51	57	46	65	2	374	8.10
C37-38	Other Thoracic Organs	-	-	-	-	1	-	1	1	2	5	1	2	4	2	3	1	-	23	0.50
C40-41	Bone	2	-	5	12	4	6	5	3	5	2	2	1	4	2	4	5	-	62	1.34
C43	Melanoma of Skin	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	3	0.06
C44	Other Skin	1	-	1	2	1	2	1	3	-	5	4	8	8	7	4	14	-	61	1.32
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	1	2	1	1	2	3	1	2	1	4	5	6	8	-	37	0.80
C50	Breast	-	-	-	-	-	1	-	2	1	2	3	8	5	2	2	4	-	30	0.65
C60	Penis	-	-	-	-	1	2	-	1	3	5	7	2	8	13	4	4	-	50	1.08
C61	Prostate	-	-	-	-	-	1	-	-	2	5	11	11	28	56	52	102	-	268	5.80
C62	Testis	2	-	2	2	6	7	6	6	2	2	1	-	1	2	2	-	-	41	0.89
C63	Other Male Genital	-	-	-	-	-	-	1	-	-	-	-	-	1	3	1	-	-	6	0.13
C64	Kidney etc.	2	1	2	-	-	-	-	2	4	5	5	12	11	10	10	7	-	71	1.54
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	0.06
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	0.04
C67	Bladder	-	-	-	-	-	1	1	4	1	9	9	13	20	17	17	32	-	124	2.68
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.02
C69	Eye	7	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	10	0.22
C70-72	Brain, Nervous System	2	9	5	2	9	16	15	17	19	20	18	16	19	17	13	16	-	213	4.61
C73	Thyroid	-	-	-	2	1	4	7	6	4	5	9	7	3	8	3	2	1	62	1.34
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.02
C77	Sec Lymph Nodes	-	1	1	-	-	-	-	1	6	3	9	7	8	16	7	13	-	72	1.56
C78	Sec Resp & Digestive	-	-	-	-	1	3	-	5	1	12	7	7	13	9	5	5	-	68	1.47
C79	Sec Others	1	-	-	-	2	-	-	-	3	1	8	5	3	4	5	3	-	35	0.76
C81	Hodgkins Disease	1	7	7	3	6	3	11	9	5	4	4	1	2	4	2	1	-	70	1.52
C82-85,C96	NHL	2	4	4	4	10	7	5	8	4	22	17	24	26	21	27	13	1	199	4.31
C90	Multiple Myeloma	-	-	-	-	1	-	-	4	3	9	12	14	17	18	10	11	-	99	2.14
C91	Lymphoid Leuk.	14	14	7	5	8	3	-	5	2	3	3	4	3	5	7	4	-	87	1.88
C92-94	Myeloid Leukaemia	5	4	3	3	9	9	10	13	6	15	12	17	14	11	4	7	-	142	3.07
C95	Leukaemia Uns	1	2	-	2	6	2	3	2	1	1	2	2	1	3	4	2	-	34	0.74
O&U	Other and Uns	1	1	3	1	8	8	6	10	7	9	12	20	16	16	13	28	-	159	3.44
	<b>All Sites</b>	<b>46</b>	<b>45</b>	<b>42</b>	<b>44</b>	<b>89</b>	<b>101</b>	<b>119</b>	<b>184</b>	<b>182</b>	<b>366</b>	<b>487</b>	<b>562</b>	<b>587</b>	<b>604</b>	<b>497</b>	<b>657</b>	<b>7</b>	<b>4619</b>	<b>100.00</b>

**TABLE BLR-3 (b): Number of Incident Cancers by Five Year Age Group and Site (ICD-10):  
2004-2005 – Females**

%= Relative Proportion of Cancers of All Sites.

**Bangalore**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1	1	-	6	0.11
C01-02	Tongue	-	-	-	-	-	-	2	-	2	6	14	9	8	7	4	3	-	55	0.98
C03-06	Mouth	-	-	-	-	1	3	4	8	24	41	26	33	28	36	25	30	-	259	4.60
C07-8	Salivary Gland	-	-	-	-	1	2	2	2	1	3	1	1	1	1	1	1	-	17	0.30
C09	Tonsil	1	-	-	-	-	-	-	1	-	1	-	-	2	1	-	3	-	9	0.16
C10	Oth. Oropharynx	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	4	0.07
C11	Nasopharynx	-	-	1	-	1	1	-	-	-	-	2	-	1	-	-	-	-	6	0.11
C12-13	Hypopharynx	-	-	-	-	-	3	2	4	2	4	8	10	5	4	2	9	-	53	0.94
C14	Pharynx Unspecified	-	-	-	-	-	-	-	3	2	1	-	2	3	1	1	3	-	16	0.28
C15	Oesophagus	-	-	-	-	1	1	3	4	13	26	27	37	41	49	32	35	-	269	4.78
C16	Stomach	-	-	-	1	2	5	12	9	14	25	27	20	26	21	28	32	-	222	3.95
C17	Small Intestine	-	-	-	-	-	-	1	1	1	4	3	2	2	1	2	-	-	17	0.30
C18	Colon	-	-	-	-	1	3	5	3	4	13	11	12	11	7	9	12	-	91	1.62
C19-20	Rectum	-	-	-	1	1	9	8	7	11	10	16	8	16	12	12	17	-	128	2.27
C21	Anus & Anal Canal	-	-	-	-	-	-	1	-	2	1	1	3	2	2	5	7	-	24	0.43
C22	Liver	1	-	2	-	-	1	3	1	2	5	11	9	4	5	10	12	-	66	1.17
C23-24	Gallbladder etc.	-	-	-	-	-	1	3	3	1	4	13	4	6	8	6	13	-	62	1.10
C25	Pancreas	-	-	-	-	-	-	1	7	4	4	-	5	11	11	7	9	-	59	1.05
C30-31	Nose, Sinuses etc.	-	-	1	-	1	-	-	-	2	2	4	1	4	-	-	1	-	16	0.28
C32	Larynx	-	-	-	-	-	1	-	-	-	3	4	5	2	2	1	5	-	23	0.41
C33-34	Lung etc.	-	-	1	-	2	1	3	5	7	20	11	24	24	17	11	7	-	133	2.36
C37-38	Other Thoracic Organs	-	1	-	-	1	1	3	-	2	2	4	2	2	1	1	3	-	23	0.41
C40-41	Bone	-	1	2	8	5	-	-	-	3	2	3	-	1	1	1	-	-	27	0.48
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	0.02
C44	Other Skin	-	1	1	-	-	-	1	1	2	3	4	7	6	5	5	13	-	49	0.87
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	1	1	-	-	2	3	2	1	3	4	3	1	1	1	4	2	-	29	0.52
C50	Breast	-	-	-	1	7	27	47	119	178	254	210	198	150	107	93	89	1	1481	26.32
C51	Vulva	-	-	-	-	-	-	-	1	-	3	1	3	3	1	3	5	-	20	0.36
C52	Vagina	-	-	-	-	-	-	-	-	-	4	6	5	3	2	4	1	-	25	0.44
C53	Cervix Uteri	-	-	-	-	3	8	30	72	98	129	122	138	100	84	60	37	2	883	15.69
C54	Corpus Uteri	-	-	-	-	1	2	1	8	8	18	25	35	24	29	16	16	-	183	3.25
C55	Uterus Unspecified	-	-	-	-	1	-	-	2	4	3	6	2	4	5	4	6	-	37	0.66
C56	Ovary etc.	-	1	4	7	9	8	12	9	26	44	42	46	23	22	27	16	-	296	5.26
C57	Other Female Genital	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	4	0.07
C58	Placenta	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	2	0.04
C64	Kidney etc.	1	3	-	-	1	2	1	-	2	3	1	-	3	6	6	4	-	33	0.59
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	0.04
C67	Bladder	-	-	-	-	-	2	-	-	-	4	1	3	11	3	5	10	-	39	0.69
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	4	0.07
C70-72	Brain, Nervous System	4	5	4	3	8	7	7	17	6	12	9	6	8	12	6	7	-	121	2.15
C73	Thyroid	-	1	-	3	9	16	12	29	11	17	10	16	7	14	4	11	-	160	2.84
C74	Adrenal Gland	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	4	0.07
C77	Sec Lymph Nodes	-	-	-	-	2	-	1	1	2	2	3	5	4	5	6	3	-	34	0.60
C78	Sec Resp & Digestive	-	-	-	-	-	2	1	1	2	4	3	7	5	8	6	5	-	44	0.78
C79	Sec Others	-	-	-	1	-	-	2	-	2	5	5	6	-	2	4	1	-	28	0.50
C81	Hodgkins Disease	1	1	3	3	3	6	3	2	2	4	1	2	2	2	4	1	-	40	0.71
C82-85,C96	NHL	-	2	7	1	3	7	6	7	7	11	25	22	19	17	14	12	-	160	2.84
C90	Multiple Myeloma	1	-	-	-	-	-	-	2	3	8	4	9	8	8	3	6	-	52	0.92
C91	Lymphoid Leuk.	13	4	6	3	2	2	1	1	2	1	-	2	1	-	-	3	-	41	0.73
C92-94	Myeloid Leukaemia	1	1	6	6	2	6	8	8	14	14	10	13	10	11	10	8	-	128	2.27
C95	Leukaemia Uns	2	-	-	3	1	1	-	3	1	3	1	-	-	2	1	3	-	21	0.37
O&U	Other and Uns	2	1	1	2	4	5	2	6	5	10	12	11	15	15	10	20	-	121	2.15
	<b>All Sites</b>	<b>31</b>	<b>23</b>	<b>39</b>	<b>43</b>	<b>76</b>	<b>138</b>	<b>191</b>	<b>352</b>	<b>476</b>	<b>740</b>	<b>691</b>	<b>726</b>	<b>609</b>	<b>550</b>	<b>456</b>	<b>483</b>	<b>3</b>	<b>5627</b>	<b>100.00</b>

**TABLE: BLR-4(a):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2004-2005 - Males**  
**Bangalore**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	0.2	-	-	-	0.5	0.6	-	-	-	0.0	0.1	0.04	0.2
C01-02	-	-	-	-	0.1	-	1.0	1.1	2.1	3.6	6.8	15.9	10.8	16.8	15.8	18.7	2.2	3.1	0.26	5.9
C03-06	0.2	-	-	-	-	0.1	0.8	1.3	1.9	5.2	7.8	8.2	11.5	13.8	18.5	8.7	2.0	2.7	0.25	5.4
C07-8	0.2	-	-	-	-	0.1	-	0.2	-	0.5	1.7	2.7	2.5	4.9	4.0	2.5	0.4	0.6	0.12	1.1
C09	-	-	-	-	0.1	-	0.3	0.2	0.2	1.8	2.7	4.9	4.5	4.0	5.3	5.0	0.7	1.0	0.15	2.1
C10	-	-	-	-	-	-	-	0.2	0.9	1.6	3.4	3.3	3.8	4.9	11.9	13.7	0.9	1.3	0.17	2.0
C11	-	-	0.3	0.5	0.1	0.1	-	-	-	0.8	0.7	0.5	3.2	-	-	-	0.3	0.3	0.08	0.7
C12-13	-	-	-	0.2	0.1	-	0.7	0.4	1.2	6.0	9.6	10.9	19.7	18.8	31.7	26.1	2.6	3.9	0.30	6.9
C14	-	-	-	-	-	-	-	0.4	-	1.0	3.1	3.8	5.1	12.9	5.3	11.2	0.8	1.3	0.18	1.9
C15	-	-	-	-	-	0.1	0.2	0.5	2.3	6.7	11.6	26.3	28.6	58.3	36.9	58.5	4.5	7.0	0.41	10.8
C16	-	-	-	-	0.1	0.3	1.5	3.4	4.9	9.6	17.7	36.1	35.6	49.4	62.0	79.6	6.3	9.3	0.46	15.6
C17	-	-	-	-	0.1	0.1	-	0.2	0.2	-	1.0	2.7	0.6	1.0	2.6	3.7	0.3	0.4	0.09	0.7
C18	-	-	-	0.2	0.2	0.5	0.3	1.4	0.9	2.9	5.1	7.7	14.0	19.8	21.1	34.8	2.2	3.2	0.28	4.6
C19-20	-	-	-	-	0.4	0.5	0.3	1.3	1.4	2.6	6.1	10.4	12.1	13.8	26.4	26.1	2.1	3.1	0.27	4.9
C21	-	-	-	-	-	0.1	-	-	-	1.0	0.7	2.2	0.6	1.0	2.6	3.7	0.3	0.4	0.09	0.7
C22	0.6	0.4	-	-	-	0.4	0.5	0.7	0.9	1.6	6.5	14.8	17.2	32.6	36.9	37.3	2.8	4.4	0.33	5.8
C23-24	-	-	-	-	-	-	-	0.4	0.7	1.0	3.4	4.9	6.4	4.0	2.6	7.5	0.7	1.1	0.16	2.4
C25	-	-	-	-	-	-	-	0.2	0.5	1.3	2.4	7.1	7.0	7.9	5.3	10.0	0.9	1.3	0.18	2.6
C30-31	-	-	-	-	-	0.1	-	0.2	0.5	0.3	1.0	2.2	0.6	2.0	5.3	2.5	0.3	0.4	0.10	0.7
C32	-	-	-	-	0.1	-	0.3	0.5	1.9	2.9	6.8	12.6	17.2	24.7	27.7	32.3	2.5	3.8	0.30	6.0
C33-34	-	-	-	-	0.1	0.5	1.5	1.8	2.3	6.5	14.0	29.0	32.5	56.3	60.7	80.9	5.5	8.5	0.45	12.2
C37-38	-	-	-	-	0.1	-	0.2	0.2	0.5	1.3	0.3	1.1	2.5	2.0	4.0	1.2	0.3	0.5	0.10	0.9
C40-41	0.4	-	0.8	1.8	0.5	0.8	0.8	0.5	1.2	0.5	0.7	0.5	2.5	2.0	5.3	6.2	0.9	1.0	0.14	0.9
C43	-	-	-	-	-	-	0.2	-	-	-	-	-	-	-	1.3	-	0.0	0.1	0.04	0.1
C44	0.2	-	0.2	0.3	0.1	0.3	0.2	0.5	-	1.3	1.4	4.4	5.1	6.9	5.3	17.4	0.9	1.3	0.18	1.8
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	0.2	0.2	0.1	0.2	0.4	0.7	0.3	0.7	0.5	2.5	4.9	7.9	10.0	0.5	0.8	0.14	0.8
C50	-	-	-	-	-	0.1	-	0.4	0.2	0.5	1.0	4.4	3.2	2.0	2.6	5.0	0.4	0.6	0.12	1.4
C60	-	-	-	-	0.1	0.3	-	0.2	0.7	1.3	2.4	1.1	5.1	12.9	5.3	5.0	0.7	1.1	0.16	1.6
C61	-	-	-	-	-	0.1	-	-	0.5	1.3	3.8	6.0	17.8	55.4	68.6	126.9	4.0	6.8	0.42	4.0
C62	0.4	-	0.3	0.3	0.7	0.9	1.0	1.1	0.5	0.5	0.3	-	0.6	2.0	2.6	-	0.6	0.6	0.10	0.5
C63	-	-	-	-	-	-	0.2	-	-	-	-	-	0.6	3.0	1.3	-	0.1	0.2	0.06	0.1
C64	0.4	0.2	0.3	-	-	-	-	0.4	0.9	1.3	1.7	6.6	7.0	9.9	13.2	8.7	1.0	1.6	0.20	2.5
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.3	1.2	0.0	0.1	0.05	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.5	0.0	0.0	0.04	-
C67	-	-	-	-	-	0.1	0.2	0.7	0.2	2.3	3.1	7.1	12.7	16.8	22.4	39.8	1.8	2.9	0.27	3.7
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	0.0	0.0	0.03	-
C69	1.4	-	-	-	-	0.1	-	-	-	0.5	-	-	-	-	-	-	0.1	0.2	0.07	0.1
C70-72	0.4	1.6	0.8	0.3	1.1	2.1	2.5	3.1	4.4	5.2	6.1	8.8	12.1	16.8	17.2	19.9	3.1	3.9	0.28	6.1
C73	-	-	-	0.3	0.1	0.5	1.2	1.1	0.9	1.3	3.1	3.8	1.9	7.9	4.0	2.5	0.9	1.1	0.15	1.9
C74	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	0.0	0.0	0.02	0.1
C77	-	0.2	0.2	-	-	-	-	0.2	1.4	0.8	3.1	3.8	5.1	15.8	9.2	16.2	1.1	1.7	0.20	2.1
C78	-	-	-	-	0.1	0.4	-	0.9	0.2	3.1	2.4	3.8	8.3	8.9	6.6	6.2	1.0	1.4	0.18	2.8
C79	0.2	-	-	-	0.2	-	-	-	0.7	0.3	2.7	2.7	1.9	4.0	6.6	3.7	0.5	0.7	0.13	1.2
C81	0.2	1.3	1.2	0.5	0.7	0.4	1.8	1.6	1.2	1.0	1.4	0.5	1.3	4.0	2.6	1.2	1.0	1.1	0.14	1.2
C82-85,C96	0.4	0.7	0.7	0.6	1.2	0.9	0.8	1.4	0.9	5.7	5.8	13.1	16.6	20.8	35.6	16.2	2.9	4.1	0.30	6.3
C90	-	-	-	-	0.1	-	-	0.7	0.7	2.3	4.1	7.7	10.8	17.8	13.2	13.7	1.5	2.3	0.23	3.8
C91	2.7	2.6	1.2	0.8	1.0	0.4	-	0.9	0.5	0.8	1.0	2.2	1.9	4.9	9.2	5.0	1.3	1.6	0.18	1.1
C92-94	1.0	0.7	0.5	0.5	1.1	1.2	1.6	2.3	1.4	3.9	4.1	9.3	8.9	10.9	5.3	8.7	2.1	2.6	0.23	4.5
C95	0.2	0.4	-	0.3	0.7	0.3	0.5	0.4	0.2	0.3	0.7	1.1	0.6	3.0	5.3	2.5	0.5	0.6	0.11	0.5
O&U	0.2	0.2	0.5	0.2	1.0	1.0	1.0	1.8	1.6	2.3	4.1	10.9	10.2	15.8	17.2	34.8	2.3	3.2	0.27	4.5
All	9.0	8.2	7.0	6.8	10.8	13.1	19.6	33.2	42.2	94.9	166.1	307.5	373.7	597.1	655.8	817.2	68.1	99.4	1.52	147.7



**TABLE: BLR-4(b):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 yrs) (TR) Incidence Rate per 100,000 population: 2004-2005 - Females**  
**Bangalore**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	0.2	0.2	-	0.3	-	0.6	-	-	1.4	1.2	0.1	0.1	0.05	0.2
C01-02	-	-	-	-	-	-	0.4	-	0.6	1.8	5.7	5.6	5.5	6.7	5.4	3.5	0.9	1.3	0.17	2.8
C03-06	-	-	-	-	0.1	0.4	0.8	1.6	6.7	12.4	10.6	20.4	19.3	34.3	33.8	35.2	4.2	5.9	0.37	10.8
C07-8	-	-	-	-	0.1	0.3	0.4	0.4	0.3	0.9	0.4	0.6	0.7	1.0	1.4	1.2	0.3	0.3	0.08	0.5
C09	0.2	-	-	-	-	-	-	0.2	-	0.3	-	-	1.4	1.0	-	3.5	0.1	0.2	0.07	0.3
C10	-	-	-	-	-	-	-	0.2	0.3	-	-	-	0.7	-	1.4	-	0.1	0.1	0.04	0.2
C11	-	-	0.2	-	0.1	0.1	-	-	-	-	0.8	-	0.7	-	-	-	0.1	0.1	0.05	0.2
C12-13	-	-	-	-	-	0.4	0.4	0.8	0.6	1.2	3.3	6.2	3.4	3.8	2.7	10.6	0.9	1.1	0.16	2.3
C14	-	-	-	-	-	-	-	0.6	0.6	0.3	-	1.2	2.1	1.0	1.4	3.5	0.3	0.3	0.09	0.7
C15	-	-	-	-	0.1	0.1	0.6	0.8	3.6	7.8	11.0	22.9	28.3	46.7	43.2	41.1	4.4	6.5	0.40	10.7
C16	-	-	-	0.2	0.3	0.7	2.3	1.7	3.9	7.5	11.0	12.4	17.9	20.0	37.8	37.6	3.6	4.9	0.34	8.2
C17	-	-	-	-	-	-	0.2	0.2	0.3	1.2	1.2	1.2	1.4	1.0	2.7	-	0.3	0.4	0.09	0.9
C18	-	-	-	-	0.1	0.4	1.0	0.6	1.1	3.9	4.5	7.4	7.6	6.7	12.2	14.1	1.5	2.0	0.21	3.7
C19-20	-	-	-	0.2	0.1	1.3	1.6	1.4	3.1	3.0	6.5	4.9	11.0	11.4	16.2	20.0	2.1	2.7	0.25	4.6
C21	-	-	-	-	-	-	0.2	-	0.6	0.3	0.4	1.9	1.4	1.9	6.8	8.2	0.4	0.6	0.12	0.6
C22	0.2	-	0.4	-	-	0.1	0.6	0.2	0.6	1.5	4.5	5.6	2.8	4.8	13.5	14.1	1.1	1.5	0.19	2.2
C23-24	-	-	-	-	-	0.1	0.6	0.6	0.3	1.2	5.3	2.5	4.1	7.6	8.1	15.3	1.0	1.4	0.18	2.1
C25	-	-	-	-	-	-	0.2	1.4	1.1	1.2	-	3.1	7.6	10.5	9.5	10.6	1.0	1.4	0.18	2.1
C30-31	-	-	0.2	-	0.1	-	-	-	0.6	0.6	1.6	0.6	2.8	-	-	1.2	0.3	0.3	0.09	0.9
C32	-	-	-	-	-	0.1	-	-	-	0.9	1.6	3.1	1.4	1.9	1.4	5.9	0.4	0.5	0.11	1.0
C33-34	-	-	0.2	-	0.3	0.1	0.6	1.0	2.0	6.0	4.5	14.8	16.5	16.2	14.9	8.2	2.2	3.0	0.27	6.5
C37-38	-	0.2	-	-	0.1	0.1	0.6	-	0.6	0.6	1.6	1.2	1.4	1.0	1.4	3.5	0.4	0.5	0.10	0.8
C40-41	-	0.2	0.4	1.3	0.7	-	-	-	0.8	0.6	1.2	-	0.7	1.0	1.4	-	0.4	0.5	0.09	0.6
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.4	-	0.0	0.0	0.03	-
C44	-	0.2	0.2	-	-	-	0.2	0.2	0.6	0.9	1.6	4.3	4.1	4.8	6.8	15.3	0.8	1.1	0.17	1.7
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	0.2	0.2	-	-	0.3	0.4	0.4	0.2	0.8	1.2	1.2	0.6	0.7	1.0	5.4	2.3	0.5	0.6	0.11	0.8
C50	-	-	-	0.2	1.0	3.8	9.1	23.1	49.7	76.6	85.8	122.5	103.4	102.0	125.6	104.5	24.0	30.9	0.83	71.9
C51	-	-	-	-	-	-	-	0.2	-	0.9	0.4	1.9	2.1	1.0	4.1	5.9	0.3	0.5	0.11	0.8
C52	-	-	-	-	-	-	-	-	-	1.2	2.5	3.1	2.1	1.9	5.4	1.2	0.4	0.6	0.12	1.3
C53	-	-	-	-	0.4	1.1	5.8	14.0	27.4	38.9	49.8	85.4	69.0	80.0	81.0	43.4	14.3	18.8	0.65	43.5
C54	-	-	-	-	0.1	0.3	0.2	1.6	2.2	5.4	10.2	21.7	16.5	27.6	21.6	18.8	3.0	4.3	0.32	8.4
C55	-	-	-	-	0.1	-	-	0.4	1.1	0.9	2.5	1.2	2.8	4.8	5.4	7.0	0.6	0.8	0.14	1.4
C56	-	0.2	0.7	1.1	1.2	1.1	2.3	1.7	7.3	13.3	17.2	28.5	15.9	21.0	36.5	18.8	4.8	6.2	0.37	12.8
C57	-	-	-	-	-	-	-	0.2	-	-	-	0.4	-	-	1.9	-	0.1	0.1	0.05	0.1
C58	-	-	-	-	0.1	0.1	-	-	-	-	-	-	-	-	-	-	0.0	0.0	0.02	-
C64	0.2	0.6	-	-	0.1	0.3	0.2	-	0.6	0.9	0.4	-	2.1	5.7	8.1	4.7	0.5	0.7	0.13	0.6
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	0.6	-	-	-	1.2	0.0	0.0	0.03	0.1
C67	-	-	-	-	-	0.3	-	-	-	1.2	0.4	1.9	7.6	2.9	6.8	11.7	0.6	0.9	0.15	1.5
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	0.4	-	-	-	-	-	-	0.2	-	-	-	-	0.7	-	-	-	0.1	0.1	0.05	0.1
C70-72	0.8	1.0	0.7	0.5	1.1	1.0	1.4	3.3	1.7	3.6	3.7	3.7	5.5	11.4	8.1	8.2	2.0	2.3	0.22	3.4
C73	-	0.2	-	0.5	1.2	2.2	2.3	5.6	3.1	5.1	4.1	9.9	4.8	13.3	5.4	12.9	2.6	2.9	0.24	5.2
C74	0.2	-	-	-	-	0.1	-	-	-	0.6	-	-	-	-	-	-	0.1	0.1	0.04	0.1
C77	-	-	-	-	0.3	-	0.2	0.2	0.6	0.6	1.2	3.1	2.8	4.8	8.1	3.5	0.6	0.8	0.14	1.2
C78	-	-	-	-	-	0.3	0.2	0.2	0.6	1.2	1.2	4.3	3.4	7.6	8.1	5.9	0.7	1.0	0.16	1.6
C79	-	-	-	0.2	-	-	0.4	-	0.6	1.5	2.0	3.7	-	1.9	5.4	1.2	0.5	0.6	0.12	1.2
C81	0.2	0.2	0.5	0.5	0.4	0.8	0.6	0.4	0.6	1.2	0.4	1.2	1.4	1.9	5.4	1.2	0.6	0.7	0.12	0.8
C82-85,C96	-	0.4	1.2	0.2	0.4	1.0	1.2	1.4	2.0	3.3	10.2	13.6	13.1	16.2	18.9	14.1	2.6	3.5	0.28	6.4
C90	0.2	-	-	-	-	-	-	0.4	0.8	2.4	1.6	5.6	5.5	7.6	4.1	7.0	0.8	1.2	0.17	2.4
C91	2.7	0.8	1.1	0.5	0.3	0.3	0.2	0.2	0.6	0.3	-	1.2	0.7	-	-	3.5	0.7	0.8	0.13	0.5
C92-94	0.2	0.2	1.1	1.0	0.3	0.8	1.6	1.6	3.9	4.2	4.1	8.0	6.9	10.5	13.5	9.4	2.1	2.6	0.24	4.5
C95	0.4	-	-	0.5	0.1	0.1	-	0.6	0.3	0.9	0.4	-	-	1.9	1.4	3.5	0.3	0.4	0.09	0.4
O&U	0.4	0.2	0.2	0.3	0.6	0.7	0.4	1.2	1.4	3.0	4.9	6.8	10.3	14.3	13.5	23.5	2.0	2.7	0.25	4.1
All	6.5	4.4	6.9	7.1	10.5	19.2	37.1	68.2	133.0	223.0	282.3	449.1	419.9	524.1	615.9	567.2	91.4	120.8	1.66	239.8

**TABLE: BLR-5(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis: 2004-2005 - Males  
Bangalore**

ICD-10	Site	Microscopic		X-Ray/imaging		Clinical		Others		D.C.O		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C01-02	Tongue	133	91.1	-	-	10	6.8	-	-	3	2.1	146	100.0
C03-06	Mouth	116	87.2	1	0.8	11	8.3	-	-	5	3.8	133	100.0
C07-8	Salivary Gland	22	75.9	1	3.4	4	13.8	-	-	2	6.9	29	100.0
C09	Tonsil	43	89.6	-	-	4	8.3	-	-	1	2.1	48	100.0
C10	Oth. Oropharynx	51	87.9	-	-	5	8.6	1	1.7	1	1.7	58	100.0
C11	Nasopharynx	17	94.4	-	-	1	5.6	-	-	-	-	18	100.0
C12-13	Hypopharynx	166	92.7	-	-	12	6.7	-	-	1	0.6	179	100.0
C14	Pharynx Unspecified	27	48.2	-	-	1	1.8	-	-	28	50.0	56	100.0
C15	Oesophagus	248	81.8	1	0.3	17	5.6	2	0.7	35	11.6	303	100.0
C16	Stomach	339	80.0	1	0.2	39	9.2	3	0.7	42	9.9	424	100.0
C17	Small Intestine	18	94.7	-	-	-	-	-	-	1	5.3	19	100.0
C18	Colon	124	83.8	1	0.7	13	8.8	-	-	10	6.8	148	100.0
C19-20	Rectum	125	87.4	-	-	10	7.0	-	-	8	5.6	143	100.0
C21	Anus & Anal Canal	17	94.4	-	-	-	-	-	-	1	5.6	18	100.0
C22	Liver	138	73.0	2	1.1	11	5.8	-	-	38	20.1	189	100.0
C23-24	Gallbladder etc.	41	82.0	1	2.0	4	8.0	-	-	4	8.0	50	100.0
C25	Pancreas	37	62.7	-	-	15	25.4	1	1.7	6	10.2	59	100.0
C30-31	Nose, Sinuses etc.	19	90.5	-	-	1	4.8	-	-	1	4.8	21	100.0
C32	Larynx	140	83.3	1	0.6	15	8.9	-	-	12	7.1	168	100.0
C33-34	Lung etc.	281	75.1	12	3.2	31	8.3	2	0.5	48	12.8	374	100.0
C37-38	Other Thoracic Organs	20	87.0	-	-	3	13.0	-	-	-	-	23	100.0
C40-41	Bone	55	88.7	-	-	2	3.2	-	-	5	8.1	62	100.0
C43	Melanoma of Skin	2	66.7	-	-	-	-	-	-	1	33.3	3	100.0
C44	Other Skin	58	95.1	-	-	-	-	-	-	3	4.9	61	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	35	94.6	-	-	1	2.7	-	-	1	2.7	37	100.0
C50	Breast	27	90.0	-	-	1	3.3	-	-	2	6.7	30	100.0
C60	Penis	44	88.0	-	-	6	12.0	-	-	-	-	50	100.0
C61	Prostate	226	84.3	2	0.7	20	7.5	1	0.4	19	7.1	268	100.0
C62	Testis	41	100.0	-	-	-	-	-	-	-	-	41	100.0
C63	Other Male Genital	5	83.3	-	-	-	-	-	-	1	16.7	6	100.0
C64	Kidney etc.	63	88.7	1	1.4	3	4.2	-	-	4	5.6	71	100.0
C65	Renal Pelvis	3	100.0	-	-	-	-	-	-	-	-	3	100.0
C66	Ureter	1	50.0	-	-	1	50.0	-	-	-	-	2	100.0
C67	Bladder	116	93.5	-	-	3	2.4	-	-	5	4.0	124	100.0
C68	Uns. Urinary Organs	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	9	90.0	-	-	-	-	-	-	1	10.0	10	100.0
C70-72	Brain, Nervous System	191	89.7	5	2.3	3	1.4	-	-	14	6.6	213	100.0
C73	Thyroid	56	90.3	-	-	1	1.6	-	-	5	8.1	62	100.0
C74	Adrenal Gland	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C77	Sec Lymph Nodes	68	94.4	-	-	1	1.4	-	-	3	4.2	72	100.0
C78	Sec Resp & Digestive	51	75.0	2	2.9	13	19.1	-	-	2	2.9	68	100.0
C79	Sec Others	27	77.1	2	5.7	5	14.3	-	-	1	2.9	35	100.0
C81	Hodgkins Disease	68	97.1	-	-	-	-	-	-	2	2.9	70	100.0
C82-85,C96	NHL	197	99.5	-	-	-	-	-	-	1	0.5	198	100.0
C90	Multiple Myeloma	97	98.0	1	1.0	-	-	-	-	1	1.0	99	100.0
C91	Lymphoid Leuk.	86	98.9	-	-	-	-	-	-	1	1.1	87	100.0
C92-94	Myeloid Leukaemia	138	97.2	-	-	-	-	-	-	4	2.8	142	100.0
C95	Leukaemia Uns	27	79.4	-	-	-	-	-	-	7	20.6	34	100.0
O&U	Other and Uns	56	35.0	-	-	33	20.6	-	-	71	44.4	160	100.0
	<b>All Sites</b>	<b>3,874</b>	<b>83.9</b>	<b>34</b>	<b>0.7</b>	<b>300</b>	<b>6.5</b>	<b>10</b>	<b>0.2</b>	<b>401</b>	<b>8.7</b>	<b>4,619</b>	<b>100.0</b>

**TABLE: BLR-5(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Method of Diagnosis : 2004-2005 - Females**  
**Bangalore**

ICD-10	Site	Microscopic		X-Ray / imaging		Clinical		Others		D.C.O		Total	
		#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C01-02	Tongue	52	94.5	-	-	2	3.6	-	-	1	1.8	55	100.0
C03-06	Mouth	218	84.2	-	-	33	12.7	1	0.4	7	2.7	259	100.0
C07-8	Salivary Gland	17	100.0	-	-	-	-	-	-	-	-	17	100.0
C09	Tonsil	7	77.8	-	-	2	22.2	-	-	-	-	9	100.0
C10	Oth. Oropharynx	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C11	Nasopharynx	6	100.0	-	-	-	-	-	-	-	-	6	100.0
C12-13	Hypopharynx	49	92.5	-	-	4	7.5	-	-	-	-	53	100.0
C14	Pharynx Unspecified	8	50.0	-	-	2	12.5	-	-	6	37.5	16	100.0
C15	Oesophagus	225	83.6	3	1.1	17	6.3	1	0.4	23	8.6	269	100.0
C16	Stomach	149	67.1	4	1.8	27	12.2	1	0.5	41	18.5	222	100.0
C17	Small Intestine	14	82.4	-	-	-	-	-	-	3	17.6	17	100.0
C18	Colon	77	84.6	-	-	5	5.5	-	-	9	9.9	91	100.0
C19-20	Rectum	114	89.1	-	-	12	9.4	1	0.8	1	0.8	128	100.0
C21	Anus & Anal Canal	21	87.5	-	-	3	12.5	-	-	-	-	24	100.0
C22	Liver	46	69.7	1	1.5	3	4.5	-	-	16	24.2	66	100.0
C23-24	Gallbladder etc.	41	66.1	1	1.6	12	19.4	-	-	8	12.9	62	100.0
C25	Pancreas	30	50.8	6	10.2	13	22.0	1	1.7	9	15.3	59	100.0
C30-31	Nose, Sinuses etc.	15	93.8	-	-	1	6.3	-	-	-	-	16	100.0
C32	Larynx	17	73.9	-	-	2	8.7	-	-	4	17.4	23	100.0
C33-34	Lung etc.	107	80.5	2	1.5	9	6.8	-	-	15	11.3	133	100.0
C37-38	Other Thoracic Organs	12	52.2	-	-	10	43.5	-	-	1	4.3	23	100.0
C40-41	Bone	24	88.9	-	-	-	-	-	-	3	11.1	27	100.0
C43	Melanoma of Skin	1	100.0	-	-	-	-	-	-	-	-	1	100.0
C44	Other Skin	46	93.9	-	-	-	-	-	-	3	6.1	49	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	27	93.1	-	-	-	-	-	-	2	6.9	29	100.0
C50	Breast	1,364	92.1	2	0.1	72	4.9	3	0.2	40	2.7	1,481	100.0
C51	Vulva	17	85.0	-	-	1	5.0	-	-	2	10.0	20	100.0
C52	Vagina	25	100.0	-	-	-	-	-	-	-	-	25	100.0
C53	Cervix Uteri	798	90.4	-	-	69	7.8	-	-	16	1.8	883	100.0
C54	Corpus Uteri	177	96.7	-	-	3	1.6	-	-	3	1.6	183	100.0
C55	Uterus Unspecified	20	54.1	-	-	2	5.4	-	-	15	40.5	37	100.0
C56	Ovary etc.	264	89.2	1	0.3	21	7.1	-	-	10	3.4	296	100.0
C57	Other Female Genital	3	75.0	-	-	1	25.0	-	-	-	-	4	100.0
C58	Placenta	1	50.0	-	-	-	-	1	50.0	-	-	2	100.0
C64	Kidney etc.	26	78.8	-	-	3	9.1	-	-	4	12.1	33	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	2	100.0	-	-	-	-	-	-	-	-	2	100.0
C67	Bladder	33	84.6	1	2.6	-	-	-	-	5	12.8	39	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	3	75.0	1	25.0	-	-	-	-	-	-	4	100.0
C70-72	Brain, Nervous System	108	89.3	-	-	3	2.5	-	-	10	8.3	121	100.0
C73	Thyroid	155	96.9	-	-	1	0.6	-	-	4	2.5	160	100.0
C74	Adrenal Gland	4	100.0	-	-	-	-	-	-	-	-	4	100.0
C77	Sec Lymph Nodes	31	91.2	-	-	1	2.9	-	-	2	5.9	34	100.0
C78	Sec Resp & Digestive	30	68.2	3	6.8	8	18.2	-	-	3	6.8	44	100.0
C79	Sec Others	21	75.0	3	10.7	3	10.7	1	3.6	-	-	28	100.0
C81	Hodgkins Disease	40	100.0	-	-	-	-	-	-	-	-	40	100.0
C82-85,C96	NHL	155	96.9	-	-	-	-	-	-	5	3.1	160	100.0
C90	Multiple Myeloma	48	92.3	2	3.8	-	-	-	-	2	3.8	52	100.0
C91	Lymphoid Leuk.	40	97.6	-	-	-	-	-	-	1	2.4	41	100.0
C92-94	Myeloid Leukaemia	126	98.4	-	-	-	-	-	-	2	1.6	128	100.0
C95	Leukaemia Uns	20	95.2	-	-	-	-	-	-	1	4.8	21	100.0
O&U	Other and Uns	44	36.4	-	-	34	28.1	-	-	43	35.5	121	100.0
	<b>All Sites</b>	<b>4,888</b>	<b>86.9</b>	<b>30</b>	<b>0.5</b>	<b>379</b>	<b>6.7</b>	<b>10</b>	<b>0.2</b>	<b>320</b>	<b>5.7</b>	<b>5,627</b>	<b>100.0</b>

**TABLE: BLR-6(a): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis, 2004-2005 - Males : Bangalore**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	2	66.7	-	-	1	33.3	-	-	-	-	-	-	3	100.0
C01-02	Tongue	102	69.9	2	1.4	29	19.9	-	-	-	-	13	8.9	146	100.0
C03-06	Mouth	98	73.7	-	-	18	13.5	-	-	-	-	17	12.8	133	100.0
C07-8	Salivary Gland	19	65.5	1	3.4	2	6.9	-	-	-	-	7	24.1	29	100.0
C09	Tonsil	37	77.1	-	-	6	12.5	-	-	-	-	5	10.4	48	100.0
C10	Oth. Oropharynx	38	65.5	1	1.7	12	20.7	-	-	-	-	7	12.1	58	100.0
C11	Nasopharynx	14	77.8	1	5.6	2	11.1	-	-	-	-	1	5.6	18	100.0
C12-13	Hypopharynx	111	62.0	3	1.7	52	29.1	-	-	-	-	13	7.3	179	100.0
C14	Pharynx Unspecified	23	41.1	-	-	4	7.1	-	-	-	-	29	51.8	56	100.0
C15	Oesophagus	241	79.5	1	0.3	6	2.0	-	-	-	-	55	18.2	303	100.0
C16	Stomach	325	76.7	1	0.2	13	3.1	-	-	-	-	85	20.0	424	100.0
C17	Small Intestine	17	89.5	1	5.3	-	-	-	-	-	-	1	5.3	19	100.0
C18	Colon	119	80.4	1	0.7	4	2.7	-	-	-	-	24	16.2	148	100.0
C19-20	Rectum	124	86.7	-	-	1	0.7	-	-	-	-	18	12.6	143	100.0
C21	Anus & Anal Canal	17	94.4	-	-	-	-	-	-	-	-	1	5.6	18	100.0
C22	Liver	80	42.3	1	0.5	57	30.2	-	-	-	-	51	27.0	189	100.0
C23-24	Gallbladder etc.	30	60.0	2	4.0	9	18.0	-	-	-	-	9	18.0	50	100.0
C25	Pancreas	26	44.1	-	-	11	18.6	-	-	-	-	22	37.3	59	100.0
C30-31	Nose, Sinuses etc.	19	90.5	-	-	-	-	-	-	-	-	2	9.5	21	100.0
C32	Larynx	119	70.8	3	1.8	18	10.7	-	-	-	-	28	16.7	168	100.0
C33-34	Lung etc.	137	36.6	9	2.4	135	36.1	-	-	-	-	93	24.9	374	100.0
C37-38	Other Thoracic Organs	16	69.6	-	-	4	17.4	-	-	-	-	3	13.0	23	100.0
C40-41	Bone	48	77.4	-	-	7	11.3	-	-	-	-	7	11.3	62	100.0
C43	Melanoma of Skin	-	-	-	-	2	66.7	-	-	-	-	1	33.3	3	100.0
C44	Other Skin	56	91.8	-	-	2	3.3	-	-	-	-	3	4.9	61	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	32	86.5	-	-	3	8.1	-	-	-	-	2	5.4	37	100.0
C50	Breast	26	86.7	-	-	1	3.3	-	-	-	-	3	10.0	30	100.0
C60	Penis	43	86.0	1	2.0	-	-	-	-	-	-	6	12.0	50	100.0
C61	Prostate	215	80.2	4	1.5	7	2.6	-	-	-	-	42	15.7	268	100.0
C62	Testis	38	92.7	-	-	2	4.9	-	-	1	2.4	-	-	41	100.0
C63	Other Male Genital	5	83.3	-	-	-	-	-	-	-	-	1	16.7	6	100.0
C64	Kidney etc.	58	81.7	-	-	5	7.0	-	-	-	-	8	11.3	71	100.0
C65	Renal Pelvis	3	100.0	-	-	-	-	-	-	-	-	-	-	3	100.0
C66	Ureter	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C67	Bladder	113	91.1	1	0.8	2	1.6	-	-	-	-	8	6.5	124	100.0
C68	Uns. Urinary Organs	1	100.0	-	-	-	-	-	-	-	-	-	-	1	100.0
C69	Eye	9	90.0	-	-	-	-	-	-	-	-	1	10.0	10	100.0
C70-72	Brain, Nervous System	191	89.7	-	-	-	-	-	-	-	-	22	10.3	213	100.0
C73	Thyroid	50	80.6	-	-	6	9.7	-	-	-	-	6	9.7	62	100.0
C74	Adrenal Gland	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C77	Sec Lymph Nodes	-	-	24	33.3	44	61.1	-	-	-	-	4	5.6	72	100.0
C78	Sec Resp & Digestive	1	1.5	16	23.5	34	50.0	-	-	-	-	17	25.0	68	100.0
C79	Sec Others	1	2.9	20	57.1	5	14.3	-	-	1	2.9	8	22.9	35	100.0
C81	Hodgkins Disease	60	85.7	-	-	4	5.7	1	1.4	3	4.3	2	2.9	70	100.0
C82-85,C96	NHL	168	84.8	-	-	18	9.1	1	0.5	10	5.1	1	0.5	198	100.0
C90	Multiple Myeloma	14	14.1	-	-	2	2.0	-	-	81	81.8	2	2.0	99	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	8	9.2	78	89.7	1	1.1	87	100.0
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	10	7.0	128	90.1	4	2.8	142	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	3	8.8	24	70.6	7	20.6	34	100.0
O&U	Other and Uns	44	27.5	1	0.6	11	6.9	-	-	-	-	104	65.0	160	100.0
	<b>All Sites</b>	<b>2,891</b>	<b>62.6</b>	<b>94</b>	<b>2.0</b>	<b>540</b>	<b>11.7</b>	<b>23</b>	<b>0.5</b>	<b>326</b>	<b>7.1</b>	<b>745</b>	<b>16.1</b>	<b>4,619</b>	<b>100.0</b>

**TABLE: BLR-6(b): Number (#) and Proportion (%) of Cancers by Site (ICD-10) and Detailed Microscopic Diagnosis, 2004-2005 - Females : Bangalore**

ICD-10	Site	Pri. Hist		Sec. Hist		Cytology		Blood Film		Bone Marrow		Others		Total	
		#	%	#	%	#	%	#	%	#	%	#	%	#	%
C00	Lip	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C01-02	Tongue	41	74.5	-	-	11	20.0	-	-	-	-	3	5.5	55	100.0
C03-06	Mouth	176	68.0	-	-	42	16.2	-	-	-	-	41	15.8	259	100.0
C07-8	Salivary Gland	13	76.5	-	-	4	23.5	-	-	-	-	-	-	17	100.0
C09	Tonsil	7	77.8	-	-	-	-	-	-	-	-	2	22.2	9	100.0
C10	Oth. Oropharynx	3	75.0	-	-	1	25.0	-	-	-	-	-	-	4	100.0
C11	Nasopharynx	6	100.0	-	-	-	-	-	-	-	-	-	-	6	100.0
C12-13	Hypopharynx	43	81.1	1	1.9	5	9.4	-	-	-	-	4	7.5	53	100.0
C14	Pharynx Unspecified	8	50.0	-	-	-	-	-	-	-	-	8	50.0	16	100.0
C15	Oesophagus	222	82.5	-	-	3	1.1	-	-	-	-	44	16.4	269	100.0
C16	Stomach	145	65.3	-	-	4	1.8	-	-	-	-	73	32.9	222	100.0
C17	Small Intestine	14	82.4	-	-	-	-	-	-	-	-	3	17.6	17	100.0
C18	Colon	74	81.3	2	2.2	1	1.1	-	-	-	-	14	15.4	91	100.0
C19-20	Rectum	111	86.7	1	0.8	2	1.6	-	-	-	-	14	10.9	128	100.0
C21	Anus & Anal Canal	21	87.5	-	-	-	-	-	-	-	-	3	12.5	24	100.0
C22	Liver	31	47.0	-	-	15	22.7	-	-	-	-	20	30.3	66	100.0
C23-24	Gallbladder etc.	33	53.2	1	1.6	7	11.3	-	-	-	-	21	33.9	62	100.0
C25	Pancreas	20	33.9	-	-	10	16.9	-	-	-	-	29	49.2	59	100.0
C30-31	Nose, Sinuses etc.	15	93.8	-	-	-	-	-	-	-	-	1	6.3	16	100.0
C32	Larynx	16	69.6	-	-	1	4.3	-	-	-	-	6	26.1	23	100.0
C33-34	Lung etc.	68	51.1	1	0.8	38	28.6	-	-	-	-	26	19.5	133	100.0
C37-38	Other Thoracic Organs	11	47.8	-	-	1	4.3	-	-	-	-	11	47.8	23	100.0
C40-41	Bone	22	81.5	-	-	2	7.4	-	-	-	-	3	11.1	27	100.0
C43	Melanoma of Skin	-	-	-	-	1	100.0	-	-	-	-	-	-	1	100.0
C44	Other Skin	41	83.7	-	-	5	10.2	-	-	-	-	3	6.1	49	100.0
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47 + C49	Conn. & Soft Tissue	26	89.7	-	-	1	3.4	-	-	-	-	2	6.9	29	100.0
C50	Breast	1,232	83.2	9	0.6	123	8.3	-	-	-	-	117	7.9	1,481	100.0
C51	Vulva	17	85.0	-	-	-	-	-	-	-	-	3	15.0	20	100.0
C52	Vagina	25	100.0	-	-	-	-	-	-	-	-	-	-	25	100.0
C53	Cervix Uteri	790	89.5	1	0.1	7	0.8	-	-	-	-	85	9.6	883	100.0
C54	Corpus Uteri	175	95.6	1	0.5	1	0.5	-	-	-	-	6	3.3	183	100.0
C55	Uterus Unspecified	20	54.1	-	-	-	-	-	-	-	-	17	45.9	37	100.0
C56	Ovary etc.	230	77.7	10	3.4	24	8.1	-	-	-	-	32	10.8	296	100.0
C57	Other Female Genital	3	75.0	-	-	-	-	-	-	-	-	1	25.0	4	100.0
C58	Placenta	1	50.0	-	-	-	-	-	-	-	-	1	50.0	2	100.0
C64	Kidney etc.	22	66.7	1	3.0	3	9.1	-	-	-	-	7	21.2	33	100.0
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	2	100.0	-	-	-	-	-	-	-	-	-	-	2	100.0
C67	Bladder	31	79.5	-	-	2	5.1	-	-	-	-	6	15.4	39	100.0
C68	Uns.Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	3	75.0	-	-	-	-	-	-	-	-	1	25.0	4	100.0
C70-72	Brain, Nervous System	108	89.3	-	-	-	-	-	-	-	-	13	10.7	121	100.0
C73	Thyroid	133	83.1	-	-	22	13.8	-	-	-	-	5	3.1	160	100.0
C74	Adrenal Gland	4	100.0	-	-	-	-	-	-	-	-	-	-	4	100.0
C77	Sec Lymph Nodes	-	-	17	50.0	14	41.2	-	-	-	-	3	8.8	34	100.0
C78	Sec Resp & Digestive	-	-	11	25.0	19	43.2	-	-	-	-	14	31.8	44	100.0
C79	Sec Others	1	3.6	15	53.6	5	17.9	-	-	-	-	7	25.0	28	100.0
C81	Hodgkins Disease	39	97.5	-	-	1	2.5	-	-	-	-	-	-	40	100.0
C82-85,C96	NHL	128	80.0	-	-	14	8.8	1	0.6	12	7.5	5	3.1	160	100.0
C90	Multiple Myeloma	3	5.8	-	-	-	-	1	1.9	44	84.6	4	7.7	52	100.0
C91	Lymphoid Leuk.	-	-	-	-	-	-	3	7.3	37	90.2	1	2.4	41	100.0
C92-94	Myeloid Leukaemia	-	-	-	-	-	-	20	15.6	106	82.8	2	1.6	128	100.0
C95	Leukaemia Uns	-	-	-	-	-	-	1	4.8	19	90.5	1	4.8	21	100.0
O&U	Other and Uns	33	27.3	2	1.7	9	7.4	-	-	-	-	77	63.6	121	100.0
	<b>All Sites</b>	<b>4,173</b>	<b>74.2</b>	<b>73</b>	<b>1.3</b>	<b>398</b>	<b>7.1</b>	<b>26</b>	<b>0.5</b>	<b>218</b>	<b>3.9</b>	<b>739</b>	<b>13.1</b>	<b>5,627</b>	<b>100.0</b>

**TABLE BLR-7 (a): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):  
2004-2005 – Males**

%= Relative Proportion of Cancers of All Sites.

**Bangalore**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	0.11
C01-02	Tongue	-	-	-	-	-	-	2	1	1	5	9	7	4	8	1	5	-	43	2.26
C03-06	Mouth	-	-	-	-	-	-	2	2	3	7	3	5	9	4	2	3	-	40	2.10
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	-	-	8	0.42
C09	Tonsil	-	-	-	-	-	-	-	-	2	2	3	3	2	1	2	-	-	15	0.79
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	2	2	1	-	-	3	7	-	15	0.79
C11	Nasopharynx	-	-	-	-	2	-	-	-	-	-	1	1	1	-	-	-	-	5	0.26
C12-13	Hypopharynx	-	-	-	-	1	-	-	1	-	6	8	3	8	3	2	5	-	37	1.94
C14	Pharynx Unspecified	-	-	-	-	-	-	-	2	-	5	4	1	7	12	7	10	-	48	2.52
C15	Oesophagus	-	-	-	-	-	1	-	1	5	13	12	16	17	19	14	23	-	121	6.36
C16	Stomach	-	-	-	-	-	-	2	6	7	21	19	39	23	31	26	39	-	213	11.19
C17	Small Intestine	-	-	-	-	1	-	-	-	-	1	-	2	-	1	1	-	-	6	0.32
C18	Colon	-	-	-	-	1	2	-	1	-	2	5	3	9	7	10	19	-	59	3.10
C19-20	Rectum	-	1	-	-	-	-	-	2	3	3	10	9	5	6	6	11	-	56	2.94
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.05
C22	Liver	-	-	-	-	-	4	1	2	3	9	16	21	18	22	30	23	-	149	7.83
C23-24	Gallbladder etc.	-	-	-	-	-	-	-	2	-	-	2	4	4	1	3	6	-	22	1.16
C25	Pancreas	-	-	-	-	-	-	1	-	2	1	6	9	5	4	4	11	-	43	2.26
C30-31	Nose, Sinuses etc.	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	3	0.16
C32	Larynx	-	-	-	-	-	-	2	-	2	3	3	13	9	4	6	6	-	48	2.52
C33-34	Lung etc.	-	-	-	-	2	3	6	5	2	15	16	28	27	40	31	39	1	215	11.30
C37-38	Other Thoracic Organs	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	5	0.26
C40-41	Bone	-	-	2	3	1	1	5	-	1	1	1	2	3	2	1	2	-	25	1.31
C43	Melanoma of Skin	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	0.16
C44	Other Skin	-	-	-	-	1	1	-	-	-	-	-	2	2	2	2	3	-	13	0.68
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	-	1	-	1	-	-	2	1	1	2	1	1	-	10	0.53
C50	Breast	-	-	-	-	-	2	-	1	1	1	2	-	-	2	1	-	-	10	0.53
C60	Penis	-	-	-	-	-	-	-	-	1	1	-	2	-	2	1	1	-	8	0.42
C61	Prostate	-	-	-	-	-	-	-	-	1	1	2	1	4	14	18	49	-	90	4.73
C62	Testis	1	-	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	5	0.26
C63	Other Male Genital	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.05
C64	Kidney etc.	-	-	1	-	-	-	-	1	1	2	3	3	6	5	4	5	-	31	1.63
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	0.05
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	Bladder	-	-	-	-	-	-	-	-	-	1	-	2	2	4	4	11	-	24	1.26
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	0.05
C69	Eye	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	0.11
C70-72	Brain, Nervous System	-	3	2	2	-	2	2	4	9	12	8	11	10	5	2	8	-	80	4.20
C73	Thyroid	-	-	-	-	-	-	-	-	-	3	1	4	-	4	1	2	-	15	0.79
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	0.11
C77	Sec Lymph Nodes	-	-	1	-	1	-	1	-	1	1	3	5	2	2	3	2	-	22	1.16
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	1	-	3	3	4	4	3	2	1	-	21	1.10
C79	Sec Others	-	-	-	-	-	1	-	-	-	1	-	2	-	-	2	-	-	6	0.32
C81	Hodgkins Disease	-	-	-	-	-	1	-	3	-	1	2	1	-	1	-	2	-	11	0.58
C82-85, C96	NHL	-	1	2	1	1	2	4	1	-	8	8	11	13	2	16	7	-	77	4.05
C90	Multiple Myeloma	-	-	-	-	1	-	-	-	1	3	4	8	7	8	5	4	-	41	2.15
C91	Lymphoid Leuk.	2	1	3	1	5	1	-	1	1	2	1	3	1	2	3	3	-	30	1.58
C92-94	Myeloid Leukaemia	-	2	-	1	5	5	4	8	2	5	6	5	8	7	5	2	-	65	3.42
C95	Leukaemia Uns	1	1	-	1	1	-	3	1	2	1	-	3	1	3	4	-	-	22	1.16
O&U	Other and Uns	1	-	3	-	4	3	3	5	9	10	11	19	8	10	12	23	1	122	6.41
	<b>All Sites</b>	<b>7</b>	<b>9</b>	<b>14</b>	<b>10</b>	<b>27</b>	<b>31</b>	<b>38</b>	<b>53</b>	<b>64</b>	<b>157</b>	<b>178</b>	<b>259</b>	<b>224</b>	<b>252</b>	<b>241</b>	<b>337</b>	<b>2</b>	<b>1903</b>	<b>100.00</b>

**TABLE BLR-7 (b): Number of Cancer Deaths by Five Year Age Group and Site (ICD-10):  
2004-2005 – Females**

%= Relative Proportion of Cancers of All Sites.

**Bangalore**

ICD-10	Site	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75+	Unkn	Total	%
C00	Lip	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	0.06
C01-02	Tongue	-	-	-	-	-	-	-	-	-	2	3	1	1	-	1	1	-	9	0.51
C03-06	Mouth	-	-	-	-	-	-	1	1	7	9	12	9	11	9	11	13	-	83	4.71
C07-8	Salivary Gland	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	0.11
C09	Tonsil	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	4	0.23
C10	Oth. Oropharynx	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	0.11
C11	Nasopharynx	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	3	0.17
C12-13	Hypopharynx	-	-	-	-	-	1	-	1	-	2	2	2	1	-	2	3	1	15	0.85
C14	Pharynx Unspecified	-	-	-	-	-	-	-	2	-	-	-	2	3	-	1	4	-	12	0.68
C15	Oesophagus	-	-	-	-	1	-	1	3	8	6	13	10	14	19	14	19	-	108	6.13
C16	Stomach	-	-	-	-	1	2	6	4	8	17	12	11	15	9	15	23	-	123	6.98
C17	Small Intestine	-	-	-	-	-	-	1	-	-	1	1	1	-	1	2	-	-	7	0.40
C18	Colon	-	-	-	-	-	-	3	-	1	3	3	6	3	3	4	8	-	34	1.93
C19-20	Rectum	-	-	-	1	1	4	5	3	2	2	4	3	6	7	5	8	-	51	2.89
C21	Anus & Anal Canal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	5	0.28
C22	Liver	1	-	-	-	-	1	1	-	2	9	8	6	6	3	9	9	-	55	3.12
C23-24	Gallbladder etc.	-	-	-	-	-	1	-	1	-	2	5	3	1	2	4	9	-	28	1.59
C25	Pancreas	-	-	-	-	-	-	-	2	2	-	-	6	5	9	5	5	-	34	1.93
C30-31	Nose, Sinuses etc.	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	3	0.17
C32	Larynx	-	-	-	-	-	-	-	-	-	2	-	2	1	1	1	4	-	11	0.62
C33-34	Lung etc.	-	-	-	1	1	2	1	3	5	8	6	10	13	13	6	7	-	76	4.31
C37-38	Other Thoracic Organs	-	-	-	-	-	1	1	-	-	1	1	1	1	-	-	3	-	9	0.51
C40-41	Bone	-	-	-	1	-	-	1	-	-	-	3	2	1	2	1	-	-	11	0.62
C43	Melanoma of Skin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	Other Skin	-	-	-	-	-	-	1	-	1	-	2	2	1	1	-	3	-	11	0.62
C45	Mesothelioma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	Conn. & Soft Tissue	-	-	-	-	2	2	1	-	2	1	-	2	-	-	1	1	-	12	0.68
C50	Breast	-	-	-	-	-	6	13	16	30	46	53	52	40	37	27	36	2	358	20.32
C51	Vulva	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	2	-	7	0.40
C52	Vagina	-	-	-	-	-	1	-	-	-	1	1	1	2	-	2	1	-	9	0.51
C53	Cervix Uteri	-	-	-	1	-	-	4	13	11	23	20	31	19	19	10	14	1	166	9.42
C54	Corpus Uteri	-	-	-	-	-	-	1	1	-	3	1	3	3	5	1	3	-	21	1.19
C55	Uterus Unspecified	-	-	-	-	-	-	-	-	1	-	4	4	6	6	5	4	-	30	1.70
C56	Ovary etc.	-	-	1	-	-	1	4	3	6	6	18	16	10	7	14	13	-	99	5.62
C57	Other Female Genital	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	0.06
C58	Placenta	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	Kidney etc.	-	1	-	-	1	-	-	-	-	1	1	-	1	2	5	2	-	14	0.79
C65	Renal Pelvis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	Ureter	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	0.06
C67	Bladder	-	-	-	-	-	-	1	-	-	-	-	-	2	3	1	9	-	16	0.91
C68	Uns. Urinary Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	Eye	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	Brain, Nervous System	-	1	1	-	2	-	4	3	3	3	5	5	6	6	4	4	-	47	2.67
C73	Thyroid	-	-	-	-	-	-	-	-	-	2	-	-	1	4	-	6	1	14	0.79
C74	Adrenal Gland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	Sec Lymph Nodes	-	-	-	-	-	1	-	2	1	1	-	3	2	1	-	-	-	11	0.62
C78	Sec Resp & Digestive	-	-	-	-	-	-	-	-	-	1	1	4	2	3	1	2	-	14	0.79
C79	Sec Others	-	-	-	-	-	-	1	-	2	1	1	1	1	1	3	-	-	11	0.62
C81	Hodgkins Disease	-	1	1	-	-	-	-	-	1	1	-	1	1	-	1	1	-	8	0.45
C82-85,C96	NHL	-	1	-	-	-	3	1	3	1	4	6	7	4	4	6	2	-	42	2.38
C90	Multiple Myeloma	-	-	-	-	-	-	-	1	1	-	2	4	5	1	1	3	-	18	1.02
C91	Lymphoid Leuk.	1	2	2	3	-	-	-	1	1	1	-	2	3	1	1	2	-	19	1.08
C92-94	Myeloid Leukaemia	-	-	2	2	-	3	1	6	5	7	2	3	2	3	2	7	-	45	2.55
C95	Leukaemia Uns	-	-	-	1	1	-	-	1	-	2	-	-	-	1	1	1	-	8	0.45
O&U	Other and Uns	-	1	-	1	3	3	2	3	4	5	7	9	11	12	11	17	-	89	5.05
	<b>All Sites</b>	<b>2</b>	<b>7</b>	<b>7</b>	<b>11</b>	<b>14</b>	<b>32</b>	<b>55</b>	<b>75</b>	<b>105</b>	<b>175</b>	<b>202</b>	<b>227</b>	<b>207</b>	<b>201</b>	<b>181</b>	<b>255</b>	<b>6</b>	<b>1762</b>	<b>100.00</b>

**TABLE: BLR-8(a):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2004-2005 - Males**  
**Bangalore**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	0.5	-	-	-	-	-	-	-	0.0	0.0	0.02	0.1
C01-02	-	-	-	-	-	-	0.3	0.2	0.2	1.3	3.1	3.8	2.5	7.9	1.3	6.2	0.6	0.9	0.15	1.6
C03-06	-	-	-	-	-	-	0.3	0.4	0.7	1.8	1.0	2.7	5.7	4.0	2.6	3.7	0.6	0.8	0.14	1.8
C07-8	-	-	-	-	-	-	-	-	-	-	0.3	1.1	0.6	2.0	2.6	-	0.1	0.2	0.07	0.3
C09	-	-	-	-	-	-	-	-	0.5	0.5	1.0	1.6	1.3	1.0	2.6	-	0.2	0.3	0.08	0.7
C10	-	-	-	-	-	-	-	-	-	0.5	0.7	0.5	-	-	4.0	8.7	0.2	0.3	0.09	0.3
C11	-	-	-	-	0.2	-	-	-	-	-	0.3	0.5	0.6	-	-	-	0.1	0.1	0.04	0.2
C12-13	-	-	-	-	0.1	-	-	0.2	-	1.6	2.7	1.6	5.1	3.0	2.6	6.2	0.5	0.8	0.13	1.6
C14	-	-	-	-	-	-	-	0.4	-	1.3	1.4	0.5	4.5	11.9	9.2	12.4	0.7	1.2	0.17	1.2
C15	-	-	-	-	-	0.1	-	0.2	1.2	3.4	4.1	8.8	10.8	18.8	18.5	28.6	1.8	2.8	0.26	4.1
C16	-	-	-	-	-	-	0.3	1.1	1.6	5.4	6.5	21.3	14.6	30.6	34.3	48.5	3.1	4.8	0.34	7.3
C17	-	-	-	-	0.1	-	-	-	-	0.3	-	1.1	-	1.0	1.3	-	0.1	0.1	0.05	0.2
C18	-	-	-	-	0.1	0.3	-	0.2	-	0.5	1.7	1.6	5.7	6.9	13.2	23.6	0.9	1.4	0.19	1.4
C19-20	-	0.2	-	-	-	-	-	0.4	0.7	0.8	3.4	4.9	3.2	5.9	7.9	13.7	0.8	1.2	0.17	2.0
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2	0.0	0.0	0.02	-
C22	-	-	-	-	-	0.5	0.2	0.4	0.7	2.3	5.5	11.5	11.5	21.7	39.6	28.6	2.2	3.5	0.29	4.5
C23-24	-	-	-	-	-	-	-	0.4	-	-	0.7	2.2	2.5	1.0	4.0	7.5	0.3	0.5	0.11	0.8
C25	-	-	-	-	-	-	0.2	-	0.5	0.3	2.0	4.9	3.2	4.0	5.3	13.7	0.6	1.0	0.15	1.5
C30-31	-	-	-	-	-	0.1	-	-	-	-	0.3	-	-	-	1.3	-	0.0	0.1	0.03	0.1
C32	-	-	-	-	-	-	0.3	-	0.5	0.8	1.0	7.1	5.7	4.0	7.9	7.5	0.7	1.1	0.16	2.1
C33-34	-	-	-	-	0.2	0.4	1.0	0.9	0.5	3.9	5.5	15.3	17.2	39.5	40.9	48.5	3.2	5.0	0.35	6.1
C37-38	-	-	-	-	-	-	-	-	-	0.3	-	0.5	0.6	-	2.6	-	0.1	0.1	0.05	0.2
C40-41	-	-	0.3	0.5	0.1	0.1	0.8	-	0.2	0.3	0.3	1.1	1.9	2.0	1.3	2.5	0.4	0.4	0.10	0.5
C43	0.2	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.3	-	0.0	0.1	0.05	-
C44	-	-	-	-	0.1	0.1	-	-	-	-	-	1.1	1.3	2.0	2.6	3.7	0.2	0.3	0.09	0.3
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	-	0.1	-	0.2	-	-	0.7	0.5	0.6	2.0	1.3	1.2	0.1	0.2	0.07	0.3
C50	-	-	-	-	-	0.3	-	0.2	0.2	0.3	0.7	-	-	2.0	1.3	-	0.1	0.2	0.06	0.2
C60	-	-	-	-	-	-	-	-	0.2	0.3	-	1.1	-	2.0	1.3	1.2	0.1	0.2	0.07	0.2
C61	-	-	-	-	-	-	-	-	0.2	0.3	0.7	0.5	2.5	13.8	23.8	60.9	1.3	2.3	0.24	0.6
C62	0.2	-	-	0.2	-	-	-	-	-	0.3	-	-	-	2.0	-	-	0.1	0.1	0.05	0.1
C63	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	0.0	0.0	0.03	-
C64	-	-	0.2	-	-	-	-	0.2	0.2	0.5	1.0	1.6	3.8	4.9	5.3	6.2	0.5	0.7	0.13	1.0
C65	-	-	-	-	-	-	-	-	-	-	-	0.5	-	-	-	-	0.0	0.0	0.02	0.1
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C67	-	-	-	-	-	-	-	-	-	0.3	-	1.1	1.3	4.0	5.3	13.7	0.4	0.6	0.12	0.4
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-	0.0	0.0	0.03	-
C69	0.2	-	-	-	-	-	-	-	-	0.3	-	-	-	-	-	-	0.0	0.0	0.03	0.1
C70-72	-	0.5	0.3	0.3	-	0.3	0.3	0.7	2.1	3.1	2.7	6.0	6.4	4.9	2.6	10.0	1.2	1.5	0.18	3.2
C73	-	-	-	-	-	-	-	-	-	0.8	0.3	2.2	-	4.0	1.3	2.5	0.2	0.3	0.09	0.5
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.5	0.0	0.0	0.04	-
C77	-	-	0.2	-	0.1	-	0.2	-	0.2	0.3	1.0	2.7	1.3	2.0	4.0	2.5	0.3	0.5	0.10	0.8
C78	-	-	-	-	-	-	-	0.2	-	0.8	1.0	2.2	2.5	3.0	2.6	1.2	0.3	0.5	0.10	1.0
C79	-	-	-	-	-	0.1	-	-	-	0.3	-	1.1	-	-	2.6	-	0.1	0.1	0.05	0.2
C81	-	-	-	-	-	0.1	-	0.5	-	0.3	0.7	0.5	-	1.0	-	2.5	0.2	0.2	0.06	0.3
C82-85,C96	-	0.2	0.3	0.2	0.1	0.3	0.7	0.2	-	2.1	2.7	6.0	8.3	2.0	21.1	8.7	1.1	1.6	0.19	2.7
C90	-	-	-	-	0.1	-	-	-	0.2	0.8	1.4	4.4	4.5	7.9	6.6	5.0	0.6	1.0	0.15	1.6
C91	0.4	0.2	0.5	0.2	0.6	0.1	-	0.2	0.2	0.5	0.3	1.6	0.6	2.0	4.0	3.7	0.4	0.6	0.11	0.5
C92-94	-	0.4	-	0.2	0.6	0.6	0.7	1.4	0.5	1.3	2.0	2.7	5.1	6.9	6.6	2.5	1.0	1.2	0.16	2.0
C95	0.2	0.2	-	0.2	0.1	-	0.5	0.2	0.5	0.3	-	1.6	0.6	3.0	5.3	-	0.3	0.4	0.10	0.5
O&U	0.2	-	0.5	-	0.5	0.4	0.5	0.9	2.1	2.6	3.8	10.4	5.1	9.9	15.8	28.6	1.8	2.5	0.24	3.7
All	1.4	1.6	2.3	1.5	3.3	4.0	6.3	9.6	14.9	40.7	60.7	141.7	142.6	249.1	318.0	419.2	28.1	42.2	1.00	59.1



**TABLE: BLR-8(b):**  
**Average Annual Age Specific, Crude (CR), Age Adjusted (AAR) (with Standard Error(SE)) and**  
**Truncated (35-64 Yrs) (TR) Mortality Rate per 100,000 population: 2004-2005 - Females**  
**Bangalore**

ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	>75	CR	AAR	SE	TR
C00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2	0.0	0.0	0.02	-
C01-02	-	-	-	-	-	-	-	-	-	0.6	1.2	0.6	0.7	-	1.4	1.2	0.1	0.2	0.07	0.5
C03-06	-	-	-	-	-	-	0.2	0.2	2.0	2.7	4.9	5.6	7.6	8.6	14.9	15.3	1.3	1.9	0.22	3.4
C07-8	-	-	-	-	-	-	-	-	-	-	0.4	0.6	-	-	-	-	0.0	0.0	0.03	0.1
C09	-	-	-	-	-	-	-	-	-	0.3	-	-	-	1.0	-	2.3	0.1	0.1	0.05	0.1
C10	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	1.4	-	0.0	0.1	0.04	-
C11	-	-	-	-	-	-	-	-	-	-	0.4	-	1.4	-	-	-	0.0	0.1	0.04	0.2
C12-13	-	-	-	-	-	0.1	-	0.2	-	0.6	0.8	1.2	0.7	-	2.7	3.5	0.2	0.3	0.08	0.5
C14	-	-	-	-	-	-	-	0.4	-	-	-	1.2	2.1	-	1.4	4.7	0.2	0.3	0.08	0.5
C15	-	-	-	-	0.1	-	0.2	0.6	2.2	1.8	5.3	6.2	9.7	18.1	18.9	22.3	1.8	2.6	0.25	3.8
C16	-	-	-	-	0.1	0.3	1.2	0.8	2.2	5.1	4.9	6.8	10.3	8.6	20.3	27.0	2.0	2.7	0.25	4.6
C17	-	-	-	-	-	-	0.2	-	-	0.3	0.4	0.6	-	1.0	2.7	-	0.1	0.2	0.06	0.2
C18	-	-	-	-	-	-	0.6	-	0.3	0.9	1.2	3.7	2.1	2.9	5.4	9.4	0.6	0.8	0.14	1.2
C19-20	-	-	-	0.2	0.1	0.6	1.0	0.6	0.6	0.6	1.6	1.9	4.1	6.7	6.8	9.4	0.8	1.1	0.16	1.4
C21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.7	2.3	0.1	0.1	0.05	-
C22	0.2	-	-	-	-	0.1	0.2	-	0.6	2.7	3.3	3.7	4.1	2.9	12.2	10.6	0.9	1.3	0.17	2.2
C23-24	-	-	-	-	-	0.1	-	0.2	-	0.6	2.0	1.9	0.7	1.9	5.4	10.6	0.5	0.6	0.12	0.8
C25	-	-	-	-	-	-	-	0.4	0.6	-	-	3.7	3.4	8.6	6.8	5.9	0.6	0.9	0.15	1.1
C30-31	-	-	-	-	0.1	-	-	0.2	-	-	0.4	-	-	-	-	-	0.0	0.0	0.03	0.1
C32	-	-	-	-	-	-	-	-	-	0.6	-	1.2	0.7	1.0	1.4	4.7	0.2	0.3	0.08	0.4
C33-34	-	-	-	0.2	0.1	0.3	0.2	0.6	1.4	2.4	2.5	6.2	9.0	12.4	8.1	8.2	1.2	1.7	0.21	3.2
C37-38	-	-	-	-	-	0.1	0.2	-	-	0.3	0.4	0.6	0.7	-	-	3.5	0.1	0.2	0.06	0.3
C40-41	-	-	-	0.2	-	-	0.2	-	-	-	1.2	1.2	0.7	1.9	1.4	-	0.2	0.2	0.08	0.4
C43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C44	-	-	-	-	-	-	0.2	-	0.3	-	0.8	1.2	0.7	1.0	-	3.5	0.2	0.2	0.08	0.4
C45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C47+C49	-	-	-	-	0.3	0.3	0.2	-	0.6	0.3	-	1.2	-	-	1.4	1.2	0.2	0.2	0.06	0.3
C50	-	-	-	-	-	0.8	2.5	3.1	8.4	13.9	21.7	32.2	27.6	35.3	36.5	42.3	5.8	7.8	0.43	16.1
C51	-	-	-	-	-	-	-	-	-	0.3	0.4	1.2	-	1.0	-	2.3	0.1	0.2	0.06	0.3
C52	-	-	-	-	-	0.1	-	-	-	0.3	0.4	0.6	1.4	-	2.7	1.2	0.1	0.2	0.07	0.4
C53	-	-	-	0.2	-	-	0.8	2.5	3.1	6.9	8.2	19.2	13.1	18.1	13.5	16.4	2.7	3.7	0.29	7.9
C54	-	-	-	-	-	-	0.2	0.2	-	0.9	0.4	1.9	2.1	4.8	1.4	3.5	0.3	0.5	0.11	0.8
C55	-	-	-	-	-	-	-	-	0.3	-	1.6	2.5	4.1	5.7	6.8	4.7	0.5	0.8	0.14	1.2
C56	-	-	0.2	-	-	0.1	0.8	0.6	1.7	1.8	7.4	9.9	6.9	6.7	18.9	15.3	1.6	2.2	0.23	4.1
C57	-	-	-	-	-	-	0.2	-	-	-	-	-	-	-	-	-	0.0	0.0	0.01	0.0
C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C64	-	0.2	-	-	0.1	-	-	-	-	0.3	0.4	-	0.7	1.9	6.8	2.3	0.2	0.3	0.09	0.2
C65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2	0.0	0.0	0.02	-
C67	-	-	-	-	-	-	0.2	-	-	-	-	-	1.4	2.9	1.4	10.6	0.3	0.4	0.10	0.2
C68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C70-72	-	0.2	0.2	-	0.3	-	0.8	0.6	0.8	0.9	2.0	3.1	4.1	5.7	5.4	4.7	0.8	1.0	0.15	1.7
C73	-	-	-	-	-	-	-	-	-	0.6	-	-	0.7	3.8	-	7.0	0.2	0.3	0.09	0.2
C74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
C77	-	-	-	-	-	0.1	-	0.4	0.3	0.3	-	1.9	1.4	1.0	-	-	0.2	0.2	0.07	0.6
C78	-	-	-	-	-	-	-	-	-	0.3	0.4	2.5	1.4	2.9	1.4	2.3	0.2	0.4	0.09	0.6
C79	-	-	-	-	-	-	0.2	-	0.6	0.3	0.4	0.6	0.7	1.0	4.1	-	0.2	0.2	0.08	0.4
C81	-	0.2	0.2	-	-	-	-	-	0.3	0.3	-	0.6	0.7	-	1.4	1.2	0.1	0.2	0.06	0.3
C82-85,C96	-	0.2	-	-	-	0.4	0.2	0.6	0.3	1.2	2.5	4.3	2.8	3.8	8.1	2.3	0.7	0.9	0.15	1.7
C90	-	-	-	-	-	-	-	0.2	0.3	-	0.8	2.5	3.4	1.0	1.4	3.5	0.3	0.4	0.10	1.0
C91	0.2	0.4	0.4	0.5	-	-	-	-	0.3	0.3	0.4	-	1.4	2.9	1.4	2.3	0.3	0.4	0.10	0.4
C92-94	-	-	0.4	0.3	-	0.4	0.2	1.2	1.4	2.1	0.8	1.9	1.4	2.9	2.7	8.2	0.7	0.9	0.13	1.5
C95	-	-	-	0.2	0.1	-	-	0.2	-	0.6	-	-	-	1.0	1.4	1.2	0.1	0.2	0.06	0.2
O&U	-	0.2	-	0.2	0.4	0.4	0.4	0.6	1.1	1.5	2.9	5.6	7.6	11.4	14.9	20.0	1.4	2.0	0.22	2.8
All	0.4	1.3	1.2	1.8	1.9	4.4	10.7	14.5	29.3	52.7	82.5	140.4	142.7	191.5	244.5	299.4	28.6	39.5	0.97	68.5

**TABLE: BLR-9(a): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of Individual Sites (ICD-10) Based Age Specific Rates (from 0-64 Years and from 0-74 Years) : 2004-2005 - Males Bangalore**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.01	0.01	0.01	0.01
C01-02	Tongue	0.21	0.21	0.37	0.37
C03-06	Mouth	0.18	0.18	0.35	0.35
C07-8	SalivaryGland	0.04	0.04	0.08	0.08
C09	Tonsil	0.07	0.07	0.12	0.12
C10	Oth. Oropharynx	0.07	0.07	0.15	0.15
C11	Nasopharynx	0.03	0.03	0.03	0.03
C12-13	Hypopharynx	0.24	0.24	0.50	0.49
C14	Pharynx Unspecified	0.07	0.07	0.16	0.16
C15	Oesophagus	0.38	0.38	0.86	0.85
C16	Stomach	0.55	0.54	1.10	1.10
C17	Small Intestine	0.03	0.03	0.04	0.04
C18	Colon	0.17	0.17	0.37	0.37
C19-20	Rectum	0.18	0.18	0.38	0.38
C21	Anus & Anal Canal	0.02	0.02	0.04	0.04
C22	Liver	0.22	0.22	0.57	0.56
C23-24	Gallbladder etc.	0.08	0.08	0.12	0.12
C25	Pancreas	0.09	0.09	0.16	0.16
C30-31	Nose, Sinuses etc.	0.02	0.02	0.06	0.06
C32	Larynx	0.21	0.21	0.47	0.47
C33-34	Lung etc.	0.44	0.44	1.03	1.02
C37-38	Other Thoracic Organs	0.03	0.03	0.06	0.06
C40-41	Bone	0.06	0.06	0.09	0.09
C43	Melanoma of Skin	0.00	0.00	0.01	0.01
C44	Other Skin	0.07	0.07	0.13	0.13
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47+C49	Conn. & Soft Tissue	0.03	0.03	0.09	0.09
C50	Breast	0.05	0.05	0.07	0.07
C60	Penis	0.06	0.06	0.15	0.15
C61	Prostate	0.15	0.15	0.77	0.76
C62	Testis	0.03	0.03	0.06	0.06
C63	Other Male Genital	0.00	0.00	0.03	0.03
C64	Kidneyetc.	0.09	0.09	0.21	0.21
C65	Renal Pelvis	-	-	0.01	0.01
C66	Ureter	-	-	-	-
C67	Bladder	0.13	0.13	0.33	0.33
C68	Uns. Urinary Organs	-	-	0.00	0.00
C69	Eye	0.01	0.01	0.01	0.01
C70-72	Brain, Nervous System	0.24	0.24	0.41	0.41
C73	Thyroid	0.07	0.07	0.13	0.13
C74	Adrenal Gland	0.00	0.00	0.00	0.00
C77	Sec Lymph Nodes	0.07	0.07	0.20	0.20
C78	Sec Resp & Digestive	0.10	0.10	0.17	0.17
C79	Sec Others	0.04	0.04	0.10	0.10
C81	Hodgkins Disease	0.07	0.07	0.10	0.10
C82-85, C96	NHL	0.24	0.24	0.53	0.53
C90	Multiple Myeloma	0.13	0.13	0.29	0.29
C91	Lymphoid Leuk.	0.08	0.08	0.15	0.15
C92-94	Myeloid Leukaemia	0.18	0.18	0.26	0.26
C95	Leukaemia Uns	0.03	0.03	0.07	0.07
O&U	Other and Uns	0.18	0.17	0.34	0.34
	<b>All Sites</b>	<b>5.46</b>	<b>5.31</b>	<b>11.72</b>	<b>11.06</b>

**TABLE: BLR-9(b): Cumulative Rate (Cu.Rate%) & Cumulative Risk (Cu.Risk) of Individual Sites (ICD-10) Based Age Specific Rates (from 0-64 Years and from 0-74 Years) : 2004-2005 - Females**  
**Bangalore**

ICD-10	Site	0 - 64 Years		0 - 74 Years	
		Cu. Rate %	Cu. Risk	Cu. Rate%	Cu. Risk
C00	Lip	0.01	0.01	0.01	0.01
C01-02	Tongue	0.10	0.10	0.16	0.16
C03-06	Mouth	0.36	0.36	0.70	0.70
C07-8	SalivaryGland	0.02	0.02	0.03	0.03
C09	Tonsil	0.01	0.01	0.02	0.02
C10	Oth. Oropharynx	0.01	0.01	0.01	0.01
C11	Nasopharynx	0.01	0.01	0.01	0.01
C12-13	Hypopharynx	0.08	0.08	0.11	0.11
C14	Pharynx Unspecified	0.02	0.02	0.04	0.04
C15	Oesophagus	0.38	0.38	0.83	0.82
C16	Stomach	0.29	0.29	0.58	0.58
C17	Small Intestine	0.03	0.03	0.05	0.05
C18	Colon	0.13	0.13	0.23	0.23
C19-20	Rectum	0.17	0.17	0.30	0.30
C21	Anus & Anal Canal	0.02	0.02	0.07	0.07
C22	Liver	0.08	0.08	0.17	0.17
C23-24	Gallbladder etc.	0.07	0.07	0.15	0.15
C25	Pancreas	0.07	0.07	0.17	0.17
C30-31	Nose, Sinuses etc.	0.03	0.03	0.03	0.03
C32	Larynx	0.04	0.04	0.05	0.05
C33-34	Lung etc.	0.23	0.23	0.39	0.38
C37-38	Other Thoracic Organs	0.03	0.03	0.04	0.04
C40-41	Bone	0.03	0.03	0.04	0.04
C43	Melanoma of Skin	-	-	0.01	0.01
C44	Other Skin	0.06	0.06	0.12	0.12
C45	Mesothelioma	-	-	-	-
C46	Kaposi Sarcoma	-	-	-	-
C47 + C49	Conn. & Soft Tissue	0.03	0.03	0.06	0.06
C50	Breast	2.38	2.35	3.51	3.45
C51	Vulva	0.03	0.03	0.05	0.05
C52	Vagina	0.04	0.04	0.08	0.08
C53	Cervix Uteri	1.46	1.45	2.26	2.24
C54	Corpus Uteri	0.29	0.29	0.54	0.54
C55	Uterus Unspecified	0.04	0.04	0.10	0.10
C56	Ovary etc.	0.45	0.45	0.74	0.74
C57	Other Female Genital	0.00	0.00	0.01	0.01
C58	Placenta	0.00	0.00	0.00	0.00
C64	Kidneyetc.	0.03	0.03	0.10	0.10
C65	Renal Pelvis	-	-	-	-
C66	Ureter	0.00	0.00	0.00	0.00
C67	Bladder	0.06	0.06	0.10	0.10
C68	Uns.UrinaryOrgans	-	-	-	-
C69	Eye	0.01	0.01	0.01	0.01
C70-72	Brain,Nervous System	0.14	0.14	0.24	0.24
C73	Thyroid	0.20	0.20	0.29	0.29
C74	Adrenal Gland	0.00	0.00	0.00	0.00
C77	Sec Lymph Nodes	0.04	0.04	0.11	0.11
C78	Sec Resp& Digestive	0.06	0.06	0.14	0.14
C79	Sec Others	0.04	0.04	0.08	0.08
C81	Hodgkins Disease	0.04	0.04	0.08	0.08
C82-85,C96	NHL	0.24	0.24	0.41	0.41
C90	Multiple Myeloma	0.08	0.08	0.14	0.14
C91	Lymphoid Leuk.	0.04	0.04	0.04	0.04
C92-94	Myeloid Leukaemia	0.17	0.17	0.29	0.29
C95	Leukaemia Uns	0.02	0.02	0.03	0.03
O&U	Other and Uns	0.15	0.15	0.29	0.29
	<b>All Sites</b>	<b>8.34</b>	<b>8.00</b>	<b>14.04</b>	<b>13.10</b>